

Supporting Information

Rhanteriol, a new *Rhanterium suaveolens* Desf. lignan with pharmacological potential as potent enzyme inhibitor

Soumia Belaabed ¹, Ayoub Khalfaoui ¹, Valentina Parisi ^{2,3}, Valentina Santoro², Daniela Russo ⁴, Maria Ponticelli ^{4*}, Magnus Monné ⁴, Khellaf Rebbas ⁵, Luigi Milella ^{4*}, and Giuliana Donadio ².

¹ Department of chemistry, Research unit, Development of natural resources, Bioactive molecules, Physicochemical and biological analysis, University Mentouri, Route Ain ElBey 25000 Constantine, Algeria

² Dipartimento di Farmacia, Università degli Studi di Salerno, via Giovanni Paolo II 132, 84084 Fisciano (SA), Italy

³ PhD Program in Drug Discovery and Development, Department of Pharmacy, University of Salerno, Via Giovanni Paolo II 132, 84084, Fisciano, Salerno, Italy.

⁴ Dipartimento di Scienze, Università degli Studi della Basilicata, Viale dell'Ateneo Lucano 10, 85100 Potenza, Italy

⁵ Natural and Life Sciences Department, Mohamed Boudiaf University, M'sila, Algeria

* Correspondence: luigi.milella@unibas.it (L.M.); maria.ponticelli@unibas.it (M.P.) Tel.: +39 0971 205525

Table of Contents

Figure S1. ^1H NMR spectrum of compound **1** (CD_3OD , 600 MHz)

Figure S2. ^{13}C NMR spectrum of compound **1** (CD_3OD , 150 MHz)

Figure S3. COSY spectrum of compound **1** (CD_3OD , 600 MHz)

Figure S4. HSQC spectrum of compound **1** (CD_3OD , 600 MHz)

Figure S5. HMBC spectrum of compound **1** (CD_3OD , 600 MHz)

Figure S6. HRESIMS of compound **1**

Figure S1. ^1H NMR spectrum of compound **1** (CD_3OD , 600 MHz)




Figure S2. ^{13}C NMR spectrum of compound **1** (CD_3OD , 150 MHz)




Figure S3. COSY spectrum of compound 1 (CD₃OD, 600 MHz)




Figure S4. HSQC spectrum of compound **1** (CD_3OD , 600 MHz)




Figure S5. HMBC spectrum of compound **1** (CD_3OD , 600 MHz)




Figure S6. HRESIMS of compound **1**

