

Supplementary Material

Chemical constituents from *Ficus sagittifolia* stem bark and their antimicrobial activities

Olayombo M. Taiwo ^{1,2*}, Olaoluwa O. Olaoluwa ¹, Olapeju O. Aiyelaagbe ¹ and Thomas J. Schmidt ^{2,*}

¹Department of Chemistry, University of Ibadan, Ibadan, 200284, Nigeria; tolayombo@gmail.com (O.M.T.); omosalewa.olaoluwa@gmail.com (O.O.O.); oaiyelaagbe@gmail.com (O.O.A.)

²Institute of Pharmaceutical Biology and Phytochemistry (IPBP), University of Muenster, PharmaCampus, Correnstrasse 48, D-48149, Germany; thomschm@uni-muenster.de (T.J.S.); tolayombo@gmail.com (O.M.T.)

*Correspondence: thomschm@uni-muenster.de (T.J.S.); tolayombo@gmail.com (O.M.T.)




Figure S-1. ^1H -NMR spectrum of compounds 1 and 2 (600 MHz, CD_5OD)




Figure S-2. ¹³C-NMR spectrum of compounds **1** and **2** (150 MHz, CD₃OD)




Figure S-3. HSQC spectrum of compounds **1** and **2**




Figure S-4. COSY spectrum of compounds **1** and **2**




Figure S-5. HMBC spectrum of compounds **1** and **2**




Figure S-6. LC-UV spectrum of compound 1




Figure S-7. HR-ESIMS spectrum of compound 1




Figure S-8. LC-UV spectrum of compound 2




Figure S-9. HR-ESIMS spectrum of compound 2




Figure S-10. ¹H-NMR spectrum of compound 3 (600 MHz, CD₃OD)




Figure S-11. ¹³C-NMR spectrum of compound 3 (150 MHz, CD₃OD)




Figure S-12. HSQC spectrum of compound 3




Figure S-13. COSY spectrum of compound 3




Figure S-14. HMBC spectrum of compound 3




Figure S-15. LC-UV spectrum of compound 3




Figure S-16. HR-ESIMS spectrum of compound 3




Figure S-17. ¹H-NMR spectrum of compounds 4 and 5 (600 MHz, CD₃OD)




Figure S-18. ¹³C-NMR spectrum of compounds **4** and **5** (150 MHz, CD₃OD)




Figure S-19. HSQC spectrum of compounds 4 and 5




Figure S-20. COSY spectrum of compounds 4 and 5




Figure S-21. HMBC spectrum of compounds **4** and **5**




Figure S-22. LC-UV spectrum of compound 4




Figure S-23. HR-ESIMS spectrum of compound 4




Figure S-24. LC-UV spectrum of compound 5




Figure S-25. HR-ESIMS spectrum of compound 5




Figure S-26. ^1H -NMR spectrum of compound **6** (600 MHz, CD_3OD)




Figure S-27. ¹³C-NMR spectrum of compound 6 (150 MHz, CD₃OD)




Figure S-28. HSQC spectrum of compound 6




Figure S-29. COSY spectrum of compound 6




Figure S-30. HMBC spectrum of compound 6




Figure S-31. LC-UV spectrum of compound 6




Figure S-32. HR-ESIMS spectrum of compound 6




Figure S-33. ¹H-NMR spectrum for compound 7 (600 MHz, CD₃OD)




Figure S-34. ¹H-NMR spectrum of compound 7 (600 MHz, CD₃OD), expanded region showing the signals of H-7, H-8, H-10.




Figure S-35. ^1H -NMR spectrum of compound 7 (600 MHz, CD_3OD), expanded region showing the signals of H-3, H-12 β , H-12 α .




Figure S-36. ¹H-NMR spectrum of compound 7 (600 MHz, CD₃OD), expanded region showing the signals of CH₃-15, H-2 α , H-4 α , H-2 β and H-4 β .




Figure S-37. ^{13}C -NMR spectrum of compound 7 (150 MHz, CD_3OD)




Figure S-38. HSQC spectrum of compound 7




Figure S-39. COSY spectrum for compound 7




Figure S-40. HMBC spectrum of compound 7




Figure S-41. LC-UV spectrum of compound 7




Figure S-42. HR-ESIMS spectrum of compound 7