

Supplementary Information:

Fabrication and Evaluation of Electrospun Silk Fibroin/Halloysite Nanotube Biomaterials for Soft Tissue Regeneration

Soheila Mohammadzadehmoghadam^{1,2}, Catherine F. LeGrand^{2,3}, Chee-Wai Wong^{2,3}, Beverley F. Kinnear^{2,3}, Yu Dong^{1,*}, and Deirdre R. Coombe^{2,3,*}

¹ School of Civil and Mechanical Engineering, Curtin University, Bentley WA 6102 Australia; sm.mohamadzade@gmail.com

² Curtin Health Innovation Research Institute, Faculty of Health Sciences, Curtin University, Bentley, WA 6102 Australia

³ Curtin Medical School, Pharmacy and Biomedical Sciences, Curtin University, Bentley, WA 6102 Australia

* Correspondence: Y.D. Y.Dong@curtin.edu.au; D.R.C. D.Coombe@curtin.edu.au




Figure S1. Fibre abnormalities in scaffolds with high HNT content (A) SF/HNT 5% wt% and (B) SF/HNT 7% wt% scaffolds; (i & ii) are images from different replicate scaffolds; Scale bar: 1 μm . (C) SF scaffold, no HNT; Scale bar 400 nm