

ELECTRONIC SUPPLEMENTARY INFORMATION FOR

A Polyelectrolyte Colloidal Brush Based on Cellulose: Perspectives for Future Applications

Michael A. Smirnov^{1,*}, Vitaly K. Vorobiov¹, Veronika S. Fedotova¹, Maria P. Sokolova¹, Natalya V. Bobrova¹, Nikolay N. Smirnov¹ and Oleg V. Borisov^{1,2,*}

- ¹ Institute of Macromolecular Compounds, Russian Academy of Sciences, V.O. Bolshoi Pr. 31, 199004 St. Petersburg, Russia; vrbvrbvrb@mail.ru (V.K.V.), fedotova.veronicka2016@yandex.ru (V.S.F.), pmarip@mail.ru (M.P.S.), natalia.bobrova.60@mail.ru (B.N.V.), rambow@inbox.ru (N.N.S);
² Institut des Sciences Analytiques et de Physico-Chimie pour l'Environnement et les Matériaux (IPREM), UMR 5254 CNRS/UPTA, 64053 Pau, France.

* Correspondence: smirnov_michael@mail.ru (M.A.S.), oleg.borisov@univ-pau.fr (O.V.B.).




Figure S1. Cyclic voltammetry curves for CNF/PPy (a) and CNF-PAA/PPy (b) electrodes synthesized using FeCl_3 as an initiator and CNF-PAA/PPy electrode synthesized using $(\text{NH}_4)_2\text{S}_2\text{O}_8$ at different scan rates (c).