

Resveratrol-Loaded Polydimethylsiloxane–Silica Hybrid Materials: Synthesis, Characterization, and Antitumoral Activity

Sofia Viegas ¹, Diogo Marinheiro ¹, Verónica Bastos ², Ana L. Daniel-da-Silva ¹,
Ricardo Vieira ¹, Helena Oliveira ², José Carlos Almeida ^{3,*} and Bárbara J. M. L. Ferreira ^{1,*}

¹ Department of Chemistry, CICECO-Aveiro Institute of Materials, University of Aveiro,
3810-193 Aveiro, Portugal

² Department of Biology, CESAM-Centre for Environmental and Marine Studies, University of
Aveiro, 3810-193 Aveiro, Portugal

³ Department of Materials and Ceramic Engineering, CICECO-Aveiro Institute of Materials,
University of Aveiro, 3810-193 Aveiro, Portugal

* Corresponding author e-mail address: jcalmeida@ua.pt; barbaraferreira@ua.pt

Supplementary material




Figure S1: Photographs of the obtained materials after being dried and before being grounded to powder.




Figure S2: Flowchart of the synthesis procedure and post synthesis treatments.




Figure S3: Solubility profiles of RES and RES loaded materials at pH 7.4 after 24 hours.