

SUPPLEMENTARY MATERIAL

Article

Gamma Radiation-Mediated Synthesis of Antimicrobial Polyurethane Foam/Silver Nanoparticles

Eduard-Marius Lungulescu ¹, Radu Claudiu Fierascu ^{2,3}, Miruna S. Stan ⁴, Irina Fierascu ^{2,5}, Elena Andreea Radoi ¹, Cristina Antonela Banciu ¹, Raluca Augusta Gabor ², Toma Fistos ^{2,3}, Luminita Marutescu ⁶, Marcela Popa ⁶, Ionela C. Voinea ^{4,*}, Sorina N. Voicu ⁴ and Nicoleta-Oana Nicula ^{1,*}

- ¹ National Institute for Research and Development in Electrical Engineering ICPE-CA, 313 Splaiul Unirii, 030138 Bucharest, Romania; marius.lungulescu@icpe-ca.ro (E.-M.L.); elena.radoi@icpe-ca.ro (E.A.R.); cristina.banciu@icpe-ca.ro (C.A.B.)
 - ² National Institute for Research & Development in Chemistry and Petrochemistry – ICECHIM, 202 Spl. Independentei, 060021 Bucharest, Romania; fierascu.radu@icechim.ro (R.C.F.); irina.fierascu@icechim.ro (I.F.); raluca.gabor@icechim.ro (R.A.G.); toma.fistos@icechim.ro (T.F.)
 - ³ Faculty of Chemical Engineering and Biotechnology, National University of Science and Technology Politehnica Bucharest, 1-7 Gh. Polizu Str., 011061 Bucharest, Romania
 - ⁴ Department of Biochemistry and Molecular Biology, Faculty of Biology, University of Bucharest, 91-95 Splaiul Independentei, 050095 Bucharest, Romania; miruna.stan@bio.unibuc.ro (M.S.S.); sorina.voicu@bio.unibuc.ro (S.N.V.)
 - ⁵ Faculty of Horticulture, University of Agronomic Sciences and Veterinary Medicine of Bucharest, 59 Marasti Blvd., 011464 Bucharest, Romania
 - ⁶ Department of Microbiology, Faculty of Biology, University of Bucharest, 91-95 Splaiul Independentei, 050095 Bucharest, Romania; luminita.marutescu@bio.unibuc.ro (L.M.); marcela.popa@bio.unibuc.ro (M.P.)
- * Correspondence: ionela-cristina.voinea@bio.unibuc.ro (I.C.V.); nicoleta.nicula@icpe-ca.ro (N.-O.N.)




Figure S1. EDX data obtained for samples V1 (a), V2 (b), V3 (c) and V4 (d).




Figure S2. Viability of *Staphylococcus aureus* (a), *Enterococcus faecalis* (b), *Escherichia coli* (c) and *Pseudomonas aeruginosa* (d) in the presence of PUF/AgNPs materials. Results were calculated as the mean $\pm$ standard deviation (SD) (n = 6). * p < 0.05, ** p < 0.01 and *** p < 0.001 compared to strain without material.