

Table S1. K-means classification results for arrowroot and cassava in groups 1, 2 and 3.

Sample label	K-means results
A1	3
A2	2
A3	3
A4	3
A5	2
A6	2
A7	2
A8	3
A9	1
A10	1
C1	1
C2	1
C3	1
C4	1
C5	1
C6	1
C7	1
C8	1
C9	1
C10	2
C11	2
C12	2
C13	2
C14	2
C15	2
C16	2
C17	2
C18	2
C19	2
C20	2
C21	2
C22	2
C23	2
C24	2
C25	2
C26	3
C27	2
C28	2
C29	2
C30	2
C31	2
C32	2
C33	2

C34	2
C35	2
C36	2
C37	2
C38	2
C39	2
C40	2
C41	2
C42	2
C43	2
C44	2
C45	2
C46	2
C47	2
C48	2
C49	2
C50	2
C51	2
C52	2
C53	2
C54	2
C55	2
C56	1
C57	1
C58	1
C59	1
C60	1
C61	1
C62	1
C63	1
C64	1
C65	1
C66	1
C67	1
C68	1
C69	1
C70	1
C71	1
C72	1
C73	1
C74	1
C75	1
C76	1
C77	1
C78	1
C79	1

C80	3
C81	1
C82	1
C83	1
C84	1
C85	1
C86	1
C87	1
C88	1
