

Supplementary information

Antimicrobial Activity of Silver Nanoparticles Stabilized by Liposoluble Extract of *Artemisia terrae-albae*

Moldyr A. Dyusebaeva ^{1,†}, Dmitriy A. Berillo ^{2,*†}, Alya E. Berganayeva ³, Gulzat E. Berganayeva ¹, Nailya A. Ibragimova ³, Saltanat M. Jumabayeva ³, Nurbolat Z. Kudaibergenov ¹, Fatima M. Kanapiyeva ¹, Aray A. Kirgizbayeva ⁴ and Gulzira K. Vassilina ¹

¹ Faculty of Chemistry and Chemical Technology, Al-Farabi Kazakh National University, 71 Al-Farabi Ave., Almaty 050042, Kazakhstan; moldyr.dyusebaeva@mail.ru (M.A.D.); gulzat-bakyt@mail.ru (G.E.B.); nurbolat.kudaibergenov@kaznu.edu.kz (N.Z.K.); fatima31@mail.ru (F.M.K.); v_gulzira@mail.ru (G.K.V.)

² Department of Chemistry and Biochemical Engineering, Satbayev University, Satbayev av. 22, Almaty 050013, Kazakhstan

³ Scientific Center for Anti-Infectious Drugs, 75A Al-Farabi Ave., Almaty 050060, Kazakhstan; aberganayeva@bk.ru (A.E.B.); nailya.73@mail.ru (N.A.I.); salta_albann@mail.ru (S.M.J.)

⁴ Department of Biochemistry, Asfendiyarov Kazakh National Medical University, 94 Tole bi Ave., Almaty 050012, Kazakhstan; aray_100@mail.ru

* Correspondence: d.berillo@satbayev.university

† These authors contributed equally to this work.




Figure S1. TEM photograph: A, B, C, D) AgNPs@EtAc *Art extract* x40




Figure S2. Bacterial growth on agar plate after exposure to Art extract obtained using different solvents: A) Art butanol extract x40 in 50% ethanol against of *E. coli* (ATCC 8739); B) Art EtAc x40 in 50% ethanol against of *E. coli* (ATCC 8739); C) Art aq. extract x20 against of *E. coli* (ATCC 8739); D) Art butanol extract x40 in 50% ethanol ; E) Art EtAc extract x40 in 50% ethanol against of *S. aureus* (ATCC 25923); F) Art aq. extract x20 against of *S. aureus* (ATCC 25923)