Supplementary Materials

Virtual Screening Targeting LasR and Elastase of Pseudomonas aeruginosa Followed by In Vitro Antibacterial Evalua-tion

Nerlis Pájaro-Castro [1,*], Paulina Valenzuela-Hormazábal [2], Erick Díaz-Morales [3], Kenia Hoyos [3],
Karina Caballero-Gallardo [4] and David Ramírez [2]

[1] Medical and Pharmaceutical Sciences Group, Faculty of Health Sciences, Universidad de Sucre,
Sincelejo 700001, Sucre, Colombia
[2] Departmento de Farmacología, Facultad de Ciencias Biológicas, Universidad de Concepción, 4070386, Concepción, Chile,
paulinvalenzuela@udec.cl (P.V.-H.); dramirezs@udec.cl (D.R.)
[3] Salud Social Clinic, Sincelejo 700001, Sucre, Colombia; erick76dm@yahoo.es (E.D.-M.);
kmhoyosgonzalez@gmail.com (K.H.)
[4] Functional Toxicology Group, School of Pharmaceutical Sciences, Zaragocilla Campus, University of
Cartagena, 130014, Bolivar, Colombia, kcaballerog@unicartagena.edu.co
* Correspondence: nerlis.pajaro@unisucre.edu.co




Figure S1. RSMD of the elastase (a) and LasR (b) protein with the inhibitor and autoinductor respectively. Co-crystallized inhibitor of lilac color. Co-crystallized autoinductor of purple and red color.