Nickel-Cadmium-Sulfide Anchored on rGO Nanocomposite for Removal of Textile Industry Dyes

Narthana Kandhasamy [1], Govindasamy Murugadoss [1,*], Thiruppathi Kannappan [2], Kamalan Kirubaharan [3] and Rajesh Kumar Manavalan [4]

[1] Centre for Nanoscience and Nanotechnology, Sathyabama Institute of Science and Technology, Chennai 600119, Tamil Nadu, India
[2] Department of Physics, SRM Valliammai Engineering College, SRM Nagar, Kattankulathur 603203, Tamil Nadu, India
[3] Coating Department, Fun Glass–Centre for Functional and Surface Functionalised Glass, Alexander Dubcek University of Trencin, 91150 Trencin, Slovakia
[4] Institute of Natural Science and Mathematics, Ural Federal University, 620002 Yekaterinburg, Russia
* Correspondence: murugadoss_g@yahoo.com

3.2. FTIR Analysis



Figure S1. FTIR spectra of (a) NiS, (b) CdS, (c) Ni-Cd-S and (d) Ni-Cd-S/rGO nanocomposite.

3.6. Photocatalytic Activity



Figure S2. The lowest and highest Photocatalytic degradation UV spectrum of (a) CdS, (b) Ni-Cd-S for MB dye and (c) CdS and (d) Ni-Cd-S for MO dye.