

Table S1. Total number of ants captured at each location, sorted by abundance in descending order.

Species	Total Number of Captured Ants at Each Location				
	1	2	3	4	5
<i>Myrmica sabuleti</i>	217	0	0	0	21
<i>Lasius niger</i>	2	27	87	13	49
<i>Myrmica rubra</i>	0	2	0	56	25
<i>Formica pratensis</i>	0	0	0	74	0
<i>Myrmica scabrinodis</i>	18	19	4	0	13
<i>Formica cunicularia</i>	0	8	8	4	32
<i>Formica fusca</i>	0	6	22	12	13
<i>Tetramorium sp.</i>	0	1	38	12	2
<i>Myrmica rugulosa</i>	0	0	48	0	0
<i>Lasius platythorax</i>	13	0	2	1	1
<i>Lasius umbratus</i>	3	4	3	1	1
<i>Myrmica ruginodis</i>	11	1	0	0	0
<i>Camponotus ligniperda</i>	0	7	2	0	0
<i>Formica rufibarbis</i>	0	0	0	7	0
<i>Lasius fuliginosus</i>	0	0	6	0	0
<i>Myrmica schencki</i>	0	2	0	1	3

Table S2: Total number of beetles captured per locality by abundance in descending order

Species	Family	Locality (pcs of captured insects)				
		1	2	3	4	5
<i>Philonthus decorus</i>	Staphylinidae	331	1	1	12	74
<i>Silpha obscura</i>	Silphidae	57	0	0	0	146
<i>Pterostichus melanarius</i>	Carabidae	65	7	9	3	9
<i>Poecilus cupreus</i>	Carabidae	33	3	3	3	49
<i>Trypocopris vernalis</i>	Geotrupidae	2	0	6	0	51
<i>Oodes helopioides</i>	Carabidae	37	10	0	0	3
<i>Amara aenea</i>	Carabidae	20	3	18	1	0
<i>Otiorhynchus sulcatus</i>	Curculionidae	0	8	18	6	3
<i>Philonthus sp.1</i>	Staphylinidae	2	16	0	4	0
<i>Europhilus fuliginosus</i>	Carabidae	17	2	1	1	0
<i>Medon sp.</i>	Staphylinidae	0	3	11	4	0
<i>Pterostichus nigrata</i>	Carabidae	9	1	0	2	1
<i>Agriotes sputator</i>	Elateridae	0	0	0	12	0
<i>Harpalus latus</i>	Carabidae	1	2	1	5	3
<i>Philonthus sp.2</i>	Staphylinidae	3	5	2	0	0
<i>Harpalus ruficeps</i>	Carabidae	0	5	1	3	0
<i>Harpalus aeneus</i>	Carabidae	5	0	3	0	0
<i>Agrypnus murinus</i>	Elateridae	0	5	0	1	1
<i>Carabus hortensis</i>	Carabidae	0	0	3	0	4
<i>Carabus scabriusculus</i>	Carabidae	0	2	0	0	4
<i>Carabus granulatus</i>	Carabidae	4	0	0	0	1

Table S3: Total number of spiders and harvestmen captured per locality, sorted by abundance in descending order.

Species	Family	Locality (pcs of captured insects)				
		1	2	3	4	5
Aranae						
<i>Piratula latitans</i>	Lycosidae	47	4	0	0	36
<i>Pardosa lugubris</i>	Lycosidae	20	4	15	16	22
<i>Piratula hygrophila</i>	Lycosidae	22	3	1	10	31
<i>Pardosa prativaga</i>	Lycosidae	30	3	1	1	29
<i>Pardosa pullata</i>	Lycosidae	25	3	8	8	18
<i>Diplostyla concolor</i>	Lycosidae	9	3	5	5	16
<i>Trochosa terricola</i>	Lycosidae	0	3	5	6	0
<i>Harpactea rubicunda</i>	Dysderidae	0	1	3	0	8
<i>Diplocephalus picinus</i>	Linyphiidae	0	4	2	4	1
<i>Titanoeca quadriguttata</i>	Titanoecidae	0	3	1	6	0
<i>Pelecopsis radiculicola</i>	Linyphiidae	0	0	2	4	3
<i>Micrargus herbigradus</i>	Linyphiidae	0	1	3	4	0
<i>Walckenaeria atrotibialis</i>	Linyphiidae	2	0	1	4	1
<i>Pocadicnemis juncea</i>	Linyphiidae	0	0	7	0	0
<i>Tenuiphantes mengei</i>	Linyphiidae	0	0	4	3	0
<i>Aulonia albimana</i>	Lycosidae	0	0	7	0	0
<i>Zora spinimana</i>	Zoridae	1	2	0	4	0
<i>Phrurolithus festivus</i>	Phrurolithidae	0	0	5	2	0
<i>Bathypantes parvulus</i>	Linyphiidae	2	0	2	0	2
<i>Palliduphantes alutacius</i>	Linyphiidae	0	0	1	3	2
<i>Xysticus cristatus</i>	Thomisidae	0	3	0	2	0
<i>Xysticus erraticus</i>	Thomisidae	0	3	0	2	0
<i>Tibellus oblongus</i>	Philodromidae	0	2	0	1	2
<i>Pachygnatha degeeri</i>	Tetragnathidae	0	0	1	0	3
<i>Ozyptila trux</i>	Thomisidae	1	2	0	1	0
<i>Drassyllus lutetianus</i>	Gnaphosidae	1	2	0	0	1
<i>Drassyllus praeficus</i>	Gnaphosidae	0	3	0	0	1
<i>Micaria fulgens</i>	Gnaphosidae	0	0	3	0	0
Opilliones						
<i>Lacinius ephippiatus</i>	Phalangiidae	3	20	0	27	3
<i>Paranemastoma quadripunctatum</i>	Nemastomatidae	3	6	9	10	4
<i>Rilaena triangularis</i>	Phalangiidae	6	0	0	0	5