Impact of Coal Waste Rock on Biological and Physicochemical Properties of Soils with Different Agricultural Uses

Aleksandra Garbacz [1,*], Artur Nowak [2], Anna Marzec-Grządziel [3], Marcin Przybyś [4], Anna Gałązka [3],
Jolanta Jaroszuk-Ściseł [2,*] and Grzegorz Grzywaczewski [1]

[1] Department of Zoology and Animal Ecology, Faculty of Environmental Biology, University of Life Sciences in Lublin, Akademicka 13, 20-950 Lublin, Poland; grzegorz.grzywaczewski@up.lublin.pl
[2] Department of Industrial and Environmental Microbiology, Institute of Biological Sciences, Maria Curie-Skłodowska University, Akademicka 19, 20-033 Lublin, Poland; artur.nowak@mail.umcs.pl
[3] Department of Agricultural Microbiology, Institute of Soil Science and Plant Cultivation—State Research Institute, 24-100 Puławy, Poland; agrzadziel@iung.pulawy.pl (A.M.-G.); agalazka@iung.pulawy.pl (A.G.)
[4] Department of Plant Breeding and Biotechnology, Institute of Soil Science and Plant Cultivation—State Research Institute, 24-100 Puławy, Poland; mprzybys@iung.pulawy.pl
* Correspondence: aleksandra.garbacz@up.lublin.pl (A.G.); jolanta.jaroszuk-scisel@mail.umcs.pl (J.J.-Ś.)




Figure S1. Located of study area (▲ – material collection points; ▬ - border of Polesie National Park; ▬ ▪ ▬ - border of UNESCO "West Polesie" Transboundary Biosphere Reserve).