

Supplementary material

Molecular Basis for Mambalgin-2 Interaction with Heterotrimeric α -ENaC/ASIC1a/ γ -ENaC Channels in Cancer Cells

Ekaterina N. Lyukmanova ^{1,2,3,4,*†}, Maxim M. Zaigraev ^{2,3,†}, Dmitrii S. Kulbatskii ^{2,†}, Aizek B. Isaev ^{2,3}, Ilya D. Kukushkin ^{2,3}, Maxim L. Bychkov ², Mikhail A. Shulepko ¹, Anton O. Chugunov ^{2,3} and Mikhail P. Kirpichnikov ^{2,4}

¹ Faculty of Biology, MSU-BIT Shenzhen University, Shenzhen 518172, China; mikhailshulepko@yandex.ru

² Shemyakin-Ovchinnikov Institute of Bioorganic Chemistry, Russian Academy of Sciences, Miklukho-Maklaya 16/10, Moscow 117997, Russia; maximzaigraev@yandex.ru (M.M.Z.); d.kulbatskiy@gmail.com (D.S.K.); isaev.aizek@gmail.com (A.B.I.); ilya23kuku@gmail.com (I.D.K.); maksim.bychkov@gmail.com (M.L.B.); batch2k@yandex.ru (A.O.C.); kirpichnikov@inbox.ru (M.P.K.)

³ Phystech School of Biological and Medical Physics, Moscow Institute of Physics and Technology (National Research University), Institutsky Lane 9, Dolgoprudny, Moscow 141701, Russia

⁴ Interdisciplinary Scientific and Educational School of Moscow University «Molecular Technologies of the Living Systems and Synthetic Biology», Faculty of Biology, Lomonosov Moscow State University, Leninskie Gory, Moscow 119234, Russia

* Correspondence: lyukmanova_ekaterina@smbu.edu.cn

† These authors contributed equally to this work.




Figure S1. Scatter plot of peak current amplitudes for α -ENaC/ASIC1a/ γ -ENaC oocytes with WT, F89A, R90A, K91A γ -ENaC subunits. No statistically significant differences between means were detected by one-way ANOVA ($F(3, 21) = 0,4985$, $p=0,6873$).

Citation: Lyukmanova, E.N.; Zaigraev, M.; Kulbatskii, D.; Isaev, I.; Kukushkin, I.; Bychkov, M.; Shulepko, M.; Chugunov, A.; Kirpichnikov, M. Molecular Basis for Mambalgin-2 Interaction with Heterotrimeric α -ENaC/ASIC1a/ γ -ENaC Channels in Cancer Cells. *Toxins* **2023**, *15*, 612. <https://doi.org/10.3390/toxins15100612>

Received: 8 September 2023

Revised: 30 September 2023

Accepted: 7 October 2023

Published: 13 October 2023



Copyright: © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).




Figure S2. Amide regions of ¹H 1D NMR spectra of Mamb-2 variants (700 MHz, 30°C, pH 4.0).