

Review

Fluorescence Microscopy in Adeno-Associated Virus Research

Susanne K. Golm, Wolfgang Hübner and Kristian M. Müller

Supplementary Information

Table S1. Examples of microscopy techniques in the context of AAV visualization with fluorophores.

Labeling	Microscope	Details	Con-text	Cells/Tissue	Topic	Authors	Year	Ref.
aa-reactive dyes	Widefield	Cy3, AAV2, Ad	Td ^a	male rats, inferior colliculus or hippocampus	Tropism of AAV2	Bartlett et al.	1998	[1]
aa-reactive dyes	Widefield Confocal	Cy2-AAV3, Cy3-AAV3, Cy3-AAV2, Cy2-AAV3, Cy3-Ad	Td	HeLa	Colocalization of AAV2 and AAV3, not of AAV and Ad	Bartlett et al.	2000	[2]
aa-reactive dyes	Confocal	Cy5-labeled AAV	Td	HeLa	Single virus tracing, from endocytosis to nucleus	Seisenberger et al.	2001	[3]
aa-reactive dyes	Confocal	AlexaAluor4 88-AAV2	Td	HeLa	Influence of Ad coinfection	Xiao et al.	2002	[4]
aa-reactive dyes	Confocal	Cy3-AAV1,2,5,8 and 9	Td	Retina of rats	Improvement of AAV infection of different serotypes by co application of Pro-nase	Dalkara et al.	2009	[5]
aa-reactive dyes	Confocal	AlexaFluor 488-AAV2 (QD AAV2)	Td	HeLa	Colocalization studies, trafficking, new technique (QD)	Joo et al.	2011	[6]
aa-reactive dye, Antibody	Confocal AFM	Cy5-AAV2, A20	Td ^a	HeLa, mouse muscle	Deconvolution, AAV trafficking, AAV count	Xiao et al.	2012	[7]
aa-reactive dyes	Confocal	Cy5-AAV2	Td	HeLa	AAV nuclear entry	Nicolson et al.	2014	[8]
aa-reactive dyes	Confocal	AAV2-Luc-AlexaFluor 568	Td	HeLa	AAV binding to AAVR	Cui et al.	2019	[9]
aa-reactive dyes	Confocal	Cy5-AAV2	Td	HeLa	Improvement of transduction, capsid modification without genetical modification	Mével et al.	2020	[10]
Antibody	Widefield	Anti-Rep:78/68 Anti-Rep: 52/40	Td	D6	Colocalization of Rep and Cap in the nucleous	Hunter et al.	1992	[11]
Antibody	Confocal	A1, A69, B1, A20, AAV2	Td	HeLa	Rep and Cap tracing	Wistuba et al.	1997	[12]
Antibody	Widefield	A20, AAV2	Td	HEK293	Colocalization of AAV2 and nucleolin	Qiu et al.	1999	[13]

Labeling	Micros-cope	Details	Con-text	Cells/Tissue	Topic	Authors	Year	Ref.
Antibody	Widefield	C24-B, C37-B, A20, D3	Td	HeLa	Epitope mapping and cell interaction	Worbus et al.	2000	[14]
Antibody	Widefield	Anti-Rep	Td	BHK	ssDNA-dependent colocalization of AAV Rep and HSV ICP8 in nuclear replication domains	Heilbronn et al.	2003	[15]
Antibody, DNA-labeling	Widefield	Anti-Rep, BrU-labeld DNA+BrU- Antibody	Td/Tf	HeLa	Rep interactions, colocalization studies	Stracker et al.	2004	[16]
Antibody	Confocal	ADK6, ADK8, ADK9; AAV1,4,5 or 6	Tf	911	AAV serotype specific ELISAs	Kuck et al.	2006	[17]
Antibody	Confocal	Anti-Rep	Tf	HeLa	Role of HSV Helicase-Pimase complex during AAV DNA replication	Slanina et al.	2006	[18]
Antibody, aa- reactive dyes	Confocal	A20, AlexaFluor	Td	HeLa	NPM plays a role in AAV amplification affecting Rep	Bevington	2007	[19]
Antibody	Confocal	A20	Td	HeLa	Identification of cellular parameters that mobilize viruses in the nucleus and significantly influence AAV infection	Johnson et al.	2009	[20]
Antibody	Confocal	A20, A1/αVP1, B1	Td	HeLa	localize full and empty AAV capsids relative to nucleolin with confocal microscopy and z-stacks as well as the effect of hydroxyurea or the proteasome inhibitor MG132 on AAV-2 localization	Johnson et al.	2010	[21]
Antibody	Confocal	ADK6, ADK8, ADK9	Tf ^a	HeLa	Role of AAP for different serotypes	Sonntag et al.	2011	[22]
Antibody	Cryo-EM	A20,	-	-	Structure of AAV2-A20	McCraw et al.	2012	[23]
Antibody	Cryo-EM, Confocal	ADK8	Td	HeLa	Epitope mapping on AAV8	Gurda et al.	2012	[24]
Antibody	Cryo-EM	4E4, 5H7, C37-B, 3C5	-	-	Epitope characterization	Gurda et al.	2013	[25]
Antibody	Cryo-EM	ADK1a, ADK1b, ADK5a, ADK5b	Td	293T, COS	AAV-monoclonal antibodyfragment complexes	Tseng et al.	2015	[26]
Antibody	Confocal	A20	Td	HeLa	Chemical modulation of endocytotic sorting of AAV	Berry et al.	2016	[27]

Labeling	Micros-cope	Details	Con-text	Cells/Tissue	Topic	Authors	Year	Ref.
Antibody, Tag-labeling	Confocal	A20, ADK4, ADK5a, ADK8, ADK8/9, AAP-FLAG	Tf	HeLa	VP3 of AVV 4, 5, and 11 assembled without requiring AAP	Earley et al.	2017	[28]
Antibody	Cryo-EM	ADK6	Td	HEK293T	Role of AAV6 K531 in receptor and ADK6 recognition	Bennett et al.	2018	[29]
Antibody	Cryo-EM	PAV9.1	Td	HEK293	Epitope mapping on AAV9	Giles et al.	2018	[30]
Antibody	Confocal	A20	Td	Human monocyte-derived immature DC (iDC)	Improvement of iDC transduction	Rossi et al.	2019	[31]
Antibody	Confocal	A20	Td	Huh7	(RNF121) a protein identified as regulator of AAV transcription	Madigan et al.	2019	[32]
Antibody	Cryo-EM	HL2476	Td	HEK293	Epitope characterization	Jose et al.	2019	[33]
Antibody	Widefield	A20, scFv A20	Td	HeLa	VLP production in <i>E.coli</i> and chemically defined capsid assembly	Le et al.	2019	[34]
Antibody	Confocal	A20	Td	Scr and ATP2C1 KO	altered trafficking	Madigan et al.	2020	[35]
Antibody	Confocal	Anti-MAAP GAL-KKI, B1	Tf	293 T	Functional roles of MAAP	Galibert et al.	2021	[36]
Antibody	Widefield	ADK5a	Td	HeLa	VLP production in <i>E.coli</i>	Le et al.	2022	[37]
Click chemis-try	Confocal	DBIO-tagged fluorophore+ modified AAV2	Td	HeLa	Colocalization studies, early, late and recycling endosomes involved in AAV transduction	Zhang et al.	2018	[38]
Click chemis-try	Confocal	DBIO-tagged fluorophore+ modified AAV-DJ	Td	HEK-293T	Improving AAV transduction, viral shielding via lipid based cloaks	Kartekar et al.	2018	[39]
DNA-staining, Antibody	Confocal	In situ hybridization, Anti-Rep	Td	HeLa	AAV depends on Ad coinfection	Weitzman et al.	1996	[40]
DNA-staining, Antibody	Confocal	LacI-eYFP/lacO system, Anti-Rep	Td	HeLa	AAV is targeted by MRN and has evolved to exploit adenoviral proteins that degrade these cellular factors	Schwartz et al.	2007	[41]
DNA-staining	Confocal	LacI-eYFP/lacO system	Td	HeLa	Colocalization of DNA-damage-response proteins and rAAV genome processing	Cervelli et al.	2008	[42]
DNA and RNA-staining	Bright field	RNAscope	Td	Different mice tissues	DNA Distribution in Cellular Compartments and	Zhao et al.	2020	[43]

Labeling	Micrcope	Details	Con-text	Cells/Tissue	Topic	Authors	Year	Ref.
					Tissues following Local and Systemic Injection , bilateral TA injections			
DNA-staining	Confocal	SABER-FISH	Td	microglia in the retina of CX3CR1 ^{GFP/+} mice	In Situ Detection of Adeno-associated Viral Vector Genomes	Wang et al.	2020	[44]
DNA-staining, Antibody	Confocal	in situ hybridization, A20, A96, VP51	Td	NHF	uncoating of AAV2 particles occurs in a stepwise process that is completed in the nucleolus and supported by alteration of the nucleolar structure	Sutter	2022	[45]
Fusionprotein, Antibody	Widefield	Rep-GFP, Anti-Rep	Tf	HeLa	Characterization of NLS in c-terminus of Rep68/78	Cassell et al.	2004	[46]
Fusionprotein, DNA-labeling	Confocal	Rep-DsRed2, LacI-eYFP/lacO system	Tf	VERO cells, HeLa	AAV DNA replication in live cells	Fraefel et al.	2004	[47]
Fusionprotein, Antibody	Confocal	VP2-GFP, A20	Tf/Td	HeLa	Viral trafficking	Lux et al.	2005	[48]
Fusionprotein, Antibody, DNA-labeling	Confocal	Rep-eCFP, Anti-Rep, LacI-eYFP/lacO system	Tf	HeLa	independent replication from p5 and ITR	Glauser et al.	2005	[49]
Fusionprotein	Confocal	Mosaic AAV2-mCherry	Td	HeLa	Infective AAV2-VP3-mCherry	Judd et al.	2012	[50]
Fusionprotein, Tag-labeling	Confocal	GFP-AAP2, FLAG-AAP2	Tf	HeLa	Nuclear and nucleolar localization signals in AAV2 AAP	Earley et al.	2015	[51]
Tag-labeled	Widefield	biotin acceptor peptide (BAP) in AAV1 capsid	Td	<i>In vitro:</i> HeLa C12, human umbilical vein endothelial cells	Ligand conjugation for improved Transduction	Stachler et al.	2008	[52]
Tag-labeled	SPEED	AAV-biotin	Td	HeLa	Nuclear import, live cells	Kelich et al.	2015	[53]
Tag-labeled	Confocal	Tetracystine-AAV9 capsid + fluorescent dye or biotin, maleimide-546 dye, maleimide-660-C2 dye	Td	<i>In vitro:</i> HEK293T <i>In vivo:</i> mice, 12 weeks old, facial vein, CNS	Capsid interactome	Chandran et al.	2017	[54]

Labeling	Micrscope	Details	Con-text	Cells/Tissue	Topic	Authors	Year	Ref.
Tag-labeled	SPEED	AAV-BirA, AAV-AVI	Td	HeLa	Nuclear import, approximately 17% of AAV2 capsids can be intact and successfully imported through the NPC to reach the nucleus	Junod et al	2021	[55]
Tag-labeled, Fusionprotein	Confocal	MAAP- eGFP Anti- MAAP8- HA-A647	Tf	HEK293	Serotype dependent AAV secretion	Elmore et al.	2021	[56]

^aTd: Transduction, TF: Transfection

References

(note: for clarity, references are numbered here according to the supplementary text)

1. Bartlett, J.S.; Samulski, R.J.; McCown, T.J. Selective and Rapid Uptake of Adeno-Associated Virus Type 2 in Brain. *Hum. Gene Ther.* **1998**, *9*, 1181–1186, doi:10.1089/hum.1998.9.8-1181.
2. Bartlett, J.S.; Wilcher, R.; Samulski, R.J. Infectious Entry Pathway of Adeno-Associated Virus and Adeno-Associated Virus Vectors. *J. Virol.* **2000**, *74*, 2777–2785, doi:10.1128/jvi.74.6.2777-2785.2000.
3. Seisenberger, G.; Ried, M.U.; Endreß, T.; Büning, H.; Hallek, M.; Braüchle, C. Real-Time Single-Molecule Imaging of the Infection Pathway of an Adeno-Associated Virus. *Science* **2001**, *294*, 1929–1932, doi:10.1126/science.1064103.
4. Xiao, W.; Warrington, K.H.; Hearing, P.; Hughes, J.; Muzyczka, N. Adenovirus-Facilitated Nuclear Translocation of Adeno-Associated Virus Type 2. *J. Virol.* **2002**, *76*, 11505–11517, doi:10.1128/JVI.76.22.11505-11517.2002.
5. Dalkara, D.; Kolstad, K.D.; Caporale, N.; Visel, M.; Klimczak, R.R.; Schaffer, D. V.; Flannery, J.G. Inner Limiting Membrane Barriers to AAV-Mediated Retinal Transduction From the Vitreous. *Mol. Ther.* **2009**, *17*, 2096–2102, doi:10.1038/mt.2009.181.
6. Joo, K.; Fang, Y.; Liu, Y.; Xiao, L.; Gu, Z.; Tai, A.; Lee, C.; Tang, Y.; Wang, P. Enhanced Real-Time Monitoring of Adeno-Associated Virus Trafficking by Virus-Quantum Dot Conjugates. *ACS Nano* **2011**, *5*, 3523–3535, doi:10.1021/nn102651p.
7. Xiao, P.-J.; Li, C.; Neumann, A.; Samulski, R.J. Quantitative 3D Tracing of Gene-Delivery Viral Vectors in Human Cells and Animal Tissues. *Mol. Ther.* **2012**, *20*, 317–328, doi:10.1038/mt.2011.250.
8. Nicolson, S.C.; Samulski, R.J. Recombinant Adeno-Associated Virus Utilizes Host Cell Nuclear Import Machinery To Enter the Nucleus. *J. Virol.* **2014**, *88*, 4132–4144, doi:10.1128/jvi.02660-13.
9. Cui, M.; Lu, Y.; Tang, C.; Zhang, R.; Wang, J.; Si, Y.; Cheng, S.; Ding, W. A Generic Method for Fast and Sensitive Detection of Adeno-Associated Viruses Using Modified AAV Receptor Recombinant Proteins. *Molecules* **2019**, *24*, 3973, doi:10.3390/molecules24213973.
10. Mével, M.; Bouzelha, M.; Leray, A.; Pacouret, S.; Guilbaud, M.; Penaud-Budloo, M.; Alvarez-Dorta, D.; Dubreil, L.; Gouin, S.G.; Combal, J.P.; et al. Chemical Modification of the Adeno-Associated Virus Capsid to Improve Gene Delivery. *Chem. Sci.* **2020**, *11*, 1122–1131, doi:10.1039/c9sc04189c.
11. Hunter, L.A.; Samulski, R.J. Colocalization of Adeno-Associated Virus Rep and Capsid Proteins in the Nuclei of Infected Cells. *J. Virol.* **1992**, *66*, 317–324.
12. Wistuba, A.; Kern, A.; Weger, S.; Grimm, D.; Kleinschmidt, J.A. Subcellular Compartmentalization of Adeno-Associated Virus Type 2 Assembly. *J. Virol.* **1997**, *71*, 1341–1352, doi:10.1128/jvi.71.2.1341-1352.1997.

13. Qiu, J.; Brown, K.E. A 110-KDa Nuclear Shuttle Protein, Nucleolin, Specifically Binds to Adeno-Associated Virus Type 2 (AAV-2) Capsid. *Virology* **1999**, *257*, 373–382.
14. Wobus, C.E.; Hügle-Dörr, B.; Girod, A.; Petersen, G.; Hallek, M.; Kleinschmidt, J.A. Monoclonal Antibodies against the Adeno-Associated Virus Type 2 (AAV-2) Capsid: Epitope Mapping and Identification of Capsid Domains Involved in AAV-2–Cell Interaction and Neutralization of AAV-2 Infection. *J. Virol.* **2000**, *74*, 9281–9293, doi:10.1128/JVI.74.19.9281-9293.2000.
15. Heilbronn, R.; Engstler, M.; Weger, S.; Krahn, A.; Schetter, C.; Boshart, M. SsDNA-Dependent Colocalization of Adeno-Associated Virus Rep and Herpes Simplex Virus ICP8 in Nuclear Replication Domains. *Nucleic Acids Res.* **2003**, *31*, 6206–6213, doi:10.1093/nar/gkg827.
16. Stracker, T.H.; Cassell, G.D.; Ward, P.; Loo, Y.-M.; van Breukelen, B.; Carrington-Lawrence, S.D.; Hamatake, R.K.; van der Vliet, P.C.; Weller, S.K.; Melendy, T.; et al. The Rep Protein of Adeno-Associated Virus Type 2 Interacts with Single-Stranded DNA-Binding Proteins That Enhance Viral Replication. *J. Virol.* **2004**, *78*, 441–453, doi:10.1128/jvi.78.1.441-453.2004.
17. Kuck, D.; Kern, A.; Kleinschmidt, J.A. Development of AAV Serotype-Specific ELISAs Using Novel Monoclonal Antibodies. *J. Virol. Methods* **2006**, *140*, 17–24, doi:10.1016/j.jviromet.2006.10.005.
18. Slanina, H.; Weger, S.; Stow, N.D.; Kuhrs, A.; Heilbronn, R. Role of the Herpes Simplex Virus Helicase-Primase Complex during Adeno-Associated Virus DNA Replication. *J. Virol.* **2006**, *80*, 5241–5250, doi:10.1128/JVI.02718-05.
19. Bevington, J.M.; Needham, P.G.; Verrill, K.C.; Collaco, R.F.; Basrur, V.; Trempe, J.P. Adeno-Associated Virus Interactions with B23/Nucleophosmin: Identification of Sub-Nucleolar Virion Regions. *Virology* **2007**, *357*, 102–113, doi:10.1016/j.virol.2006.07.050.
20. Johnson, J.S.; Samulski, R.J. Enhancement of Adeno-Associated Virus Infection by Mobilizing Capsids into and out of the Nucleolus. *J. Virol.* **2009**, *83*, 2632–2644, doi:10.1128/JVI.02309-08.
21. Johnson, J.S.; Li, C.; DiPrimio, N.; Weinberg, M.S.; McCown, T.J.; Samulski, R.J. Mutagenesis of Adeno-Associated Virus Type 2 Capsid Protein VP1 Uncovers New Roles for Basic Amino Acids in Trafficking and Cell-Specific Transduction. *J. Virol.* **2010**, *84*, 8888–8902, doi:10.1128/JVI.00687-10.
22. Sonntag, F.; Köther, K.; Schmidt, K.; Weghofer, M.; Raupp, C.; Nieto, K.; Kuck, A.; Gerlach, B.; Böttcher, B.; Müller, O.J.; et al. The Assembly-Activating Protein Promotes Capsid Assembly of Different Adeno-Associated Virus Serotypes. *J. Virol.* **2011**, *85*, 12686–12697, doi:10.1128/JVI.05359-11.
23. McCraw, D.M.; O'Donnell, J.K.; Taylor, K.A.; Stagg, S.M.; Chapman, M.S. Structure of Adeno-Associated Virus-2 in Complex with Neutralizing Monoclonal Antibody A20. *Virology* **2012**, *431*, 40–49, doi:10.1016/j.virol.2012.05.004.
24. Gurda, B.L.; Raupp, C.; Popa-Wagner, R.; Naumer, M.; Olson, N.H.; Ng, R.; McKenna, R.; Baker, T.S.; Kleinschmidt, J.A.; Agbandje-McKenna, M. Mapping a Neutralizing Epitope onto the Capsid of Adeno-Associated Virus Serotype 8. *J. Virol.* **2012**, *86*, 7739–7751, doi:10.1128/jvi.00218-12.
25. Gurda, B.L.; DiMattia, M.A.; Miller, E.B.; Bennett, A.; McKenna, R.; Weichert, W.S.; Nelson, C.D.; Chen, W.; Muzychka, N.; Olson, N.H.; et al. Capsid Antibodies to Different Adeno-Associated Virus Serotypes Bind Common Regions. *J. Virol.* **2013**, *87*, 9111–9124, doi:10.1128/jvi.00622-13.
26. Tseng, Y.-S.; Gurda, B.L.; Chipman, P.; McKenna, R.; Afione, S.; Chiorini, J.A.; Muzychka, N.; Olson, N.H.; Baker, T.S.; Kleinschmidt, J.; et al. Adeno-Associated Virus Serotype 1 (AAV1)- and AAV5-Antibody Complex Structures Reveal Evolutionary Commonalities in Parvovirus Antigenic Reactivity. *J. Virol.* **2015**, *89*, 1794–1808, doi:10.1128/jvi.02710-14.
27. Berry, G.E.; Asokan, A. Chemical Modulation of Endocytic Sorting Augments Adeno-Associated Viral Transduction. *J. Biol. Chem.* **2016**, *291*, 939–947, doi:10.1074/jbc.M115.687657.
28. Earley, L.F.; Powers, J.M.; Adachi, K.; Baumgart, J.T.; Meyer, N.L.; Xie, Q.; Chapman, M.S.; Nakai, H. Adeno-Associated Virus (AAV) Assembly-Activating Protein Is Not an Essential Requirement for Capsid Assembly of AAV Serotypes 4, 5, and 11. *J. Virol.* **2017**, *91*, e01980-16, doi:10.1128/JVI.01980-16.

29. Bennett, A.D.; Wong, K.; Lewis, J.; Tseng, Y.; Smith, J.K.; Chipman, P.; McKenna, R.; Samulski, R.J.; Kleinschmidt, J.; Agbandje-McKenna, M. AAV6 K531 Serves a Dual Function in Selective Receptor and Antibody ADK6 Recognition. *Virology* **2018**, *518*, 369–376, doi:10.1016/j.virol.2018.03.007.
30. Giles, A.R.; Govindasamy, L.; Somanathan, S.; Wilson, J.M. Mapping an Adeno-Associated Virus 9-Specific Neutralizing Epitope To Develop Next-Generation Gene Delivery Vectors. *J. Virol.* **2018**, *92*, e010011-18, doi:10.1128/JVI.010011-18.
31. Rossi, A.; Dupaty, L.; Aillot, L.; Zhang, L.; Gallien, C.; Hallek, M.; Odenthal, M.; Adriouch, S.; Salvetti, A.; Büning, H. Vector Uncoating Limits Adeno-Associated Viral Vector-Mediated Transduction of Human Dendritic Cells and Vector Immunogenicity. *Sci. Rep.* **2019**, *9*, 3631, doi:10.1038/s41598-019-40071-1.
32. Madigan, V.J.; Yuziuk, J.A.; Chiarella, A.M.; Tyson, T.O.; Meganck, R.M.; Elmore, Z.C.; Tse, L. V.; Hathaway, N.A.; Asokan, A. Ring Finger Protein 121 Is a Potent Regulator of Adeno-Associated Viral Genome Transcription. *PLOS Pathog.* **2019**, *15*, e1007988, doi:10.1371/journal.ppat.1007988.
33. Jose, A.; Mietzsch, M.; Smith, J.K.; Kurian, J.; Chipman, P.; McKenna, R.; Chiorini, J.; Agbandje-McKenna, M. High-Resolution Structural Characterization of a New Adeno-Associated Virus Serotype 5 Antibody Epitope toward Engineering Antibody-Resistant Recombinant Gene Delivery Vectors. *J. Virol.* **2019**, *93*, e01394-18, doi:10.1128/JVI.01394-18.
34. Le, D.T.; Radukic, M.T.; Müller, K.M. Adeno-Associated Virus Capsid Protein Expression in Escherichia Coli and Chemically Defined Capsid Assembly. *Sci. Rep.* **2019**, *9*, 18631, doi:10.1038/s41598-019-54928-y.
35. Madigan, V.J.; Berry, G.E.; Tyson, T.O.; Nardone-White, D.; Ark, J.; Elmore, Z.C.; Murlidharan, G.; Vincent, H.A.; Asokan, A. The Golgi Calcium ATPase Pump Plays an Essential Role in Adeno-Associated Virus Trafficking and Transduction. *J. Virol.* **2020**, *94*, e01604-20, doi:10.1128/JVI.01604-20.
36. Galibert, L.; Hyvönen, A.; Eriksson, R.A.E.; Mattola, S.; Aho, V.; Salminen, S.; Albers, J.D.; Peltola, S.K.; Weman, S.; Nieminen, T.; et al. Functional Roles of the Membrane-Associated AAV Protein MAAP. *Sci. Rep.* **2021**, *11*, 21698, doi:10.1038/s41598-021-01220-7.
37. Le, D.T.; Radukic, M.T.; Teschner, K.; Becker, L.; Müller, K.M. Synthesis and Concomitant Assembly of Adeno-Associated Virus-like Particles in Escherichia Coli. *ACS Synth. Biol.* **2022**, *11*, 3601–3607, doi:10.1021/acssynbio.2c00451.
38. Zhang, C.; Zhou, X.; Yao, T.; Tian, Z.; Zhou, D. Precision Fluorescent Labeling of an Adeno-Associated Virus Vector to Monitor the Viral Infection Pathway. *Biotechnol. J.* **2018**, *13*, e1700374, doi:10.1002/biot.201700374.
39. Katrekar, D.; Moreno, A.M.; Chen, G.; Worlikar, A.; Mali, P. Oligonucleotide Conjugated Multi-Functional Adeno-Associated Viruses. *Sci. Rep.* **2018**, *8*, 3589, doi:10.1038/s41598-018-21742-x.
40. Weitzman, M.D.; Fisher, K.J.; Wilson, J.M. Recruitment of Wild-Type and Recombinant Adeno-Associated Virus into Adenovirus Replication Centers. *J. Virol.* **1996**, *70*, 1845–1854, doi:10.1128/jvi.70.3.1845-1854.1996.
41. Schwartz, R.A.; Palacios, J.A.; Cassell, G.D.; Adam, S.; Giacca, M.; Weitzman, M.D. The Mre11/Rad50/Nbs1 Complex Limits Adeno-Associated Virus Transduction and Replication. *J. Virol.* **2007**, *81*, 12936–12945, doi:10.1128/JVI.01523-07.
42. Cervelli, T.; Palacios, J.A.; Zentilin, L.; Mano, M.; Schwartz, R.A.; Weitzman, M.D.; Giacca, M. Processing of Recombinant AAV Genomes Occurs in Specific Nuclear Structures That Overlap with Foci of DNA-Damage-Response Proteins. *J. Cell Sci.* **2008**, *121*, 349–357, doi:10.1242/jcs.003632.
43. Zhao, J.; Yue, Y.; Patel, A.; Wasala, L.; Karp, J.F.; Zhang, K.; Duan, D.; Lai, Y. High-Resolution Histological Landscape of AAV DNA Distribution in Cellular Compartments and Tissues Following Local and Systemic Injection. *Mol. Ther. - Methods Clin. Dev.* **2020**, *18*, 856–868, doi:10.1016/j.omtm.2020.08.006.
44. Wang, S.K.; Lapan, S.W.; Hong, C.M.; Krause, T.B.; Cepko, C.L. In Situ Detection of Adeno-Associated Viral Vector Genomes with SABER-FISH. *Mol. Ther. - Methods Clin. Dev.* **2020**, *19*, 376–386, doi:10.1016/j.omtm.2020.10.003.

45. Sutter, S.O.; Lkharrazi, A.; Schraner, E.M.; Michaelsen, K.; Meier, A.F.; Marx, J.; Vogt, B.; Büning, H.; Fraefel, C. Adeno-Associated Virus Type 2 (AAV2) Uncoating Is a Stepwise Process and Is Linked to Structural Reorganization of the Nucleolus. *PLOS Pathog.* **2022**, *18*, e1010187, doi:10.1371/journal.ppat.1010187.
46. Cassell, G.D.; Weitzman, M.D. Characterization of a Nuclear Localization Signal in the C-Terminus of the Adeno-Associated Virus Rep68/78 Proteins. *Virology* **2004**, *327*, 206–214, doi:10.1016/j.virol.2004.06.034.
47. Fraefel, C.; Bittermann, A.G.; Büeler, H.; Heid, I.; Bächi, T.; Ackermann, M. Spatial and Temporal Organization of Adeno-Associated Virus DNA Replication in Live Cells. *J. Virol.* **2004**, *78*, 389–398, doi:10.1128/JVI.78.1.389.
48. Lux, K.; Goerlitz, N.; Schlemminger, S.; Perabo, L.; Goldnau, D.; Endell, J.; Leike, K.; Kofler, D.M.; Finke, S.; Hallek, M. Green Fluorescent Protein-Tagged Adeno-Associated Virus Particles Allow the Study of Cytosolic and Nuclear Trafficking. *J. Virol.* **2005**, *79*, 11776–11787, doi:10.1128/JVI.79.18.11776–11787.2005.
49. Glauser, D.L.; Saydam, O.; Balsiger, N.A.; Heid, I.; Linden, R.M.; Ackermann, M.; Fraefel, C. Four-Dimensional Visualization of the Simultaneous Activity of Alternative Adeno-Associated Virus Replication Origins. *J. Virol.* **2005**, *79*, 12218–12230, doi:10.1128/JVI.79.19.12218-12230.2005.
50. Judd, J.; Wei, F.; Nguyen, P.Q.; Tartaglia, L.J.; Agbandje-McKenna, M.; Silberg, J.J.; Suh, J. Random Insertion of MCherry Into VP3 Domain of Adeno-Associated Virus Yields Fluorescent Capsids With No Loss of Infectivity. *Mol. Ther. Nucleic Acids* **2012**, *1*, e54, doi:10.1038/mtna.2012.46.
51. Earley, L.F.; Kawano, Y.; Adachi, K.; Sun, X.-X.; Dai, M.-S.; Nakai, H. Identification and Characterization of Nuclear and Nucleolar Localization Signals in the Adeno-Associated Virus Serotype 2 Assembly-Activating Protein. *J. Virol.* **2015**, *89*, 3038–3048, doi:10.1128/jvi.03125-14.
52. Stachler, M.D.; Chen, I.; Ting, A.Y.; Bartlett, J.S. Site-Specific Modification of AAV Vector Particles with Biophysical Probes and Targeting Ligands Using Biotin Ligase. *Mol. Ther.* **2008**, *16*, 1467–1473, doi:10.1038/mt.2008.129.
53. Kelich, J.M.; Ma, J.; Dong, B.; Wang, Q.; Chin, M.; Magura, C.M.; Xiao, W.; Yang, W. Super-Resolution Imaging of Nuclear Import of Adeno-Associated Virus in Live Cells. *Mol. Ther. - Methods Clin. Dev.* **2015**, *2*, 15047, doi:10.1038/mtm.2015.47.
54. Chandran, J.S.; Sharp, P.S.; Karyka, E.; Aves-Cruzeiro, J.M.D.C.; Coldicott, I.; Castelli, L.; Hautbergue, G.; Collins, M.O.; Azzouz, M. Site Specific Modification of Adeno-Associated Virus Enables Both Fluorescent Imaging of Viral Particles and Characterization of the Capsid Interactome. *Sci. Rep.* **2017**, *7*, 14766, doi:10.1038/s41598-017-15255-2.
55. Junod, S.L.; Saredy, J.; Yang, W. Nuclear Import of Adeno-Associated Viruses Imaged by High-Speed Single-Molecule Microscopy. *Viruses* **2021**, *13*, 167, doi:10.3390/v13020167.
56. Elmore, Z.C.; Patrick Havlik, L.; Oh, D.K.; Anderson, L.; Daaboul, G.; Devlin, G.W.; Vincent, H.A.; Asokan, A. The Membrane Associated Accessory Protein Is an Adeno-Associated Viral Egress Factor. *Nat. Commun.* **2021**, *12*, 1–13, doi:10.1038/s41467-021-26485-4.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.