

Supplementary Table S1: Modified 20-point clinical modified Vesikari score.

Symptom or Sign	Vesikari 20 points scale	Mozambique Modification	Notes
<i>Duration of diarrhea</i>			
1 - 4 days	1	1	<i>24 hours prior the interview</i>
5 days	2	2	
≥ 6 days	3	3	
<i>Max stools/24h</i>			
1-3	1	1	<i>24 hours prior the interview</i>
4-5	2	2	
≥ 6	3	3	
<i>Duration of vomiting</i>			
1 day	1	1	<i>24 hours prior the interview</i>
2 days	2	2	
≥ 3 days	3	3	
<i>Max vomiting / 24h</i>			
0	0	0	<i>24 hours prior the interview</i>
1	1	1	
2 - 4	2	2	
≥5	3	3	
<i>Fever (° Celsius)</i>			
< 37.0	0	0	<i>24 hours prior the interview</i>
37.1 - 38.4	1	1	
38.5 - 38.9	2	2	
≥ 39	3	3	
<i>Dehydration</i>			
None	0	0	<i>None</i>
1 - 5%	2	2	<i>Mild / Moderate</i>
≥ 6%	3	3	<i>Severe</i>
<i>Treatment</i>			
None	0	0	<i>IV Rehydration All children are hospitalized</i>
Rehydration	1	2	
Hospitalization	2	*NA	

NA: Non Applicable

Tarja Ruuska & Timo Vesikari (1990) Rotavirus Disease in Finnish Children: Use of Numerical Scores for Clinical Severity of Diarrhoeal Episodes, *Scandinavian Journal of Infectious Diseases*, 22:3, 259-267, DOI: 10.3109/00365549009027046