

### Simplified Diagnostic Criteria for Autoimmune Hepatitis (AIH)

Probability  
Definite AIH:  $\geq 7$   
Probable AIH:  $\geq 6$

(Hennes EM, Zeniya M, Czaja AJ, Pares A, Dalekos GN, Krawitt EL, et. Simplified criteria for the diagnosis of autoimmune hepatitis. *Hepatology*. 2008; 48(1):169-76)

Variable	Cutoff	Points	Case by <b>Barary et al</b> (Points)	Total score
ANA or SMA	≥1:40	1	0	Score: 2  ➔ Non-probable AIH
ANA or SMA	≥1:80	2	0	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	0	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	0	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <b>Mekrithikrai et al</b> (Points)	Total score
<b>ANA or SMA</b>	≥1:40	1	1	<b>Score: 8</b>  ➔ <b>Definite AIH</b>
<b>ANA or SMA</b>	≥1:80	2	2	
<b>or LKM</b>	≥1:40			
<b>or SLA</b>	Positive			
<b>IgG</b>	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
<b>Liver histology</b> (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
<b>Absence of viral hepatitis</b>	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <b>Brubaker et al</b> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 4</div> <div>➔ Non-probable AIH</div>
ANA or SMA	≥1:80	2	0	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	0	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case 1 by <i>Shahrani et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 4</div> <div>→ Non-probable AIH</div>
ANA or SMA	≥1:80	2	0	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	1	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case 2 by <i>Shahrani et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	1	<div>Score: 6</div> <div>→ Probable AIH</div>
ANA or SMA	≥1:80	2	0	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case 3 by <i>Shahrani et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	1	<div>Score: 5</div> <div>→ Non-probable AIH</div>
ANA or SMA	≥1:80	2	0	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	1	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <i>Hasegawa et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	1	Score: 6  → Probable AIH
ANA or SMA	≥1:80	2	0	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <i>Lasagna et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 0</div> <div>→ Non-probable AIH</div>
ANA or SMA	≥1:80	2	0	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	0	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	0	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	0	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case 1 by <i>Pinazo-Bandera et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 6</div> <div>→ Probable AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	0	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case 2 by <i>Pinazo-Bandera et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 4</div> <div>➔ Non-probable AIH</div>
ANA or SMA	≥1:80	2	0	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	0	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <i>Boettler et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 7</div> <div>→ Definite AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <b>Kang et al</b> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 7</div> <div>→ Definite AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <i>Ghorbani et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	Score: 3  ➔ Non-probable AIH
ANA or SMA	≥1:80	2	0	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	0	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	1	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <i>Fimiano et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 3</div> <div>➔ Non-probable AIH</div>
ANA or SMA	≥1:80	2	0	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <b>Camacho-Dominguez et al</b> (Points)	Total score
<b>ANA or SMA</b>	≥1:40	1	0	<div>Score: 3</div> <div>➔ Non-probable AIH</div>
<b>ANA or SMA</b>	≥1:80	2	2	
<b>or LKM</b>	≥1:40			
<b>or SLA</b>	Positive			
<b>IgG</b>	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
<b>Liver histology</b> (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
<b>Absence of viral hepatitis</b>	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Cases by <b>Erard et al</b> (Points)	Total score
<b>ANA or SMA</b>	≥1:40	1	Values are not available. At least one point for ANA positivity on each patient.	<div>Score≥ 6 for each patient</div> <div>→ At least probable AIH</div>
<b>ANA or SMA</b>	≥1:80	2		
<b>or LKM</b>	≥1:40			
<b>or SLA</b>	Positive			
<b>IgG</b>	>Upper normal limit	1	Values are not available. At least one point for IgG increase on each patient.	
	>1.10 times upper normal limit	2		
<b>Liver histology</b> (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	All three patients had liver biopsy typical for AIH. Two points for each.	
	Typical AIH	2		
<b>Absence of viral hepatitis</b>	Yes	2	All three patients were tested negative for viral hepatitis. Two points for each.	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case 1 by <i>Suzuki et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	1	<div>Score: 6</div> <div>→ Probable AIH</div>
ANA or SMA	≥1:80	2	0	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case 2 by <b>Suzuki et al</b> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 7</div> <div>→ Definite AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case 3 by <i>Suzuki et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 7</div> <div>➔ Definite AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <i>Palla et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 8</div> <div>→ Definite AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	2	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <i>Zhou et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 6</div> <div>→ Probable AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	na	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <i>Ghielmetti et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 6</div> <div>➔ Probable AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <i>McShane et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 7</div> <div>→ Definite AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <i>Clayton-Chubb et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 6</div> <div>→ Probable AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	0	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				



Variable	Cutoff	Points	Case by <b>Tan et al</b> (Points)	Total score
ANA or SMA	≥1:40	1	Values are not available. At least one point as the patient was ANA and ASMA positive.	<div>Score ≥7</div> <div>→ Definite AIH</div>
ANA or SMA	≥1:80	2		
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	2	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <b>Rocco et al</b> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 8</div> <div>→ Definite AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	2	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <i>Bril et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 6</div> <div>→ Probable AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	0	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <i>Goulas et al.</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 7</div> <div>→ Definite AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <i>Lodato et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 4</div> <div>➔ Non-probable AIH</div>
ANA or SMA	≥1:80	2	0	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	0	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case 1 by <i>Rela et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 7</div> <div>→ Definite AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case 2 by <i>Rela et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 3</div> <div>→ Non-probable AIH</div>
ANA or SMA	≥1:80	2	0	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	0	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	1	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case 2 by <b>Zin Tun et al</b> (Points)	Total score
ANA or SMA	≥1:40	1	No exact values are provided. At least one point as the patient was ANA positive.	<div>Score≥ 6</div> <div>→ At least probable AIH</div>
ANA or SMA	≥1:80	2		
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case 1 by Ferronato et al. (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 7</div> <div>→ Definite AIH</div>
ANA or SMA	≥1:80	2		
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case 2 by <i>Ferronato et al.</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 7</div> <div>→ Definite AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	1	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case 3 by <i>Ferronato et al.</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 7</div> <div>→ Definite AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	0	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <i>Mahalingham et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 6</div> <div>→ Probable AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	0	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				

Variable	Cutoff	Points	Case by <i>Lee et al</i> (Points)	Total score
ANA or SMA	≥1:40	1	0	<div>Score: 6</div> <div>➔ Probable AIH</div>
ANA or SMA	≥1:80	2	2	
or LKM	≥1:40			
or SLA	Positive			
IgG	>Upper normal limit	1	0	
	>1.10 times upper normal limit	2		
Liver histology (evidence of hepatitis is a necessary condition)	Compatible with AIH	1	2	
	Typical AIH	2		
Absence of viral hepatitis	Yes	2	2	
AIH: Autoimmune hepatitis; ANA: antinuclear antibodies; LKM: liver-kidney microsomal antibodies; SLA: soluble liver antigen antibodies; SMA: smooth muscle antibodies; *Addition of points achieved for all autoantibodies (maximum, 2 points).				