

Supplementary Material

Article

Employee Management in Dairy Farms Associated with Bulk Tank Somatic Cell Count and New Mastitis Infection Risk

Michael Farre ^{1,*}, Erik Rattenborg ¹, Henk Hogeveen ², Volker Krömker ³ and Carsten Thure Kirkeby ³

¹ SEGES Innovation, Agro Food Park 15, 8200 Aarhus, Denmark; era@seges.dk

² Business Economics Group, Department of Social Sciences, Wageningen University and Research, 6706 KN Wageningen, The Netherlands; henk.hogeveen@wur.nl

³ Department of Veterinary and Animal Sciences, Section for Production, Nutrition and Health, University of Copenhagen, 1870 Frederiksberg C, Denmark; volker.kroemker@sund.ku.dk (V.K.); ckir@sund.ku.dk (C.T.K.)

* Correspondence: mifa@seges.dk; Tel.: +45-23835400




Figure S1. One the x-axis the number of educated employees in each dairy herd and on the y-axis the number of dairy herds. Illustrating how many educated employees there, and the number of herds enrolled.




Figure S2. One the x-axis the number of uneducated employees in each dairy herd and on the y-axis the number of dairy herds. Illustrating how many uneducated employees there, and the number of herds enrolled.




Figure S3. One the x-axis the training method used for training employees, and on the y-axis the number of dairy herds. Illustrating the method applied for trained in the dairy herd.




Figure S4. One the x-axis the people responsible for training in the dairy herd, and on the y-axis the number of dairy herds. Illustrating by whom the employees are trained in the dairy herd.




Figure S5. One the x-axis the distribution of dairy herds with and without a SOP, and on the y-axis the number of dairy herds. Illustrating the distribution of dairy herds without and with a SOP.