

SUPPLEMENTARY MATERIAL

New Cyclic Diarylheptanoids from *Platycarya strobilacea*

Wen-bing Ding^{1,2}, Rui-yuan Zhao³, Guan-hua Li², Bing-lei Liu³, Hua-liang He², Lin Qiu², Jin Xue² and You-zhi Li^{1,2*}

¹ Hunan Provincial Engineering & Technology Research Center for Biopesticide and Formulation Processing, Hunan Agricultural University, Changsha 410128, China; dingwenb119@hunau.edu.cn (W. Ding);

² National Research Center of Engineering & Technology for Utilization of Botanical Functional Ingredients, Hunan Agricultural University, Changsha 410128, China; 317690477@qq.com (G. Li); hhl_1234@126.com (H. He); qiulin@hunau.edu.cn (L. Qiu); xuejin@hunau.edu.cn (J. Xue)

³ Hunnan Cotton Science Institute, Changde 415100, China; zhaoruiyuan@vip.sina.com (R. Zhao); lbl5155@163.com (B. Liu)

* Correspondence: liyouzhi@hunau.edu.cn; Tel.: +8613808477468 (Y. Li)

Figure list: (HR-ESIMS, 1D and 2D NMR spectra of compound 1–5)

Figure S1. HR-ESIMS of compound 1	Figure S21 HR-ESIMS of compound 4
Figure S2. ¹ H-NMR of compound 1	Figure S22. ¹ H-NMR of compound 4
Figure S3. ¹³ C-NMR of compound 1	Figure S22. ¹³ C-NMR of compound 4
Figure S4. ¹ H- ¹ H COSY of compound 1	Figure S24. ¹ H- ¹ H COSY of compound 4
Figure S5. HSQC of compound 1	Figure S24. HSQC of compound 4
Figure S6. HMBC of compound 1	Figure S26. HMBC of compound 4
Figure S7. NOESY of compound 1	Figure S27. HR-ESIMS of compound 5
Figure S8. HR-ESIMS of compound 2	Figure S28. ¹ H-NMR of compound 5
Figure S9. ¹ H-NMR of compound 2	Figure S29. ¹³ C-NMR of compound 5
Figure S10. ¹³ C-NMR of compound 2	Figure S30. ¹ H- ¹ H COSY of compound 5
Figure S11. ¹ H- ¹ H COSY of compound 2	Figure S31. HSQC of compound 5
Figure S12. HSQC of compound 2	Figure S32. HMBC of compound 5
Figure S13. HMBC of compound 2	Figure S33. NOESY of compound 5
Figure S14. NOESY of compound 2	
Figure S15. HR-ESIMS of compound 3	
Figure S16. ¹ H-NMR of compound 3	
Figure S17. ¹³ C-NMR of compound 3	
Figure S18. ¹ H- ¹ H COSY of compound 3	
Figure S19. HSQC of compound 3	
Figure S20. HMBC of compound 3	




Figure S1. HR-ESIMS of compound **1**




Figure S2. ¹H-NMR of compound **1**




Figure S3. ^{13}C -NMR of compound **1**




Figure S4. ^1H - ^1H COSY of compound **1**




Figure S5. HSQC of compound **1**




Figure S6. HMBC of compound **1**




Figure S7. NOESY of compound **1**




Figure S8. HR-ESIMS of compound 2




Figure S9. ^1H -NMR of compound 2




Figure S10. ^{13}C -NMR of compound 2




Figure S11. ^1H - ^1H COSY of compound 2




Figure S12. HSQC of compound 2




Figure S13. HMBC of compound 2




Figure S14. NOESY of compound 2




Figure S15. HR-ESIMS of compound **3**




Figure S16. ^1H -NMR of compound **3**




Figure S17. ^{13}C -NMR of compound 3



Figure S18. ^1H - ^1H COSY of compound 3




Figure S19. HSQC of compound 3




Figure S20. HMBC of compound 3




Figure S21 HR-ESIMS of compound **4**




Figure S22. ¹H-NMR of compound **4**




Figure S22. ^{13}C -NMR of compound **4**




Figure S24. ^1H - ^1H COSY of compound **4**




Figure S24. HSQC of compound 4




Figure S26. HMBC of compound 4




Figure S27. HR-ESIMS of compound 5




Figure S28. ^1H -NMR of compound 5




Figure S29. ^{13}C -NMR of compound 5




Figure S30. ^1H - ^1H COSY of compound 5




Figure S31. HSQC of compound 5




Figure S32. HMBC of compound 5




Figure S33. NOESY of compound 5