

Spatial variation and trend of extreme precipitation in West Africa and teleconnections with remote indices.

Samo DIATTA^{*1,2}, Cheikh Waly DIEDHIOU¹, Didier DIONE², Soussou SAMBOU²

¹ Laboratory for Oceanography, Environmental Science and Climate, Assane Seck University of Ziguinchor, Ziguinchor, Senegal; C.DIEDHIOU2227@zig.univ.sn

² Laboratoty of Atmospheric Physics – Simeon Fongang, Polytechnics School of Dakar, UCAD, Dakar, Senegal

³ Laboratory of Hydraulics and Fluids Mechanics, Faculty of Science and Technology, University Cheikh Anta Diop, Dakar, Senegal; didiermaria.ndione@ucad.edu.sn (D.M.D.); soussou.sambou@ucad.edu.sn (S.S.)

* Correspondence: samo.diatta@univ-zig.sn

Supplementary Materials

Table 1.S.

Indices	Link
North Atlantic Oscillation (NAO)	https://www.cpc.ncep.noaa.gov/products/precip/CWlink/pna/norm.nao.monthly.b5001.current.ascii.table
Madden Julian Oscillation phase 8 (MJO8)	https://climexp.knmi.nl/dat2nc.cgi?datafile=data/icpc_mjo08_mean12.dat&type=i&station=MJO_08&id=someone@somewhere
Atlantic Multidecadal Oscillation (AMO)	http://www.esrl.noaa.gov/psd/data/timeseries/AMO/
Atlantic Multidecadal Mode (AMM)	http://www.esrl.noaa.gov/psd/data/timeseries/monthly/AMM/




Figure S1: Correlation patterns between AMO and extreme precipitation indices. Tipping points represent significant correlation areas using reduced degree of freedom.




Figure S2: as for figure S1 but for NAO




Figure S3: as for figure S1 but for TSA




Figure S4: as for figure S1 but for TNA




Figure S5: as for figure S1 but for SAODI.