

Review



# Development of Encapsulation Strategies and Composite Edible Films to Maintain Lactoferrin Bioactivity: A Review

Inés Abad <sup>1,2</sup>, Celia Conesa <sup>1</sup> and Lourdes Sánchez <sup>1,2,\*</sup>

- <sup>1</sup> Departamento de Producción Animal y Ciencia de los Alimentos, Facultad de Veterinaria,
- Universidad de Zaragoza, 50013 Zaragoza, Spain; inesabadc@unizar.es (I.A.); cconesa@unizar.es (C.C.)
- <sup>2</sup> Instituto Agroalimentario de Aragón (IA2), Universidad de Zaragoza-CITA, 50013 Zaragoza, Spain

\* Correspondence: lousanchez@unizar.es; Tel.: +34-976-761-585

**Abstract:** Lactoferrin (LF) is a whey protein with various and valuable biological activities. For this reason, LF has been used as a supplement in formula milk and functional products. However, it must be considered that the properties of LF can be affected by technological treatments and gastrointestinal conditions. In this article, we have revised the literature published on the research done during the last decades on the development of various technologies, such as encapsulation or composite materials, to protect LF and avoid its degradation. Multiple compounds can be used to conduct this protective function, such as proteins, including those from milk, or polysaccharides, like alginate or chitosan. Furthermore, LF can be used as a component in complexes, nanoparticles, hydrogels and emulsions, to encapsulate, protect and deliver other bioactive compounds, such as essential oils or probiotics. Additionally, LF can be part of systems to deliver drugs or to apply certain therapies to target cells expressing LF receptors. These systems also allow improving the detection of gliomas and have also been used for treating some pathologies, such as different types of tumours. Finally, the application of LF in edible and active films can be effective against some contaminants and limit the increase of the natural microbiota present in meat, for example, becoming one of the most interesting research topics in food technology.

**Keywords:** lactoferrin; nanocarriers; nanoparticles; microparticles; encapsulation; edible films; active films; active packaging; milk proteins; polysaccharides; technological treatments; gastrointestinal tract; targeted delivery; food technology

# 1. Introduction

Lactoferrin (LF) is an iron-binding glycoprotein present in the secretions of mammalian species. It was first isolated from milk, and afterwards, it was found in mucosal surfaces, specific granules of leukocytes and several secretory fluids including tears, saliva, seminal and nasal secretions [1]. LF plays important roles, such as modulation of iron uptake and release by the intestinal mucosal cells in the suckling newborn; antimicrobial activity against bacteria, virus, fungus and parasites; antioxidant activity in several systems and regulation of immunity and cellular growth [2]. When LF is intended to be used as an ingredient in some functional products, it is essential to know the effect that technological treatments exert on its activity [3].

LF is highly unstable under the conditions of the stomach and intestines due to the gastric low pH and the high protease activity present in both compartments that cause conformational changes and loss of activity to this protein [4–6]. Taking this susceptibility into account, it is important to achieve LF stabilization by using some technologies, such as encapsulation or composite materials, to avoid its degradation along the gastrointestinal tract (GIT) [7]. Apart from the interest in encapsulating LF to preserve its beneficial biological activities, this protein is used as a component in complexes, nanoparticles, hydrogels and emulsions to encapsulate, protect and deliver other bioactive compounds [8].

Citation: Abad, I.; Conesa, C.; Sánchez, L. Development of Encapsulation Strategies and Composite Edible Films to Maintain Lactoferrin Bioactivity: A Review. *Materials* 2021, *14*, 7358. https://doi.org/10.3390/ma14237358

Academic Editor: Anca Roșeanu and Robert W. Evans

Received: 30 October 2021 Accepted: 23 November 2021 Published: 30 November 2021

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



**Copyright:** © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/). In addition, LF is also being investigated to be part of systems to deliver drugs or to apply certain therapies to target cells expressing LF receptors on their surface [9].

Encapsulation techniques have been developed in the last decades to preserve bioactive compounds incorporated into pharmaceutics, food and cosmetic products [10]. Microencapsulation is defined as a process in which very small particles or droplets are surrounded by a coating or are embedded in homogeneous or heterogeneous matrices. This process is intended to preserve bioactive compounds from inactivation, which can be caused by certain conditions and interactions with the environment where those compounds are intended to exert their activity [11]. Nanocarrier systems have many advantages, such as improving the bioavailability and solubility of bioactive compounds, enhancing their residence time and stability in the GIT and giving them a better ability to enter and permeate tissues and cells [12].

Nowadays, research in edible films is a relevant emerging area of study because the reduction of plastic waste is of high priority at the global level. Edible films and coatings avoid the desiccation of the food product, increasing its structure resistance and controlling gas exchange [13,14]. Furthermore, edible films and coatings can contain and deliver active ingredients that add extra properties to them, such as antioxidant and antimicrobial properties, by incorporating bioactive compounds like LF [14].

The development of nanotechnology has produced great changes in many areas, such as the way to administer some therapies or the design of particles that can be directed to specific targets. The present review covers the current emerging technologies that can be used to preserve the biological activity of LF in different systems. This report is not comprehensive, as the studies on LF are numerous and it is impossible to cover all of them; however, the articles revised here are representative of the research performed on this field in recent years. We have focused on the mechanisms to encapsulate LF to preserve its integrity, the use of LF to decorate particles with the aim to improve the delivery of compounds to specific cells and finally, on the use of LF in active films for food preservation.

#### 2. Materials and Methods

## 2.1. Search Strategy

The three authors performed the electronic search from 1995 to September 2021, using Medline (PubMed) and ScienceDirect. The search strategy applied was a combination of medical subject headings (MeSH), terms and free text words, including the following keywords individually or combined: lactoferrin, nanocarriers, nanoparticles, microparticles, encapsulation, edible films, active films, active packaging, milk proteins, whey proteins, caseins, polysaccharides, alginate, chitosan, pectin, gums, chondroitin sulphate and galactomannans.

Review articles and the different research articles found were also sources of references to locate other articles. The procedure used for selecting the articles and type of articles finally included in the review was discussed by all the authors and finally, 153 articles were revised and included in the review. Furthermore, the evolution in the number of publications related to some terms used in the search was analysed over the course of twenty-five years, as is represented in Figure 1a,b.





Figure 1. Graphs representing the publications found by combining the term lactoferrin with (a): nanoparticles, microparticles or encapsulation; (b): edible films, active films or active packaging, in PubMed (blue bars) and ScienceDirect (red bars) shown with years.

#### 2.2. Selection of Studies

The review process was divided into three major sections to be revised initially by each of the three authors (I.A., C.C. and L.S.), and afterwards, all authors revised the three sections. The selection of the articles was first screened for relevance by reading the abstracts. Additionally, the relevant references of the selected articles were searched manually. The following exclusion and inclusion criteria were used to select the obtained articles:

#### 2.2.1. Inclusion Criteria

- 1. The article includes a description of the procedure to make LF composites;
- 2. The article includes applications of LF composites related to medicine;
- 3. The article includes applications of LF composites related to foods;
- 4. Review articles that help to identify articles related to the topics for review.

# 2.2.2. Exclusion Criteria

- Articles not providing detailed information on the preparation of LF composites; 1.
- 2. Articles not providing detailed information on the applications of LF composites;
- 3. Articles published before the year 1999.

# 3. Results

## 3.1. Encapsulation of Lactoferrin

The selection of appropriate materials for encapsulating bioactive compounds is essential. These materials should be chemically compatible, non-reactive with the encapsulated substance and are expected to show certain properties, such as strength, flexibility, impermeability and stability, which are required for their application [15,16].

There are various food biopolymers, including polysaccharides, lipids, proteins, and their conjugates used to develop a wide range of nanocarriers. These are designed to protect, entrap, encapsulate and control the delivery of bioactive compounds and nutraceuticals [12]. The systems based on lipid carriers can be classified as nanoemulsions, solid lipid nanoparticles, nanostructured lipid carriers, nanoliposomes, micelles and nanosuspensions [17]. Polysaccharide-based nanocarriers also include polymer nanoparticles, polymeric micelles and inclusion complexes [12]. However, nanocarriers based on food proteins can be prepared with different structures, including nanoparticles, hollow nanoparticles, nanohydrogels, heat-induced nanofibrillar aggregates, electrospun nanofibers and tubular nanostructures [18].

Food proteins normally used to construct nanocarriers can derive from animals and plants, such as whey, soy, egg, corn proteins, gelatin and bovine serum albumin (BSA), among others. The nanocarriers produced with those proteins are adequate for the delivery of both hydrophobic and hydrophilic bioactive ingredients and can be included in products for nutrition, drugs or can be directed to apply several therapies [12].

Encapsulation can be conducted by chemical or mechanical procedures, as shown in Figure 2. Chemical encapsulation can be done by simple and complex coacervation, cocrystallization, interfacial polymerization, ionic gelation, entrapment in liposomes, molecular inclusion and ionic gelation plus electrostatic interactions. The mechanical procedures are spray-drying, freeze/cold-drying, extrusion and fluidized bed [19].



**Figure 2.** A schematic illustration of different processes of encapsulation used in food and flavour industries (adapted from Madene et al. [19]).

The complex coacervates are generated by an encapsulation method that usually consists of three stages: emulsification, coacervation and cross-linking. The complex coacervation is a liquid–liquid phase separation that occurs when there is an interaction, mainly electrostatic, between biopolymers of opposite charges, the interaction being influenced by pH. The polymer matrix, considered as the wall, mainly made up of positively charged proteins and negatively charged polymers surrounds the bioactive compound, considered as the core [20]. The polymer-based coacervates have many applications as food and biomaterial ingredients or encapsulants in personal care and functional foods. Recently, there has been an increase in the interest to study heteroprotein complex coacervates, which are a special case of coacervates in which the dense phase is formed by at least two different proteins with opposite charges [21].

The potential benefits of bioactive compounds, also known as nutraceuticals, are not optimally achieved because of their low and/or variable bioavailability [22]. This availability is a measure of the bioefficiency of bioactive compounds and is the result of processes that those components undergo within four gastrointestinal segments: the mouth, stomach, small intestine and large intestine [23].

The factors that mainly affect the bioavailability of encapsulated bioactive compounds are the composition of nanocarriers and loading capacity, size and surface. For example, nanocarriers based on starch and proteins can be hydrolysed by amylases and proteases, while other materials, such as resistant starch, pectin and alginate are resistant to enzymes and pH, and are attacked only by the colonic microbiota [23]. However, the release of bioactive compounds from lipid-based nanocarriers is favoured by the action of lipase in the mouth, stomach and intestines, which breaks down triacylglycerides into free fatty acids and monoacylglycerides, contributing, with the bile salts, to the solubilisation of bioactives into mixed micelles [24]. Furthermore, the bioavailability of many bioactive components depends on the food matrix that is coingested with them, in the case that those are contained in a food product or in some nutraceuticals.

#### 3.1.1. Encapsulation of Lactoferrin with Milk Proteins

Milk proteins have a rich diversity of physicochemical characteristics and biodegradable properties, which make them appealing for different food and pharmaceutical applications [25]. Proteins are natural vehicles for bioactive molecules, thanks to their structural and physicochemical properties that facilitate their functionality in delivery systems. For oral delivery applications, the biocompatibility of milk proteins is usually positive [26], although it is necessary to consider that a small portion of the population is allergic to some milk proteins.

Whey proteins

Generally, whey proteins and LF are electrostatically attracted to each other over a range of pH values due to their different isoelectric points (pI), and so they can be assembled in various interfacial structures, such as single, double and mixed layers in emulsions [27]. In that sense, Anema and de Kruif [28] assayed the mixture of LF with the anionic protein  $\beta$ -lactoglobulin ( $\beta$ -Lg) at a range of pH and mixing ratios. Complexation was monitored through turbidity and zeta potential measurements, and the formation of complex coacervates was observed. Complexes were formed in the pH region of 5–7.3, and at the maximum turbidity, the complexes were neutrally charged. Moreover, although the charge ratios of LF/ $\beta$ -Lg varied with pH, LF/ $\beta$ -Lg complexes were found to have a constant stoichiometry of 1:3 at all pHs due to charge neutralization. With the addition of NaCl, the complexation diminished and disappeared at a salt concentration of about 100 mM.

Chapeau et al. [29] showed that electrostatic complexes formed between LF and  $\beta$ -Lg can be used to successfully encapsulate vitamin B9 at its recommended daily intake levels. They identified two types of B9/LF/ $\beta$ -Lg co-assembly: aggregates (at low and high protein concentrations) and heteroprotein coacervates (at intermediate protein concentrations), both exhibiting different kinetics and stability over time. The B9/LF/ $\beta$ -Lg coacervates showed high entrapment of B9 (from 6 to 16 mg B9/g protein), which means that a few milligrams of these coacervates would be enough to cover the recommended daily intake of this vitamin. The same research group also demonstrated the scale-up of this system,

confirming the efficiency of this type of biocarrier for developing natural functional foods [30].

Whey protein isolate (WPI) is obtained from the main by-product of cheese production and mainly consists of  $\beta$ -Lg and  $\alpha$ -lactalbumin ( $\alpha$ -La). Irreversible denaturation and aggregation of whey proteins occur at heating temperatures higher than 70 °C, and the denatured proteins interact with each other, forming a gel network. WPI has a strong binding affinity for LF as it can cross-link to form a stable protein complex with enhanced elasticity and gel strength under various heating conditions, as reported by Li and Zhao [31]. These researchers showed that the addition of LF into WPI gels increased the gel strength at the two pHs tested of 5.8 and 6.7, being stronger and more uniform at pH 6.7 in the presence of high concentrations of LF (20% and 30%). Those findings revealed both the practical and theoretical significance for the utilisation of LF in gelled protein products.

Theoretical models and numerical simulations were applied by Delboni and da Silva [25] to gain insight into understanding the fundamental mechanisms responsible for the process of milk protein complexation under different conditions. This knowledge can be essential to use milk proteins in nanoscale encapsulation systems for food and pharmaceutical applications. The interactions between  $\beta$ -Lg and LF and between  $\alpha$ -La and LF were investigated by means of Monte Carlo simulations. The comparison between the free energies associated with the complexation of LF with  $\beta$ -Lg and  $\alpha$ -La at different pH and ionic strengths revealed the weaker attraction between  $\alpha$ -La and LF in contrast with the stronger attraction measured between  $\beta$ -Lg and LF. The driving force for the complexation being studied of  $\beta$ -Lg with LF is due to an association of electrostatic interactions, where protein charge plays an important role.

The influence of small ligands on the complex coacervation between  $\beta$ -Lg and LF was studied by Tavares et al. [32]. In this work, 8-anilinonaphthalene-1-sulfonic acid (ANS), a fluorescent probe, was used as a model of a small ligand. While ANS did not interact with  $\beta$ -Lg, it presented two binding sites for LF inducing its self-aggregation. Depending on its concentration, ANS modulated the shape of the  $\beta$ -Lg-LF macromolecular assembly. Co-acervates were observed for ANS/LF molar ratio < 25 against amorphous aggregates found for higher ANS/LF molar ratios.

In 2020, Darmawan et al. [33] explored a novel in silico approach to study the possibility of employing whey protein components to encapsulate LF. The interaction of apo-LF (the most unstable form of the protein) with  $\beta$ -Lg and  $\alpha$ -La was studied at temperature conditions that are used during the spray drying process (95 and 180 °C). This method is commonly employed in the food industry to encapsulate food ingredients by using hot air drying. It was found that the interaction of  $\beta$ -Lg and  $\alpha$ -La with LF allowed maintaining the structure of two regions of the molecule corresponding to antibacterial peptides (lactoferricin and lactoferrampin) under the spray drying conditions. In this study, it was also demonstrated that apo-LF was most probably readily dispersible during subsequent rehydration due to its tendency to agglomerate under those temperatures. Moreover, they showed that the interactions between apo-LF,  $\beta$ -Lg and  $\alpha$ -La were due to the acidic and basic amino acid residues of these proteins.

In the study by De Figueiredo Furtado et al. [34], LF was proposed as a promising ingredient for incorporation into powder infant formulas, because it improved their properties compared with formulas without this protein. The interaction of LF with WPI or whey protein hydrolysates used in the formulas, as encapsulating components of the oil mixture added, resulted in more stable emulsions. The powders obtained from the emulsions containing LF were those with a lower stickiness and consequently, with higher yield, encapsulation efficiency and wettability.

Caseins

Caseins represent the major protein fraction of milk, making up 80% of the total proteins. They precipitate at pH 4.6 and individual caseins, including  $\alpha$ s1,  $\alpha$ s2,  $\beta$  and  $\kappa$ -casein, are unique proteins with respect to their structure and function. They have open and flexible conformations and consist of hydrophilic and hydrophobic segments. Due to their highly hydrophobic nature, individual caseins are stabilised by the creation of a micellar structure, which is chemically heterogeneous and is composed of the four types of caseins and by amorphous calcium phosphate [35]. The stability of the caseins and casein micelles to some treatments, such as heating, freezing, and drying, make them valuable in delivering food ingredients and bioactive compounds [36].

Anema and de Kruif investigated the interaction of LF with the casein micelles, as found in bovine skimmed milk [37], and with the individual caseins [38]. The cationic LF (pI 8.3–8.7) was found to bind to the anionic caseins (pI range from 4.9 to 5.6) and to the casein micelles (pI 4.6) at intermediate pH values. The binding of LF to the individual caseins can be described as the formation of complex coacervates. Moreover, Anema and de Kruif [39] assayed the binding of LF to transglutaminase (TGA) cross-linked casein micelles. They found that the internal cross-linking of the casein micelles by TGA did not alter the binding mechanism of LF to them. The binding of LF to the untreated micelles swelled the micelles, which was avoided in the TGA-micelles. Additionally, after several hours in the presence of added LF, the untreated micelles started to disintegrate, and their size decreased (increasing transparency of the milk was observed). In contrast, the internal cross-linking of the casein micelles.

In 2016, Anema and de Kruif [40] studied complex formation between some bovine casein types ( $\alpha$ -casein, ACN;  $\beta$ -casein, BCN, and  $\kappa$ -casein, KCN) and LF. They showed that the optimum coacervation occurred at the mixing ratio in which charge neutrality happened and the turbidity was maximum. The kinetics of complex formation for LF/BCN and LF/KCN were rapid and occurred through a nucleation and coalescence process. However, the kinetics of complex formation for LF/ACN were much slower. They evidenced that when salt is added the coacervation diminishes, leading eventually to a one-phase system. Salt decreases the entropical contribution, and consequently, the coacervation is not observed. For the LF/BCN or LF/KCN coacervates, the samples were completely transparent (turbidity of ~0) at an ionic strength of ~25 mM, whereas for the LF/ACN, a much lower ionic strength of only ~10 mM was required for the sample to be completely transparent. It is interesting to read the review article of Anema [41], in which he summarises all the results that have been obtained in his research group studying the spontaneous self-association of LF with the casein micelles in milk and with individual isolated caseins.

The complexation behaviour between LF and sodium caseinate (NaCas) before and after heat treatment was also studied by Li and Zhao [42]. The results show that the denaturation and aggregation of LF can be inhibited by forming soluble LF-NaCas complexes. The complexes formed at a ratio of 2:1 had an average diameter of 194 nm and exhibited a higher capacity for lowering the air/water interfacial tension compared to complexes with a lower proportion of LF. NaCas played a role as a stabiliser to protect LF against heat-induced precipitation. Therefore, the presence of NaCas is important for maintaining the structure and functionalities of LF during the production of LF-enriched food products. However, the authors have not demonstrated the biological activity of LF while being part of the complexes formed.

#### 3.1.2. Encapsulation of Lactoferrin with Other Proteins

The ability of LF to form positively charged droplets at neutral pH can have many important practical implications. Recently, there has been an increasing interest in the application of whey proteins, and especially LF, as emulsifiers [43]. LF has been used as an emulsifier in multilayer emulsions for lipophilic nutraceutical delivery of active compounds, such as curcumin and  $\beta$ -carotene [44]. LF can interact with other proteins or polysaccharides, providing good stability to oil-in-water emulsions [45].

BSA with tannic acid (TA) has been used to encapsulate LF for oral administration by alternating layers of BSA and TA on porous microparticles of CaCO<sub>3</sub> previously prepared with LF [46]. The authors examined two approaches to load LF into CaCO<sub>3</sub> particles, as shown in Figure 3. The first one used co-precipitation in which CaCO<sub>3</sub> microparticles were directly formed in an LF solution. The second one used post-loading in which CaCO<sub>3</sub> microparticles were prepared in a water solution and then dispersed in an LF solution. The CaCO<sub>3</sub> was dissolved after covering the microparticles with the layers of BSA and TA. The post-loading approach showed lower LF degradation than that of co-precipitation and was chosen as the oral delivery system in a murine model. The microcapsule shells formed conferred LF high stability and protection in gastric conditions, while they were degraded under intestinal conditions, thus releasing LF. The animals dosed with encapsulated LF showed a 6.5 times higher concentration of LF in the intestine than the control group dosed with free LF. Moreover, LF was later detectable in the liver, demonstrating that this encapsulation system has great potential for oral delivery of bioactive molecules.



**Figure 3.** Scheme of LF encapsulation, co-precipitation of CaCO<sub>3</sub> and LF vs. post-loading of LF in porous CaCO<sub>3</sub> microparticles, both followed by Layer-by-Layer (LbL) deposition of bovine serum albumin and tannic acid and final dissolution of CaCO<sub>3</sub> (Redrawn and slightly changed from that contained in the article by Kilic et al. [46], which is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (http://creativecommons.org/licenses/by/4.0/, accessed on 30 October 2021).

Pea protein isolate (PPI) has also been used to form complexes and coacervates with LF by electrostatic interactions under specific pH conditions [47]. The maximum level of coacervate formation was observed at charge neutrality. The pH where coacervation was most favourable was pH 5.4, and the soluble complexes were maximised at pH 7. The formation of heteroprotein complexes was studied by Small Angle X-ray Scattering (SAXS), confirming the formation of complexes of around 13 nm at pH 7 and around 80 nm at pH 5.4. A predominance of elliptical over spherical shapes for LF-PPI coacervates was found, and rare chain-like aggregations were observed, probably due to PPI-PPI complexes. These coacervates can be of interest in various food applications.

Zheng et al. [21] investigated the conditions, thermodynamic mechanism, and morphological structure for the formation of soy protein isolate/lactoferrin (SPI/LF) complex coacervate. The stoichiometry of two optimal complex coacervates (SPI/LF = 1:3 at pH 6.25 and SPI/LF = 1:4 at pH 6.6) was identical to their mixing ratio. Moreover, the SPI/LF complex coacervation was exothermic and accompanied by significant entropy gain. This coacervation was established by electrostatic interactions and by hydrogen bonds. It was shown that the SPI/LF interaction improved the heat-stability of the LF heat-sensitive lobe. When the structure of the complexes was analysed, it was observed that the 1:3 SPI/LF complex exhibited distinct granules, whereas the 1:4 SPI/LF complex presented a uniform cross-linking structure. Analysis by atomic force microscopy showed the existence of sphere complexes with a diameter of 50–150 nm in the 1:3 SPI/LF complex and a chainlike structure with a length of 50–150 nm and a width of 20–80 nm in the 1:4 SPI/LF one. This different structure was hypothesised to be by SPI self-aggregation. It remains unanswered if LF maintains its properties in SPI/LF coacervates, although the increase observed in LF thermal resistance is very positive for the potential applications of those coacervates.

# 3.1.3. Encapsulation of Lactoferrin with Polysaccharides

Biopolymer nanoparticles have gained popularity thanks to their exceptional physical characteristics, such as biodegradability, biocompatibility, low toxicity and great ability to bind hydrophobic bioactive compounds [48,49]. The protein-ionic polysaccharide electrostatic attraction requires a specific pH, in which the charges of these molecules are opposite. The net charge of a protein at its pI is zero, being positive below the pI, and negative at a pH higher than the pI. Thus, cationic and anionic polysaccharides can form electrostatic complexes with proteins depending on pH. At physiological pH, LF is positively charged (pI 8.3–8.7); therefore, its capacity to create complexes with several anionic polysaccharides has made possible the extensive research produced in this area [49].

The type and concentration of protein and polysaccharide, as well as the temperature, pH and ionic composition of the solution, determine the functional characteristics of a protein-polysaccharide complex [50]. Additionally, the formation of complex coacervates is influenced by the molecular weight, charge density and chemical nature of the polymers used [51].

• Alginate

Alginate is a natural, biodegradable and biocompatible anionic polysaccharide obtained from brown algae [52]. It is an organic polymer derived from alginic acid and is located in the cell wall of the algae. Its structure consists of linear chains composed of monosaccharides D-mannuronic and L- guluronic.

This polymer owes its polyanionic character to the carboxyl groups that appear along the chain. The distribution of monomers in the polymeric chain and the charge and volume of carboxyl groups give to the formed gel characteristics of flexibility or rigidity depending on the guluronic content. The higher the number of guluronic blocks, the harder and more rigid and brittle the gel is, while if the mannuronic groups predominate, the gel is softer and more elastic [53]. This polymer is presented as sodium alginate (Na-Alg) when used as a food additive and is easily available and widely applied in the industry. The main characteristics of Na-Alg are its good affinity with water and its highly anionic charge at pH values higher than two [54].

On the other side, alginate combined with calcium (Ca-Alg) forms a gel that is a wellknown system used for the elaboration of gel beads. These beads are useful to encapsulate a wide variety of bioactive agents, due to their simplicity, biocompatibility, non-toxicity and low cost [5].

When two chains of the guluronic blocks align, coordination sites are created. These chains are in the shape of loops, creating cavities with adequate size to accommodate the calcium ion. After the addition of calcium, the alginate undergoes conformational changes, producing the well-known "egg box" gelling pattern (Figure 1 in [53]). This pattern is based on the dimerization of the chain and, later on, further aggregation of the dimers [53].

Furthermore, alginate is a good option for the encapsulation of molecules since it has unique characteristics that allow a controlled release in the intestine [6]. Additionally, alginate microbeads, reaching a mean diameter of  $130 \pm 47 \mu m$ , are one of the most studied encapsulation systems [55]. Braim et al. [6] and Kanwar et al. [56] confirmed that the LF-alginate capsule can be coated with chitosan, another polycationic polymer, to improve the integrity of the capsule in GIT fluids.

Some studies have proven the efficacy of coating LF by alginate capsules to deliver this protein to the colon [56] and to impede the growth of Clostridiodes [6]. Furthermore, the use of LF as a complement to alginate to encapsulate essential oil particles [52] or probiotics [55] has also been achieved. In the study by Raei et al. [5], LF was encapsulated in Ca-Alg capsules, and it was proven that the effectiveness of these capsules increased with higher concentrations of Ca-Alg and with thermal treatment (61 °C for 10 min). However, the stability of the nanoparticles was greater when the polysaccharide concentration was lower (0.2%, w/w) and the thermal treatment was applied. These particles remained intact for 30 min at pH 2, conditions that can be considered equivalent to gastric digestion, which guarantees a controlled release during the first 30 min and a subsequent gradual release in acidic and neutral conditions. In this way, they confirmed that the encapsulation of LF with Ca-Alg is a technique that can be used for the targeted delivery of LF to the intestine.

Furthermore, Bokkhim et al. [57] encapsulated three different forms of LF (apo-, native- and holo-) in micro-gel particles of alginate, using the aerosol technique. They produced the particles from a 2% (w/w) solution of LF/alginate (1:1), using 0.1 M CaCl<sub>2</sub> as the cross-linking solution. These authors demonstrated that a major concentration of CaCl<sub>2</sub> decreased the encapsulation efficiency. LF/alginate particles were maintained intact- during simulated gastric digestion of 2 h, with 30% more protein compared to the non-encapsulated LF. The digestion of all forms of LF, pure or encapsulated, under intestinal fluids was rapid. Thus, these authors showed with this study that LF/alginate micro-gel particles can protect LF from the action of pepsin (the main enzyme of gastric digestion) and release it at the intestine.

Additionally, Wang et al. [54] proved the efficacy of the LF/Na-Alg complex coacervates. This study showed that owing to the positive charge of LF at pHs lower than 8.5 and the negative charge of Na-Alg in the entire pH range studied (2–10), the electrostatic interaction between both molecules was excellent. This electrostatic interaction increased as the pH decreased from eight to five and remained constant at pH from five to four. Therefore, the authors concluded that the optimum pH for the formation of the LF/Na-Alg complex coacervates was 4.5. Additionally, they compared the degradation of the uncoated LF and that of the alginate capsule in the gastric stage. They found that 100% of the uncoated protein was degraded under gastric conditions. This percentage decreased to 70% when LF was protected with Na-Alg, keeping 30% of the protein intact at that stage of digestion. Alginate provided a blockage of the sites of LF for the action of pepsin, reducing LF proteolysis. Several authors have defended that alginate can interact with pepsin, decreasing its catalytic mechanism during gastric digestion, while it does not have the same effect with trypsin, being degraded by this enzyme in the intestinal digestion [52,54,57].

The encapsulation of LF with Na-Alg allows the preservation of its properties, such as its antioxidant activity, increasing by 30% with respect to the uncoated LF under gastric conditions (pH 2). After gastric digestion, the antioxidant capacity of uncoated LF decreased by 12% due to the breakdown of peptides. However, the antioxidant capacity of LF/Na-Alg coacervates was not modified after this digestion stage [54].

Chondroitin sulphate

Chondroitin sulphate (ChS) is a polyanionic mucopolysaccharide that is used as a food-grade material and is obtained from animal cartilage. ChS contains strongly acidic sulphate groups and weakly acidic carbonyl groups, so it has a high negative charge density and can form ionic complexes with positively charged molecules, such as LF. Furthermore, the ability of ChS as a potential carrier for drug delivery has been investigated, as it possesses numerous attractive properties, such as biosafety, biocompatibility and biodegradability [48]. Additionally, ChS is considered a possible ligand targeting cancer cells, which overexpress CD44 receptors [58] and it is valued as a suitable polysaccharide for delivering active compounds to target cells [48].

In the same study by Abdelaziz et al. [58], it was proposed to coat the surface of nanoparticles with ChS and LF through carbodiimide coupling or by electrostatic interactions, as a potential approach to attack cancer cells overexpressing LF receptors. Here, the use of LF and ChS as coating materials demonstrated their efficiency in tumour selection.

#### • Galactomannans

Galactomannans are industrial polysaccharides obtained from seeds of the Leguminosae family. They are storage polysaccharides formed by a skeleton of mannose with galactose branches. They are used to increase viscosity or film production. Galactomannans have applications in both food and clinical industries, due to their rheological properties [59]. In increasing the order of mannose:galactose ratio, we can distinguish different types of galactomannans: fenugreek gum (1:1), guar gum (2:1), tara gum (3:1) and locust bean gum (4:1) [60].

Nanoparticles containing LF have been formed from a soluble polyelectrolyte complex composed by LF/N-succinyl chitosan/galactomannan in a 1:3:2 ratio, after heat treatment below the protein heat denaturation temperature. The presence of galactomannan allows forming the particles, not only by electrostatic interaction but also by hydrophobic interactions and hydrogen bonds. Because of those interactions, LF is well integrated into these complexes, due to the hydrophobic interaction between the pyranose chains of chitosan, galactomannan and the hexose residues of the hydrocarbon component of LF [61]. These biopolymer particles have a 250–400 nm size, regular spherical shape and good storage stability. The load of LF in the particles was 76–87% and they retained their characteristics after lyophilisation. Therefore, these particles can eventually be used for the targeted transport of biologically active substances [49].

The immobilization of LF in galactomannan films was proposed by Albuquerque et al. [59] as an alternative to conventional edible solid dosages, such as capsules, particles, beads or tablets. This alternative can be effective for biotechnological applications in the pharmaceutical and the food industries, for individuals with dermal wounds or with difficulty in swallowing edible doses, for example.

The tara gum, like the rest of galactomannans, is a neutral polysaccharide; therefore, the insertion of charged groups into its structure allows its interaction with other polymers and proteins. The process of carboxymethylation consists of the insertion of negatively charged carboxymethyl groups in the main polysaccharide, thus favouring the formation of complex coacervates [62]. Taking the advantage of this property, Santos et al. [63] performed the microencapsulation of vitamin D3 through complex coacervation in matrices formed by carboxymethyl tara gum and LF. To promote the electrostatic interaction between tara gum and LF, the system was shaken for 10 min at 300 rpm and then quickly placed in an ice bath to reduce the temperature. The addition of TGA to these structures catalysed the formation of covalent bonds between the proteins, increasing the stability of the particles formed. It was verified that a ratio of 1:3 (core:wall) was enough for correct encapsulation of the vitamin to ensure that it was protected by the polymeric matrix.

The complex coacervation of LF with biopolymers increases its stability during gastric digestion since the acidic pH of the stomach maintains both polymers with opposite charges supporting their interaction. However, intestinal pH (7) has a negative effect on coacervation since this pH modifies the positive charge of LF necessary for the interaction with tara gum [63]. Therefore, these complexes improved the stability and facilitated the controlled release of the vitamin during GIT digestion.

Gum arabic

Gum arabic (GA) is an anionic polyelectrolyte that mainly consists of three fractions of anionic branched arabinogalactans. These fractions are 80–90% arabinogalactan, 10–20% arabinogalactan-protein and 2–4% glycoprotein. The emulsifying properties of GA are mainly attributed to the arabinogalactan-protein [50]. Furthermore, due to its low viscosity and high solubility at high concentrations, and its emulsifying and encapsulating capacities, GA is extensively used in industry [51].

The protein-polysaccharide electrostatic complexes can be used as stabilisers and emulsifiers in high internal phase emulsions (HIPEs). Some authors determined that the LF/GA complexes (1:1) can be used to form HIPEs over an ionic strength range of 0-300

mM NaCl at a pH range of 3–6. During the homogenisation applied for this process, GA is not as efficient as proteins at producing small droplets; but it is a better stabiliser once the droplets have been formed as reported by Cheng et al. [50]. These authors also showed that the antioxidant properties of LF allowed, in these HIPEs of LF/GA complexes, the encapsulation of nutraceutical compounds, such as curcumin, protecting them from chemical degradation.

Pectin

Pectin is an anionic polysaccharide present in plants, mainly in fruits and young tissues. It is made up of galacturonic acid units with free carboxyl groups, which give it an acid tendency. In its native form, pectin is highly methylated. The degree of pectin methylation influences its ability to form gels. This polysaccharide is easily degradable under alkaline conditions and, especially, at high temperatures [64]. Pectin is a polysaccharide most used to produce multilayer encapsulation systems with whey proteins, and in particular, it has allowed the encapsulation of LF at pH between three and four with a size of around 700 nm and good characteristics to be used in pharmaceuticals and food products [65]. In another study by Bengoechea et al. [64], electrostatic complexes between highmethoxyl pectin and LF were formed at pH 7. These complexes were soluble at pH between 7 and 3.5 but underwent aggregation at lower pH. The properties of these pectin/LF complexes can be modulated through the pH, temperature or biopolymer concentration. Furthermore, it was observed that at pH 7 the stability of LF/pectin complexes to aggregation during heating was much better than that of LF alone.

Niu et al. [66] also created pectin/LF complexes by mixing the two biopolymers in solution, leading to spontaneous colloid formation due to electrostatic interactions. They compared the potential of low (LM) and highly methylated (HM) pectin to interact with LF and determined the loading of LF in the capsules and their encapsulation efficiency. They concluded that LM pectin had a greater capacity to encapsulate LF, with an encapsulation efficiency of 40%, compared to 5% for HM pectin. Additionally, they verified the inhibitory effect on bacterial growth of the LF-pectin complexes at a concentration of 1 mg/mL, an effect that lasted at least 48 h. Therefore, they stated that LF encapsulation with pectin did not affect its bioactivity.

Moreover, in the study conducted by Niu et al. [66], some pectin-LF complexes were coated with chitosan in order to increase their gastric stability and muco-adhesive properties. This coating improved the colloidal stability of the complex in simulated gastric fluid. Furthermore, in an HCl solution at pH 3, both systems, the uncoated and the chitosan-coated LF/pectin complexes, showed a gradual release of LF. After 2 h under these conditions, the uncoated complex showed a 30% release of LF, while the chitosan-coated complex only released 10%. However, under gastric simulated conditions (pH 3, no pepsin), the uncoated complex showed a negligible release of LF. This limitation of LF release indicates that this protein would not be as exposed to digestive enzymes, such as pepsin. Therefore, these pectin/LF systems can be a good way to incorporate LF in foods or special products for oral administration, as they decrease the hydrolytic effect of pepsin on LF, protecting this bioactive molecule from gastric digestion up to at least 60 min for a guttargeted delivery [66].

Chitosan

Chitosan is a useful natural biopolymer, obtained by chemical or enzymatic deacetylation of chitin, a polysaccharide present in nature (insects, crustaceans and fungi) [67]. It has multiple reactive groups that can help in the transport of drugs due to its physicochemical properties, such as charge and hydrophobicity. Thus, due to these reactive groups, chitosan nanoparticles can be complemented with targeting vectors like LF [68]. These authors showed that LF and succinyl-chitosan formed stable and high-yield nanoparticles and that the globular structure of LF allowed the formation of stable nanoparticles without chemical conjugation. These nanoparticles were designed to bind to immune cells, such as macrophages or phagocytic cells, in a few minutes and deliver LF by crosspresentation, the mechanism of antigen-presenting cells (APCs). Thus, the encapsulation of LF into chitosan can change the traffic of proteins inside APCs and modify the immune responses.

LF was found to form nanohydrogels by thermal gelation with the glycomacropeptide (GMP) showing high encapsulation efficiencies for curcumin and caffeine and a controlled release of those compounds [69]. Later, the same authors [70] studied the application of chitosan coating in LF-GMP nanohydrogels. This biopolymer did not affect the shape of nanohydrogels, maintaining their spherical shape and decreasing their aggregation in the solution. These authors evaluated the effect of chitosan-coat on release mechanisms of nanohydrogels at gastric digestion, using caffeine as the encapsulated compound. They concluded that the presence of chitosan improved the stability of LF-GMP nanohydrogels, keeping them intact until 60 min under acidic conditions, compared with the 15 min that the uncoated nanohydrogels remained intact. They continued their study and, in 2018, revealed that chitosan coating reduced the protein degradation from 86% to 76% for LF and from 71% to 53% for GMP. Furthermore, the chitosan increased the bioaccessibility of curcumin (bioactive compound encapsulated in the nanohydrogel) and protected its antioxidant activity during the GIT digestion, losing only 30% of it compared to the 68% of activity loss for free curcumin [71].

Throughout this review, it has been shown that chitosan can be combined with other polysaccharides to favour the stability and integrity of the formed particles [6,49,61,66]. As an example, chitosan together with pectin has been used to stabilise LF-loaded liposomes obtaining solid particles that are more resistant than liposomes to heat and to simulated intestinal digestion [72].

#### 3.2. Nanocarriers Coated with Lactoferrin

The advances in the design of targeted drug delivery systems have been very relevant in the last few decades. These delivery systems must consider the surface properties and receptors of the target cell, the properties of the carrier and the suitable ligand to be utilised. Moreover, a targeted drug delivery system should be non-immunogenic, biocompatible, specific to the target site, and show chemical and physical stability, both in vitro and in vivo [73].

There are two strategies to design targeted delivery: passive and active. In the passive strategy, drugs are loaded into nanocarriers of a size around 200 nm, which can reach the tissues or organs by their enhanced permeability and retention. In the active strategy, drug-loaded nanocarriers are conjugated with a certain ligand, which can further bind to a specific receptor on the surface of target cells. This receptor is normally overexpressed in the affected cells by the disease and consequently, the drug accumulates on them [73].

Receptors for LF have been expressed in many cells, such as brain endothelial cells, liver cells, epithelial respiratory cells, cancer cells, etc. Therefore, LF can be used to cover nanocarriers loaded with drugs to increase their delivery to the cells via LF interaction with its receptors. Furthermore, the cationic nature of LF allows its binding to anionic cellular compounds, such as glycosaminoglycans [73].

In the last few years, inorganic nanoparticles have attracted considerable attention for drug delivery and imaging applications due to their characteristics. The positive features of these nanoparticles are their higher loading capacity, ease of functionalization with several types of ligands, biocompatibility and adaptable degradation rates. There are several types of nanocarriers coated with LF that have been developed for delivery applications.

Thus, superparamagnetic iron oxide nanocarriers (Fe<sub>3</sub>O<sub>4</sub>-LF) with narrow size ranges were developed via surface functionalization with LF using the EDC (1-ethyl-3-(3-dime-thylaminopropyl) carbodiimide hydrochloride) coupling reaction aiming to target the receptors that are highly expressed on the surface of human fibroblasts [74].

Superparamagnetic iron oxide nanoparticles conjugated with LF (LF-SPIONs) [75] and LF-PEG-Fe<sub>3</sub>O<sub>4</sub> [76] were successfully fabricated via the EDC coupling reaction and

were applied as a magnetic resonance imaging contrast agent for improving the detection of in vivo brain glioma.

Many other applications of superparamagnetic nanocarriers coated with LF have been applied in antitumour treatments [77–79]. LF has been covalently attached to silica nanoparticles by EDC coupling reaction and then PEGylated to extend the blood circulation time [73]. The LF coated silica nanoparticles have been revealed as effective against breast cancer and as able to cross the brain–blood barrier [78,80]. There are many applications of nanoparticles and nanocarriers functionalised with LF to treat different pathologies, and they have been compiled in Table 1.

Application Type of Nanocarrier Model of Study Cancer therapy Magnetic nanocarriers Rats [77] Brain tumour Solid lipid nanoparticle HBMECs, U87MG cells [81] MDA-MB-231 cells, mice [82] Polymeric nanoparticles Silk nanoparticles MDA-MB-231, MCF-7 cells [83] Protein nanocapsules Mice [84] Quantum dots-based chondroitin MCF-7, MDA-MB-231 cells, mice [85] sulphate nanocapsules Breast cancer MCF-7, 4T1 cellsrats [86] Zein nanospheres Polymeric micelles MDA-MB-231, MCF-7 cells [87,88] Silica nanoparticles MCF-7 cells [80] Betulinic acid nanoparticles MDA-MB-231 cells [89] Magnetic nanoparticles 4T1 cells [79] BEAS-2B cells, rats [90] Bronchogenic carcinoma Solid lipid nanoparticles Caco-2 cells, mice [56,91] Polymeric nanocarriers Colon tumour imaging Polymeric nanocarriers Caco-2 cells, mice [92] COLO-205 cells, rats [93] Protein nanoparticles Polymeric nanoparticles BCEC, C6 glioma cells, rats, mice [94] Polymeric nanoparticles U87MG, HBMEC, HA cells [95] Glioblastoma U87MG, BCEC, HUVEC cells, mice [96] Protein nanoparticles Protein, FePt nanoparticles U87MG, U-373 MG, MDCKII cells, rats [97,98] U87MG, MCF-7 cells, mice [99] Gadolinium oxide nanoparticles Magnetic nanoparticles HEK 293, C6 glioma, ECV 304 cells, rats [75] Magnetic nanogels C6 glioma, ECV 304 Rats [100] Protein nanoparticles BCECs, C6 glioma cells, rats [101] Magnetic nanoparticles C6 glioma cells [102] Magnetic nanoparticles C6 glioma cells, rats [103] Glioma Polymeric nanoparticles C6 glioma cells, rats [104] Magnetic nanocomposites C6 glioma cells [78] Polymeric nanoparticles BCECs, C6 glioma cells, mice [105] L929, glioma 261 cells [106] Polymeric nanoparticles HepG2, ECV304, BEL7402, NIH 3T3, SMMC7721 PEGylated liposomes cells, mice [107,108] Hepatocellular carcinoma PEGylated liposomes HepG2 cells [109] Protein nanoparticles, nanoemulsion HepG2 cells, mice [110,111] Betulinic acid nanoparticles HEp-2 cells [89] Laryngeal cancer A549 cells, mice [112] Lung carcinoma Inhalable nanocomposites

Table 1. Studies regarding the use of lactoferrin in different nanocarriers for therapeutic applications.

	Lipid nanocarriers	A549 cells, mice [113]
	Inhalable nanocomposites	A549 cells, mice [58]
	Polymeric nanoparticles	A549 cells, mice [114]
Pancreatic cancer	Polymeric nanoparticles	PANC-1 cells, mice [115,116]
Retinoblastoma	Protein nanoparticles	Y79 cells [117]
Other pathologies		
Alzheimer	Protein nanoparticles	In silico [118]
	Polymeric nanoparticles	16HBE, SH-SY5Y cells, mice [119]
	-	Review [120]
	Polymeric nanoparticles	bEnd3 cells, mice, rats [121]
Amyotrophic lateral sclerosis	Polymeric nanoparticles	Review [122]
Dental caries	Liposomes	Rats [123]
Leishmaniosis	Polymeric nanoparticles	Mice [124]
Infection by Clostridioides	Polymeric nanoparticles	Caco-2, Vero cells [6]
Infection by <i>Helicobacter py-</i> <i>lori</i>	Nanocrystals	Mice [125]
HIV	Nanosuspensions	U-937 cells, rats [126]
	Protein nanoparticles	SupT1, HL2/3 cells [127]
Infection by papilloma virus	Transferosomes	Hela cells [128]
Infection by <i>Toxoplasma</i> gondii	Protein nanocapsules	J7741 cells, mice [129]
Infection by Plasmodium berghei	Polymeric nanoparticles	Mice [130]
Osteoarthritis	Polymeric nanocarriers	Mice [131]
	Protein nanoparticles	BCEC cells, rats [132,133]
	Polymeric nanoparticles	bEnd.3 cells, mice [134]
Parkinson	Polymeric nanoparticles	SH-SY5Y, 16HBE cells, mice [135]
	Polymer, solid lipid nanoparticles,	Review [136]
	liposomes, exosomes	
	Polymeric nanoparticles	SH-SY5Y, 16HBE cells, rats [137]
	Phosphorus nanosheets	SH-SY5Y, bEnd.3 cells, mice, rats [138]
Tendinitis	Polymeric nanoparticles	Tenocytes, rats [139]

#### 3.3. Edible and Active Film Composites with Lactoferrin

The processing of edible coatings and films is based on the use of various compounds with different properties, such as polysaccharides, proteins and hydrocolloids. A method to improve the properties of edible films is mixing polysaccharides and proteins, which is a promising area of research [140].

The development of new edible films has a great interest in the industry and for consumers, who are concerned about the need to reduce the use of plastic packaging for environmental reasons [141]. Several compounds have been used to develop edible films, trying to preserve the sensorial properties and safety of foods. On the one hand, the use of edible films containing antimicrobial agents has certain advantages over their direct application on the food surface, as they can be designed to control the speed of antimicrobial diffusion to the surface of food [142]. There are several techniques used to incorporate antimicrobial agents into packaging films. Some techniques are inappropriate for sensitive compounds, like those involving direct incorporation in the polymer matrix, whereas other strategies like film coating are much more adequate [143].

Chitosan is a natural polymer that is biodegradable, biocompatible and presents antimicrobial properties. LF has been incorporated into chitosan films to improve barrier properties and to enhance the preservation of foods due to its antibacterial activity [144]. In the study by Brown et al. [145], a chitosan film containing LF alone was not found to be effective against *Listeria monocytogenes* and *E. coli* O157:H7, though when it was combined with lysozyme (LYS), the antibacterial activity of LYS was increased more than when it was combined with EDTA. A mixture of LF and LYS was also incorporated into cellulosebased packaging material and was proved to be effective against some meat contaminants, such as *Escherichia* and *Listeria*, also limiting the increase of natural microbiota present in veal meat [146].

Cellulose films from bacterial origin containing LF have been proven to be non-toxic and have adequate technological characteristics to be used as bio-based meat product casings, showing a bactericidal activity against *E. coli* and *Staphylococcus aureus* [147]. The methodology used for binding LF to cellulose films has a great influence on its antibacterial activity. Thus, Padrao et al. [148] compared the binding of LF to bacterial nanocellulose (BNC) by embedding the protein within the three-dimensional structure of BNC with its covalent binding to BNC nanofibrils. The concentration of LF in BNC obtained using the first method was twice that obtained with the second one, but LF only maintained a significant bactericidal activity against *E. coli* and *S. aureus* in the first type of BNC.

Starch is one of the most widely used materials within the bioplastic industry, due to its biodegradability, renewability, availability and low cost [149]. Starch does not have thermoplastic properties, though, with the aid of additives, it gels producing thermoplastic starch (TPS) that has been used for developing films. Thus, in the study by Moreno et al. [149] LF and LYS were incorporated into the starch film, providing it with beneficial properties. Neither LF nor LYS was effective enough as antimicrobials when they were applied in the film separately, though the combination of both proteins weakly enhanced their antimicrobial activity against *E. coli* and coliform microbiota of pork-minced meat. The films containing a blend of LF and LYS also reduced lard oxidation after long storage times [149].

In the study by Tavassoli et al. [150], multifunctional films were created by embedding different kinds of functional nanoparticles into a gelatin-based film prepared using a casting method. The nanoparticles were prepared by cross-linking cationic chitosan nanofibers, and afterwards, quercetin, LF, or both were introduced into these nanoparticles. The incorporation of the nanoparticles into the films decreased their mechanical strength and stiffness but increased their flexibility. The presence of LF, quercetin and chitosan in the gelatin-based films increased their antimicrobial and antioxidant activity. Furthermore, the incorporation of the nanoparticles into the films improved their degradation under simulated environmental conditions. Bovine LF and its derived peptide lactoferricin B were individually immobilised on two different coatings. The coatings were functionalized with carboxyl groups deposited in the inner part of polyethylene microtubes by using a plasma deposition process fed with ethylene and acrylic acid vapours [151]. The resulting functionalized tubes were tested for antimicrobial activity against three *Pseudomonas* strains responsible for casein hydrolysis and cheese pigmentation in Mozzarella. It demonstrated the antibacterial activity of immobilized lactoferricin B, with a significant reduction in the growth of the bacteria tested, though no activity was observed for the immobilised LF. Many studies have been conducted showing the incorporation of LF, alone or combined with other molecules, in active and edible films, which are compiled in Table 2.

System	Other Molecules Combined	Activity		
Composite edible and active films				
Chitosan films	Glycomacropeptide	Water vapour, oxygen and carbon dioxide		
		permeability decrease [144]		
	Lysozyme	Antimicrobial activity against Listeria monocytogenes		
		and Escherichia coli O157:H7 [145]		
Cellulose films	Lysozyme 	Antimicrobial activity against Escherichia, Listeria and		
		natural microbiota in veal meat [146]		
		Antimicrobial activity against Escherichia coli and		
		Staphylococcus aureus [147,148]		
	Lysozyme	Antimicrobial activity against E.coli and coliform		
Starch films		microbiota of pork minced meat		
		Lard oxidation reduction [149]		
	Quercetin	Antimicrobial activity		
chitosan nanonarticlos		Antioxidant		
		Film degradation improvement [150]		
	Lactoferricin B	Antimicrobial activity against Pseudomonas strains		
Polyethylene microtubes		responsible for casein hydrolysis and cheese		
		pigmentation in mozzarella [151]		
LF nanoparticles				
	Cichoric acid (CA)	Antioxidant [104]		
	Pectin and curcumin	Antioxidant [152]		
	Iron	Iron carrier [153]		
		Functional ingredients in commercial products [64]		
	Emulsion	ns		
	Resveratrol	Emulsion stability and antioxidant activity [44]		
	WPI or whey protein hydroly-	Ingredient in powder formula to mimic fat composi-		
	sates with oil mixture	tion of human milk [34]		
		To deliver active compounds [43,45]		
	Coacerva	tes		
		Non-specified [28]		
Whey proteins	B9 vitamin	For functional foods [29,30]		
		Food systems, bioactive encapsulation [25,32]		
Caseins		To deliver food ingredients and bioactive compounds		
		[37–40]		
Pea protein isolate (PPI)		Food applications [47]		
Soy protein isolate (SPI)		Increase the thermal stability of LF [21]		
Gels				
Whey protein isolate (WPI)		Improvement of gelled protein products [31]		

Table 2. Studies regarding the use of lactoferrin in different systems for applications in food technology.

GMP	Curcumin and caffeine	Encapsulation to deliver compounds [69]
Polysaccharides		Food additive [54]
		To deliver compounds [5]
		To encapsulate essential oils [52]
		To encapsulate probiotics [55]

# 4. Discussion

The current review has evaluated the encapsulation strategies to protect LF and its bioactivity. These techniques have been developed in recent years to preserve bioactive compounds incorporated into pharmaceutical, food and cosmetic products.

Nanoencapsulation is defined as a process in which very small particles are surrounded by a coating or embedded in homogeneous or heterogeneous matrices. This process can improve the bioavailability and solubility of bioactive compounds, enhance their residence time and stability in the GIT and give them a better ability to enter and permeate tissues and cells.

During the last few years, many studies have detailed encapsulation by combining a protein, specifically LF, with milk proteins, other proteins or polysaccharides of different origins. Furthermore, numerous articles focus on nanocarriers coated with LF or edible and active film composites with LF.

Many studies have demonstrated the interaction of LF with proteins of different origins, including milk proteins (such as  $\beta$ -Lg,  $\alpha$ -La and caseins), pea or soy proteins. The main interaction mode is by means of electrostatic interactions, based on the basic nature of LF. However, the biological activity of LF in these systems has not been demonstrated in many cases. The binding of LF to whey proteins, caseins or soy proteins increases LF thermal resistance, which shows great potential for different applications in industry.

LF can be useful for the delivery of different molecules. In that sense, it has been shown that LF, by forming coacervates with  $\beta$ -Lg, can act as a carrier for the release of vitamin B9. LF can also be used as an emulsifier for the release of other active compounds, such as curcumin or  $\beta$ -carotene and forms more stable emulsions in infant formulas.

Only one system based on proteins has been identified for the oral delivery of LF itself. BSA, with tannic acid (TA), has been used to encapsulate LF for oral administration by alternating layers of BSA and TA on porous microparticles of CaCO<sub>3</sub>, previously prepared with LF. This system has been studied in an animal model showing promising results, as LF was identified in the liver, demonstrating that it can pass the GI tract.

The formation of the protein-polysaccharide complex depends on various factors, such as pH, molecular weight and charge density. There are numerous polysaccharides that can be combined with LF: natural like alginate or chitosan, or industrial like galactomannans. In any case, all of them allow the encapsulation of LF or the combination with this protein to transport bioactive compounds such as vitamin D3, curcumin or nutraceutical compounds, protecting their bioactivity and integrity against chemical degradation.

Many studies have focused on the formation of these complexes by electrostatic interactions, taking advantage of the positive charge of LF and the opposite charge of the polysaccharides, such as alginate or chondroitin sulphate. This complex coacervation of LF with biopolymers increases its stability during gastric digestion since the acidic pH of the stomach maintains both polymers with opposite charges supporting their interaction. However, intestinal pH has a negative effect on coacervation, modifying the positive charge of LF necessary for the interaction with the polysaccharide. Therefore, these complexes improved the stability and facilitated the controlled release of the protein during GIT digestion. Furthermore, galactomannans allow, in addition to electrostatic interaction, the formation of films by hydrogen bonds or by hydrophobic interactions that favour a good integration of LF.

In addition to a controlled release in the gut, some polysaccharides allow delivery to target cells. While chondroitin sulphate combined with LF targets cancer cells, being

effective for tumour selection, chitosan-LF nanoparticles bind immune cells and deliver LF by cross-presentation to macrophages or phagocytic cells. Several authors have used chitosan to coat LF-polysaccharide complexes, increasing the integrity of the capsule and its stability under gastric conditions.

The strategy of coating nanoparticles with LF has been developed intensively over the past few years. The receptors for LF are highly expressed on the surface of many cells; therefore, nanocarriers functionalised with LF have been used to treat tumours of several origins, such as mammary, hepatic, pancreatic and colonic, among others, with different results. However, there are still some issues to be investigated to know the interaction of LF-nanocarriers with the capillary endothelial cells in the blood–brain barrier and the kinetics of LF interaction with the surface of different types of cells. The use of LF nanocarriers to enhance the imaging analysis of some brain tumours is also an area of great interest for future development.

The food industry is currently investing in the development of edible and biodegradable films with properties directed to improve food preservation and to avoid the use of plastic packaging. Furthermore, the incorporation of bioactive molecules into the films has been encouraged over the past few years. These new films are able to maintain food quality and safety and, at the same time, allow reducing the use of chemical additives. In many studies, LF has been used in active films because of its antimicrobial properties. However, the results have indicated the existence of some problems in maintaining LF activity in the process of combining it with the base materials to build films or packaging. Some studies have proved that the combination of several active molecules with films, such as LF and LYS, gives better results. Nevertheless, the enrichment of films with bioactive molecules adds a high cost to the final product, a limitation that should be resolved to make those films applicable to food industry.

# 5. Conclusions

Lactoferrin is a molecule with many biological properties that must be preserved when it is used in products to improve health or is incorporated into active films designed to maintain the quality of food products. The encapsulation of this bioactive protein with other proteins or polysaccharides prevents its proteolysis during gastric digestion, allowing a targeted release of LF. This protein can also be used in the active targeted drug delivery, where drug-loaded nanocarriers are covered with LF, which can further bind to its receptors expressed on the surface of target cells. Future research on all these issues should be continued by evaluating the different LF activities, after being encapsulated or combined with certain composite materials, in in vitro assays and eventually, in humans.

**Author Contributions:** Conceptualization, L.S.; article reviewing, L.S., I.A. and C.C.; writing—original draft preparation, L.S., I.A. and C.C.; writing—review and editing, L.S., I.A. and C.C. All authors have read and agreed to the published version of the manuscript.

**Funding:** This research was funded by the Spanish Ministry of Economy, Industry and Competitiveness and the European Regional Development Fund (ERDF/FEDER) (AGL2017-82987), European Social Found (ESF) and the Aragon Regional Government (A20\_20R). I. Abad was supported by a PhD fellowship from Aragon Regional Government.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: Data sharing is not applicable to this article.

Conflicts of Interest: The authors declare no conflict of interest.

## References

- 1. Farnaud, S.; Evans, R.W. Lactoferrin A multifunctional protein with antimicrobial properties. Mol. Immunol. 2003, 40, 395–405.
- 2. Brock, J.H. The physiology of lactoferrin. *Biochem. Cell Biol.* 2002, *80*, 1–6.
- 3. Franco, I.; Pérez, M.D.; Conesa, C.; Calvo, M.; Sánchez, L. Effect of technological treatments on bovine lactoferrin: An overview. *Food Res. Int.* **2018**, *106*, 173–182.
- 4. Takeuchi, T.; Jyonotsuka, T.; Kamemori, N.; Kawano, G.; Shimizu, H.; Ando, K.; Harada, E. Enteric-formulated lactoferrin was more effectively transported into blood circulation from gastrointestinal tract in adult rats. *Exp. Physiol.* **2006**, *91*, 1033–1040.
- 5. Raei, M.; Rajabzadeh, G.; Zibaei, S.; Jafari, S.M.; Sani, A.M. Nano-encapsulation of isolated lactoferrin from camel milk by calcium alginate and evaluation of its release. *Int. J. Biol. Macromol.* **2015**, *79*, 669–673.
- 6. Braim, S.; Śpiewak, K.; Brindell, M.; Heeg, D.; Alexander, C.; Monaghan, T. Lactoferrin-Loaded Alginate Microparticles to Target Clostridioides difficile Infection. J. Pharm. Sci. 2019, 108, 2438–2446.
- 7. Balcão, V.M.; Costa, C.I.; Matos, C.M.; Moutinho, C.G.; Amorim, M.; Pintado, M.E.; Gomes, A.P.; Vila, M.M.; Teixeira, J.A. Nanoencapsulation of bovine lactoferrin for food and biopharmaceutical applications. *Food Hydrocoll*. **2013**, *32*, 425–431.
- 8. Liu, W.; Lu, J.; Ye, A.; Xu, Q.; Tian, M.; Kong, Y.; Wei, F.; Han, J. Comparative performances of lactoferrin-loaded liposomes under in vitro adult and infant digestion models. *Food Chem.* **2018**, *258*, 366–373.
- El-Fakharany, E.M. Nanoformulation of lactoferrin potentiates its activity and enhances novel biotechnological applications. *Int. J. Biol. Macromol.* 2020, 165, 970–984.
- Castro-Rosas, J.; Ferreira-Grosso, C.R.; Gómez-Aldapa, C.A.; Vargas, E.R.; Rodriguez, M.L.R.M.; Guzmán-Ortiz, F.A.; Falfan-Cortes, R.N. Recent advances in microencapsulation of natural sources of antimicrobial compounds used in food A review. *Food Res. Int.* 2017, 102, 575–587.
- Gouin, S. Microencapsulation: Industrial appraisal of existing technologies and trends. *Trends Food Sci. Technol.* 2004, 15, 330–347.
- 12. Mohammadian, M.; Waly, M.I.; Moghadam, M.; Emam-Djomeh, Z.; Salami, M.; Moosavi-Movahedi, A.A. Nanostructured food proteins as efficient systems for the encapsulation of bioactive compounds. *Food Sci. Hum. Wellness* **2020**, *9*, 199–213.
- 13. Falguera, V.; Quintero, J.P.; Jiménez, A.; Muñoz, J.A.; Ibarz, A. Edible films and coatings: Structures, active functions and trends in their use. *Trends Food Sci. Technol.* **2011**, *22*, 292–303.
- 14. Dhumal, C.V.; Sarkar, P. Composite edible films and coatings from food-grade biopolymers. J. Food Sci. Technol. 2018, 55, 4369–4383.
- 15. Bansode, S.S.; Banarjee, S.K.; Gaikwad, D.D.; Jadhav, S.L.; Thorat, R.M. Microencapsulation: A review. *Int. J. Pharm. Sci. Rev. Res.* 2010, *1*, 38–43.
- 16. Maresca, D.; De Prisco, A.; La Storia, A.; Cirillo, T.; Esposito, F.; Mauriello, G. Microencapsulation of nisin in alginate beads by vibrating technology: Preliminary investigation. *LWT Food Sci. Technol.* **2016**, *66*, 436–443.
- 17. Shin, G.H.; Kim, J.T.; Park, H.J. Recent developments in nanoformulations of lipophilic functional foods. *Trends Food Sci. Technol.* **2015**, *46*, 144–157.
- 18. Fathi, M.; Donsi, F.; McClements, D.J. Protein-based delivery systems for the nanoencapsulation of food ingredients. *Compr. Rev. Food Sci. Food Saf.* **2018**, *17*, 920–936.
- 19. Madene, A.; Jacquot, M.; Scher, J.; Desobry, S. Flavour encapsulation and controlled release–a review. *Int. J. Food Sci. Technol.* **2006**, *41*, 1–21.
- 20. Corrêa-Filho, L.C.; Moldão-Martins, M.; Alves, V.D. Advances in the application of microcapsules as carriers of functional compounds for food products. *Appl. Sci.* **2019**, *9*, 571.
- 21. Zheng, J.; Gao, Q.; Tang, C.H.; Ge, G.; Zhao, M.; Sun, W. Heteroprotein complex formation of soy protein isolate and lactoferrin: Thermodynamic formation mechanism and morphologic structure. *Food Hydrocoll.* **2020**, *100*, 105415.
- 22. McClements, D.J.; Li, F.; Xiao, H. The nutraceutical bioavailability classification scheme: Classifying nutraceuticals according to factors limiting their oral bioavailability. *Annu. Rev. Food Sci. Technol.* **2015**, *6*, 299–327.
- 23. Dima, C.; Assadpour, E.; Dima, S.; Jafari, S.M. Bioactive-loaded nanocarriers for functional foods: From designing to bioavailability. *Curr. Opin. Food Sci.* **2020**, *33*, 21–29.
- 24. McClements, D.J. The future of food colloids: Next-generation nanoparticle delivery systems. *Curr. Opin. Colloid Interface Sci.* **2017**, *28*, 7–14.
- 25. Delboni, L.A.; Da Silva, F.L.B. On the complexation of whey proteins. Food Hydrocoll. 2016, 55, 89-99.
- 26. Livney, Y.D. Milk proteins as vehicles for bioactives. Curr. Opin. Colloid Interface Sci. 2010, 15, 73-83.
- Teo, A.; Goh, K.K.; Wen, J.; Oey, I.; Ko, S.; Kwak, H.S.; Lee, S.J. Physicochemical properties of whey protein, lactoferrin and Tween 20 stabilised nanoemulsions: Effect of temperature, pH and salt. *Food Chem.* 2016, 197, 297–306.
- Anema, S.G.; de Kruif, C.G.K. Complex coacervates of lactotransferrin and α-lactoglobulin. J. Colloid Interface Sci. 2014, 430, 214– 220.
- Chapeau, A.L.; Tavares, G.M.; Hamon, P.; Croguennec, T.; Poncelet, D.; Bouhallab, S. Spontaneous co-assembly of lactoferrin and β-lactoglobulin as a promising biocarrier for vitamin B9. *Food Hydrocoll.* 2016, *57*, 280–290.
- 30. Chapeau, A.L.; Hamon, P.; Rousseau, F.; Croguennec, T.; Poncelet, D.; Bouhllab, S. Scale-up production of vitamin loaded heteroprotein coacervates and their protective property. *J. Food Eng.* **2017**, *206*, 67–76.
- 31. Li, Q.; Zhao, Z. Interaction between lactoferrin and whey proteins and its influence on the heat-induced gelation of whey proteins. *Food Chem.* **2018**, 252, 92–98.

- 32. Tavares, G.M.; Croguennec, T.; Hamon, P.; Carvalho, A.F.; Bouhallab, S. How the presence of a small molecule affects the complex coacervation between lactoferrin and β-lactoglobulin. *Int. J. Biol. Macromol.* **2017**, *102*, 192–199.
- Darmawan, K.K.; Karagiannis, T.C.; Hughes, J.G.; Small, D.M.; Hung, A. High temperature induced structural changes of apolactoferrin and interactions with β-lactoglobulin and α-lactalbumin for potential encapsulation strategies. *Food Hydrocoll.* 2020, 105, 105817.
- 34. De Figueiredo Furtado, G.; da Silva Carvalho, A.G.; Hubinger, M.D. Model infant formulas: Influence of types of whey proteins and oil composition on emulsion and powder properties. *J. Food Eng.* **2021**, *292*, 110256.
- 35. Holt, C.; Carver, J.A.; Ecroyd, H.; Thorn, D.C. Invited review: Caseins and the casein micelle: Their biological functions, structures, and behavior in foods. *J. Dairy Sci.* 2013, *96*, 6127–6146.
- 36. Ranadheera, C.S.; Liyanaarachchi, W.S.; Chandrapala, J.; Dissanayake, M.; Vasiljevic, T. Utilizing unique properties of caseins and the casein micelle for delivery of sensitive food ingredients and bioactives. *Trends Food Sci. Technol.* **2016**, *57*, 178–187.
- Anema, S.G.; de Kruif, C.G.K. Interaction of lactoferrin and lysozyme with casein micelles. *Biomacromolecules* 2011, 12, 3970– 3976.
- 38. Anema, S.G.; de Kruif, C.G.K. Co-acervates of lactoferrin and caseins. Soft Matter 2012, 8, 4471–4478.
- Anema, S.G.; de Kruif, C.G.K. Lactoferrin binding to transglutaminase cross-linked casein micelles. *Int. Dairy J.* 2012, *26*, 83–87.
  Anema, S.G.; de Kruif, C.G.K. Phase separation and composition of coacervates of lactoferrin and caseins. *Food Hydrocoll.* 2016.
- Anema, S.G.; de Kruif, C.G.K. Phase separation and composition of coacervates of lactoferrin and caseins. *Food Hydrocoll*. 2016, 52, 670–677.
- 41. Anema, S.G. Spontaneous interaction of lactoferrin with casein micelles or individual caseins. J. R. Soc. N. Z. 2018, 48, 89–110.
- 42. Li, Q.; Zhao, Z. Formation of lactoferrin/sodium caseinate complexes and their adsorption behaviour at the air/water interface. *Food Chem.* **2017**, *232*, 697–703.
- 43. Çelebioğlu, H.Y.; Lee, S.; Chronakis, I.S. Interactions of salivary mucins and saliva with food proteins: A review. *Crit. Rev. Food Sci.* **2020**, *60*, 64–83.
- 44. Acevedo-Fani, A.; Soliva-Fortuny, R.; Martín-Belloso, O. Nanostructured emulsions and nanolaminates for delivery of active ingredients: Improving food safety and functionality. *Trends Food Sci. Technol.* **2017**, *60*, 12–22.
- 45. Liu, F.; Zhang, S.; Li, J.; McClements, D.J.; Liu, X. Recent development of lactoferrin-based vehicles for the delivery of bioactive compounds: Complexes, emulsions, and nanoparticles. *Trends Food Sci. Technol.* **2018**, *79*, 67–77.
- Kilic, E.; Novoselova, M.V.; Lim, S.H.; Pyataev, N.A.; Pinyaev, S.I.; Kulikov, O.A.; Sindeeva, O.A.; Mayorova, O.A.; Murney, R.; Antipina, M.N.; et al. Formulation for oral delivery of lactoferrin based on bovine serum albumin and tannic acid multilayer microcapsules. *Sci. Rep.* 2017, 7, 1–10.
- 47. Adal, E.; Sadeghpour, A.; Connell, S.; Rappolt, M.; Ibanoglu, E.; Sarkar, A. Heteroprotein complex formation of bovine lactoferrin and pea protein isolate: A multiscale structural analysis. *Biomacromolecules* **2017**, *18*, 625–635.
- Dai, Q.; Zhu, X.; Abbas, S.; Karangwa, E.; Zhang, X.; Xia, S.; Feng, B.; Jia, C. Stable nanoparticles prepared by heating electrostatic complexes of whey protein isolate–dextran conjugate and chondroitin sulfate. J. Agric. Food Chem. 2015, 63, 4179–4189.
- 49. Il'ina, A.V.; Kurek, D.V.; Zubareva, A.A.; Il'in, M.M., Jr.; Mestechkina, N.M.; Varlamov, V.P. Preparation and characterization of biopolymer nanoparticles based on lactoferrin-polysaccharide complexes. *React. Funct. Polym.* **2016**, *102*, 33–38.
- 50. Cheng, C.; Wu, Z.; Wang, Y.; Chen, J.; Zhong, Y.; Liang, R.; Peng, S.; McClements, D.J.; Liu, W. Tunable high internal phase emulsions (HIPEs) formulated using lactoferrin-gum Arabic complexes. *Food Hydrocoll.* **2021**, *113*, 106445.
- 51. Gulao, E.D.S.; de Souza, C.J.; da Silva, F.A.; Coimbra, J.S.; Garcia-Rojas, E.E. Complex coacervates obtained from lactoferrin and gum arabic: Formation and characterization. *Food Res. Int.* **2014**, *65*, 367–374.
- 52. Bastos, L.P.H.; Dos Santos, C.H.C.; de Carvalho, M.G.; Garcia-Rojas, E.E. Encapsulation of the black pepper (Piper nigrum L.) essential oil by lactoferrin-sodium alginate complex coacervates: Structural characterization and simulated GIT conditions. *Food Chem.* **2020**, *316*, 126345.
- Avendaño-Romero, G.; López-Malo, A.; Paolu, E. Propiedades del alginato y aplicaciones en alimentos. *Temas Sel. Ing. Aliment.* 2013, 7, 87–96.
- 54. Wang, B.; Blanch, E.; Barrow, C.J.; Adhikari, B. Preparation and study of digestion behavior of lactoferrin-sodium alginate complex coacervates. J. Funct. Foods **2017**, *37*, 97–106.
- 55. Yucel Falco, C.; Amadei, F.; Dhayal, S.K.; Cárdenas, M.; Tanaka, M.; Risbo, J. Hybrid coating of alginate microbeads based on protein-biopolymer multilayers for encapsulation of probiotics. *Biotechnol. Prog.* **2019**, *35*, e2806.
- 56. Kanwar, J.R.; Mahidhara, G.; Kanwar, R.K. Novel alginate-enclosed chitosan–calcium phosphate-loaded iron-saturated bovine lactoferrin nanocarriers for oral delivery in colon cancer therapy. *Nanomedicine* **2012**, *7*, 1521–1550.
- 57. Bokkhim, H.; Bansal, N.; Grøndahl, L.; Bhandari, B. In-vitro digestion of different forms of bovine lactoferrin encapsulated in alginate micro-gel particles. *Food Hydrocoll.* **2016**, *52*, 231–242.
- Abdelaziz, H.M.; Elzoghby, A.O.; Helmy, M.W.; Abdelfattah, E.Z.A.; Fang, J.Y.; Samaha, M.W.; Freag, M.S. Inhalable lactoferrin/chondroitin-functionalized monoolein nanocomposites for localized lung cancer targeting. ACS Biomater. Sci. Eng. 2020, 6, 1030–1042.
- Albuquerque, P.B.; Cerqueira, M.A.; Vicente, A.A.; Teixeira, J.A.; Carneiro-da-Cunha, M.G. Immobilization of bioactive compounds in Cassia grandis galactomannan-based films: Influence on physicochemical properties. *Int. J. Biol. Macromol.* 2017, 96, 727–735.
- 60. Mathur, V.; Mathur, N.K. Fenugreek and other lesser known legume galactomannan-polysaccharides: Scope for developments. J. Sci. Ind. Res. 2005, 64, 475–481.

- Il'ina, A.V.; Mestechkina, N.M.; Kurek, D.V.; Levov, A.N.; Semenyuk, P.I.; Orlov, V.N.; Shcherbukhin, V.D.; Varlamov, V.P. Preparing, studying, and prospects of using nanoparticles based on chitosan and galactomannan. *Nanotechnol. Russ.* 2011, 6, 154–160.
- 62. Santos, M.B.; Dos Santos, C.H.C.; de Carvalho, M.G.; de Carvalho, C.W.P.; Garcia-Rojas, E.E. Physicochemical, thermal and rheological properties of synthesized carboxymethyl tara gum (Caesalpinia spinosa). *Int. J. Biol. Macromol.* **2019**, *134*, 595–603.
- 63. Santos, M.B.; de Carvalho, M.G.; Garcia-Rojas, E.E. Carboxymethyl tara gum-lactoferrin complex coacervates as carriers for vitamin D3: Encapsulation and controlled release. *Food Hydrocoll*. **2021**, *112*, 106347.
- Bengoechea, C.; Jones, O.G.; Guerrero, A.; McClements, D.J. Formation and characterization of lactoferrin/pectin electrostatic complexes: Impact of composition, pH and thermal treatment. *Food Hydrocoll*. 2011, 25, 1227–1232.
- 65. Raei, M.; Shahidi, F.; Farhoodi, M.; Jafari, S.M.; Rafe, A. Application of whey protein-pectin nano-complex carriers for loading of lactoferrin. *Int. J. Biol. Macromol.* **2017**, *105*, 281–291.
- 66. Niu, Z.; Loveday, S.M.; Barbe, V.; Thielen, I.; He, Y.; Singh, H. Protection of native lactoferrin under gastric conditions through complexation with pectin and chitosan. *Food Hydrocoll.* **2019**, *93*, 120–130.
- 67. Azmana, M.; Mahmood, S.; Hilles, A.R.; Rahman, A.; Arifin, M.A.B.; Ahmed, S. A review on chitosan and chitosan-based bionanocomposites: Promising material for combatting global issues and its applications. *Int. J. Biol. Macromol.* **2021**, *185*, 832–848.
- 68. Lyalina, T.; Zubareva, A.; Varlamov, V.; Svirshchevskaya, E. Cross-presentation of lactoferrin encapsulated into chitosan-based nanoparticles. *Nanobiomedicine* **2016**, *3*, 1–11.
- Bourbon, A.I.; Cerqueira, M.A.; Vicente, A.A. Encapsulation and controlled release of bioactive compounds in lactoferrin-glycomacropeptide nanohydrogels: Curcumin and caffeine as model compounds. J. Food Eng. 2016, 180, 116–119.
- Bourbon, A.I.; Pinheiro, A.C.; Cerqueira, M.A.; Vicente, A.A. Influence of chitosan coating on protein-based nanohydrogels properties and in vitro gastric digestibility. *Food Hydrocoll.* 2016, 60, 109–118.
- Bourbon, A.I.; Pinheiro, A.C.; Cerqueira, M.A.; Vicente, A.A. In vitro digestion of lactoferrin-glycomacropeptide nanohydrogels incorporating bioactive compounds: Effect of a chitosan coating. *Food Hydrocoll.* 2018, 84, 267–275.
- Yao, X.; Bunt, C.; Cornish, J.; Quek, S.-Y.; Wen, J. Oral delivery of bovine lactoferrin using pectin- and chitosan-modified liposomes and solid lipid particles: Improve-ment of stability of lactoferrin. *Chem. Biol. Drug Des.* 2015, *86*, 466–475.
- 73. Agwa, M.M.; Sabra, S. Lactoferrin coated or conjugated nanomaterials as an active targeting approach in nanomedicine. *Int. J. Biol. Macromol.* **2020**, *167*, 1527–1543.
- 74. Gupta, A.K.; Curtis, A.S. Lactoferrin and ceruloplasmin derivatized superparamagnetic iron oxide nanoparticles for targeting cell surface receptors. *Biomaterials* **2004**, *25*, 3029–3040.
- Xie, H.; Zhu, Y.; Jiang, W.; Zhou, Q.; Yang, H.; Gu, N.; Zhang, Y.; Xu, H.; Xu, H.; Yang, X. Lactoferrin-conjugated superparamagnetic iron oxide nanoparticles as a specific MRI contrast agent for detection of brain glioma in vivo. *Biomaterials* 2011, 32, 495–502.
- 76. Qiao, R.; Jia, Q.; Huwel, S.; Xia, R.; Liu, T.; Gao, F.; Galla, H.J.; Gao, M. Receptor-mediated delivery of magnetic nanoparticles across the blood–brain barrier. *ACS Nano* **2012**, *6*, 3304–3310.
- Fang, J.H.; Chiu, T.L.; Huang, W.C.; Lai, Y.H.; Hu, S.H.; Chen, Y.Y.; Chen, S.Y. Dual-Targeting Lactoferrin-Conjugated Polymerized Magnetic Polydiacetylene-Assembled Nanocarriers with Self-Responsive Fluorescence/Magnetic Resonance Imaging for In Vivo Brain Tumor Therapy. *Adv. Healthc. Mater.* 2016, *5*, 688–695.
- Song, M.M.; Xu, H.L.; Liang, J.X.; Xiang, H.H.; Liu, R.; Shen, Y.X. Lactoferrin modified graphene oxide iron oxide nanocomposite for glioma-targeted drug delivery. *Mater. Sci. Eng. C* 2017, 77, 904–911.
- 79. Sharifi, M.; Rezayat, S.M.; Akhtari, K.; Hasan, A.; Falahati, M. Fabrication and evaluation of anti-cancer efficacy of lactoferrincoated maghemite and magnetite nanoparticles. *J. Biomol. Struct. Dyn.* **2020**, *38*, 2945–2954.
- 80. Ali, O.M.; Bekhit, A.A.; Khattab, S.N.; Helmy, M.W.; Abdel-Ghany, Y.S.; Teleb, M.; Elzoghby, A.O. Synthesis of lactoferrin mesoporous silica nanoparticles for pemetrexed/ellagic acid synergistic breast cancer therapy. *Colloids Surf. B* 2020, *188*, 1–28.
- Kuo, Y.C.; Cheng, S.J. Brain targeted delivery of carmustine using solid lipid nanoparticles modified with tamoxifen and lactoferrin for antitumor proliferation. *Int. J. Pharm.* 2016, 499, 10–19.
- Mahidhara, G.; Kanwar, R.K.; Roy, K.; Kanwar, J.R. Oral administration of iron-saturated bovine lactoferrin–loaded ceramic nanocapsules for breast cancer therapy and influence on iron and calcium metabolism. *Int. J. Nanomed.* 2015, 10, 4081–4098.
- 83. Roy, K.; Patel, Y.S.; Kanwar, R.K.; Rajkhowa, R.; Wang, X.; Kanwar, J.R. Biodegradable Eri silk nanoparticles as a delivery vehicle for bovine lactoferrin against MDA-MB-231 and MCF-7 breast cancer cells. *Int. J. Nanomed.* **2016**, *11*, 25.
- 84. Kanwar, J.R.; Kamalapuram, S.K.; Krishnakumar, S.; Kanwar, R.K. Multimodal iron oxide (Fe3O4)-saturated lactoferrin nanocapsules as nanotheranostics for real-time imaging and breast cancer therapy of claudin-low, triple-negative (ER-/PR-/HER2). *Nanomedicine* **2016**, *11*, 249–268.
- AbdElhamid, A.S.; Zayed, D.G.; Helmy, M.W.; Ebrahim, S.M.; Bahey-El-Din, M.; Zein-El-Dein, E.A.; El-Gizawy, S.A.; Elzoghby, A.O. Lactoferrin-tagged quantum dots-based theranostic nanocapsules for combined COX-2 inhibitor/herbal therapy of breast cancer. *Nanomedicine* 2018, 13, 2637–2656.
- 86. El-Lakany, S.A.; Elgindy, N.A.; Helmy, M.W.; Abu-Serie, M.M.; Elzoghby, A.O. Lactoferrin-decorated vs PEGylated zein nanospheres for combined aromatase inhibitor and herbal therapy of breast cancer. *Expert Opin. Drug Deliv.* **2018**, *15*, 835–850.
- Sabra, S.A.; Elzoghby, A.O.; Sheweita, S.A.; Haroun, M.; Helmy, M.W.; Eldemellawy, M.A.; Xia, Y.; Goodale, D.; Allan, A.L.; Rohani, S. Self-assembled amphiphilic zein-lactoferrin micelles for tumor targeted co-delivery of rapamycin and wogonin to breast cancer. *Eur. J. Pharm. Biopharm.* 2018, 128, 156–169.

- Sabra, S.A.; Sheweita, S.A.; Haroun, M.; Ragab, D.; Eldemellawy, M.A.; Xia, Y.; Goodale, D.; Allan, A.L.; Elzoghby, A.O.; Rohani, S. Magnetically guided self-assembled protein micelles for enhanced delivery of dasatinib to human triple-negative breast cancer cells. J. Pharm. Sci. 2019, 108, 1713–1725.
- Halder, A.; Jethwa, M.; Mukherjee, P.; Ghosh, S.; Das, S.; Helal Uddin, A.B.M.; Mukherjee, A.; Chatterji, U.; Roy, P. Lactoferrintethered betulinic acid nanoparticles promote rapid delivery and cell death in triple negative breast and laryngeal cancer cells. *Artif. Cells Nanomed. Biotechnol.* 2020, 48, 1362–1371.
- Pandey, V.; Gajbhiye, K.R.; Soni, V. Lactoferrin-appended solid lipid nanoparticles of paclitaxel for effective management of bronchogenic carcinoma. *Drug Deliv.* 2015, 22, 199–205.
- Kanwar, J.R.; Mahidhara, G.; Roy, K.; Sasidharan, S.; Krishnakumar, S.; Prasad, N.; Sehgal, R.; Kanwar, R.K. Fe-bLf nanoformulation targets survivin to kill colon cancer stem cells and maintains absorption of iron, calcium and zinc. *Nanomedicine* 2015, 10, 35–55.
- Roy, K.; Kanwar, R.K.; Kanwar, J.R. LNA aptamer based multi-modal, Fe3O4-saturated lactoferrin (Fe3O4-bLf) nanocarriers for triple positive (EpCAM, CD133, CD44) colon tumor targeting and NIR, MRI and CT imaging. *Biomaterials* 2015, 71, 84–99.
- Ahmed, F.; Kumari, S.; Kondapi, A.K. Evaluation of antiproliferative activity, safety and biodistribution of oxaliplatin and 5fluorouracil loaded lactoferrin nanoparticles for the management of colon adenocarcinoma: An in vitro and an in vivo study. *Pharm. Res.* 2018, 35, 1–17.
- 94. Miao, D.; Jiang, M.; Liu, Z.; Gu, G.; Hu, Q.; Kang, T.; Song, Q.; Yao, L.; Li, W.; Gao, X.; et al. Co-administration of dual-targeting nanoparticles with penetration enhancement peptide for antiglioblastoma therapy. *Mol. Pharm.* **2014**, *11*, 90–101.
- Kuo, Y.C.; Chen, Y.C. Targeting delivery of etoposide to inhibit the growth of human glioblastoma multiforme using lactoferrinand folic acid-grafted poly (lactide-co-glycolide) nanoparticles. *Int. J. Pharm.* 2015, 479, 138–149.
- Mo, X.; Zheng, Z.; He, Y.; Zhong, H.; Kang, X.; Shi, M.; Liu, T.; Jiao, Z.; Huang, Y. Antiglioma via regulating oxidative stress and remodeling tumor-associated macrophage using lactoferrin-mediated biomimetic codelivery of simvastatin/fenretinide. *J. Control. Release* 2018, 287, 12–23.
- Pandey, A.; Singh, K.; Patel, S.; Singh, R.; Patel, K.; Sawant, K. Hyaluronic acid tethered pH-responsive alloy-drug nanoconjugates for multimodal therapy of glioblastoma: An intranasal route approach. *Mater. Sci. Eng. C* 2019, *98*, 419–436.
- Pandey, A.; Kulkarni, S.; Vincent, A.P.; Nannuri, S.H.; George, S.D.; Mutalik, S. Hyaluronic acid-drug conjugate modified coreshell MOFs as pH responsive nanoplatform for multimodal therapy of glioblastoma. *Int. J. Pharm.* 2020, 588, 119735.
- Shen, Z.; Liu, T.; Yang, Z.; Zhou, Z.; Tang, W.; Fan, W.; Liu, Y.; Mu, J.; Li, L.; Bregadze, V.I.; et al. Small-sized gadolinium oxide based nanoparticles for high-efficiency theranostics of orthotopic glioblastoma. *Biomaterials* 2020, 235, 119783.
- 100. Jiang, L.; Zhou, Q.; Mu, K.; Xie, H.; Zhu, Y.; Zhu, W.; Zhao, Y.; Xu, H.; Yang, X. pH/temperature sensitive magnetic nanogels conjugated with Cy5. 5-labled lactoferrin for MR and fluorescence imaging of glioma in rats. *Biomaterials* **2013**, *34*, 7418–7428.
- Su, Z.; Xing, L.; Chen, Y.; Xu, Y.; Yang, F.; Zhang, C.; Ping, Q.; Xiao, Y. Lactoferrin-modified poly (ethylene glycol)-grafted BSA nanoparticles as a dual-targeting carrier for treating brain gliomas. *Mol. Pharm.* 2014, *11*, 1823–1834.
- Tomitaka, A.; Arami, H.; Gandhi, S.; Krishnan, K.M. Lactoferrin conjugated iron oxide nanoparticles for targeting brain glioma cells in magnetic particle imaging. *Nanoscale* 2015, 7, 16890–16898.
- Zhou, Q.; Mu, K.; Jiang, L.; Xie, H.; Liu, W.; Li, Z.; Qi, H.; Liang, S.; Xu, H.; Zhu, Y.; et al. Glioma-targeting micelles for optical/magnetic resonance dual-mode imaging. *Int. J. Nanomed.* 2015, 10, 1805.
- Li, H.; Tong, Y.; Bai, L.; Ye, L.; Zhong, L.; Duan, X.; Zhu, Y. Lactoferrin functionalized PEG-PLGA nanoparticles of shikonin for brain targeting therapy of glioma. *Int. J. Biol. Macromol.* 2018, 107, 204–211.
- Xu, Y.; Asghar, S.; Yang, L.; Li, H.; Wang, Z.; Ping, Q.; Xiao, Y. Lactoferrin-coated polysaccharide nanoparticles based on chitosan hydrochloride/hyaluronic acid/PEG for treating brain glioma. *Carbohydr. Polym.* 2017, 157, 419–428.
- Tammam, S.N.; Azzazy, H.M.; Lamprecht, A. Nuclear and cytoplasmic delivery of lactoferrin in glioma using chitosan nanoparticles: Cellular location dependent-action of lactoferrin. *Eur. J. Pharm. Biopharm.* 2018, 129, 74–79.
- 107. Wei, M.; Xu, Y.; Zou, Q.; Tu, L.; Tang, C.; Xu, T.; Deng, L.; Wu, C. Hepatocellular carcinoma targeting effect of PEGylated liposomes modified with lactoferrin. *Eur. J. Pharm. Sci.* 2012, *46*, 131–141.
- 108. Wei, M.; Guo, X.; Tu, L.; Zou, Q.; Li, Q.; Tang, C.; Chen, B.; Xu, Y.; Wu, C. Lactoferrin-modified PEGylated liposomes loaded with doxorubicin for targeting delivery to hepatocellular carcinoma. *Int. J. Nanomed.* **2015**, *10*, 5123.
- Wei, M.Y.; Zou, Q.; Wu, C.B.; Xu, Y.H. In vitro targeting effect of lactoferrin modified PEGylated liposomes for hepatoma cells. Acta Pharm. Sin. 2015, 50, 1272–1279.
- Abdelmoneem, M.A.; Mahmoud, M.; Zaky, A.; Helmy, M.W.; Sallam, M.; Fang, J.Y.; Elkhodairy, K.A.; Elzoghby, A.O. Decorating protein nanospheres with lactoferrin enhances oral COX-2 inhibitor/herbal therapy of hepatocellular carcinoma. *Nanomedicine* 2018, *13*, 2377–2395.
- 111. Abdelmoneem, M.A.; Elnaggar, M.A.; Hammady, R.S.; Kamel, S.M.; Helmy, M.W.; Abdulkader, M.A.; Zaky, A.; Fang, J.Y.; Elkhodairy, K.A.; Elzoghby, A.O. Dual-targeted lactoferrin shell-oily core nanocapsules for synergistic targeted/herbal therapy of hepatocellular carcinoma. ACS Appl. Mater. Interfaces 2019, 11, 26731–26744.
- Abd Elwakil, M.M.; Mabrouk, M.T.; Helmy, M.W.; Abdelfattah, E.Z.A.; Khiste, S.K.; Elkhodairy, K.A.; Elzoghby, A.O. Inhalable lactoferrin–chondroitin nanocomposites for combined delivery of doxorubicin and ellagic acid to lung carcinoma. *Nanomedicine* 2018, 13, 2015–2035.
- 113. Kabary, D.M.; Helmy, M.W.; Elkhodairy, K.A.; Fang, J.Y.; Elzoghby, A.O. Hyaluronate/lactoferrin layer-by-layer-coated lipid nanocarriers for targeted co-delivery of rapamycin and berberine to lung carcinoma. *Colloids Surf. B* **2018**, *169*, 183–194.

- 114. Rofeal, M.G.; Elzoghby, A.O.; Helmy, M.W.; Khalil, R.; Khairy, H.; Omar, S. Dual therapeutic targeting of lung infection and carcinoma using lactoferrin-based green nanomedicine. *ACS Biomater. Sci. Eng.* **2020**, *6*, 5685–5699.
- 115. Etman, S.M.; Abdallah, O.Y.; Mehanna, R.A.; Elnaggar, Y.S. Lactoferrin/Hyaluronic acid double-coated lignosulfonate nanoparticles of quinacrine as a controlled release biodegradable nanomedicine targeting pancreatic cancer. *Int. J. Pharm.* **2020**, *578*, 119097.
- 116. Etman, S.M.; Abdallah, O.Y.; Elnaggar, Y S. Novel fucoidan based bioactive targeted nanoparticles from Undaria pinnatifida for treatment of pancreatic cancer. *Int. J. Biol. Macromol.* **2020**, *145*, 390–401.
- 117. Ahmed, F.; Ali, M.J.; Kondapi, A.K. Carboplatin loaded protein nanoparticles exhibit improve anti-proliferative activity in retinoblastoma cells. *Int. J. Biol. Macromol.* **2014**, *70*, 572–582.
- 118. Akilo, O.D.; Kumar, P.; Choonara, Y.E.; Pradeep, P.; du Toit, L.C.; Pillay, V. Hypothesis: Apo-lactoferrin–Galantamine Proteoalkaloid Conjugate for Alzheimer's disease Intervention. J. Cell. Mol. Med. 2018, 22, 1957–1963.
- Meng, Q.; Wang, A.; Hua, H.; Jiang, Y.; Wang, Y.; Mu, H.; Wu, Z.; Sun, K. Intranasal delivery of Huperzine A to the brain using lactoferrin-conjugated N-trimethylated chitosan surface-modified PLGA nanoparticles for treatment of Alzheimer's disease. *Int. J. Nanomed.* 2018, 13, 705.
- 120. Gopalan, D.; Pandey, A.; Udupa, N.; Mutalik, S. Receptor specific, stimuli responsive and subcellular targeted approaches for effective therapy of Alzheimer: Role of surface engineered nanocarriers. *J. Control. Release* **2020**, *319*, 183–200.
- 121. Gothwal, A.; Kumar, H.; Nakhate, K.T.; Ajazuddin; Dutta, A.; Borah, A.; Gupta, U. Lactoferrin coupled lower generation PA-MAM dendrimers for brain targeted delivery of memantine in aluminum-chloride-induced Alzheimer's disease in mice. *Bioconjugate Chem.* 2019, 30, 2573–2583.
- Mazibuko, Z.; Choonara, Y.E.; Kumar, P.; Du Toit, L.C.; Modi, G.; Naidoo, D.; Pillay, V. A review of the potential role of nanoenabled drug delivery technologies in amyotrophic lateral sclerosis: Lessons learned from other neurodegenerative disorders. *J. Pharm. Sci.* 2015, 104, 1213–1229.
- Martínez-Gomis, J.; Fernández-Solanas, A.; Vinas, M.; González, P.; Planas, M.E.; Sánchez, S. Effects of topical application of free and liposome-encapsulated lactoferrin and lactoperoxidase on oral microbiota and dental caries in rats. *Arch. Oral Biol.* 1999, 44, 901–906.
- 124. Halder, A.; Shukla, D.; Das, S.; Roy, P.; Mukherjee, A.; Saha, B. Lactoferrin-modified Betulinic Acid-loaded PLGA nanoparticles are strong anti-leishmanials. *Cytokine* **2018**, *110*, 412–415.
- 125. Fulgione, A.; Nocerino, N.; Iannaccone, M.; Roperto, S.; Capuano, F.; Roveri, N.; Lelli, M.; Crasto, A.; Calogero, A.; Pilloni, A.P.; et al. Lactoferrin adsorbed onto biomimetic hydroxyapatite nanocrystals controlling-in vivo-the Helicobacter pylori infection. *PLoS ONE* **2016**, *11*, e0158646.
- 126. Kumar, P.; Lakshmi, Y.S.; Kondapi, A.K. Triple drug combination of zidovudine, efavirenz and lamivudine loaded lactoferrin nanoparticles: An effective nano first-line regimen for HIV therapy. *Pharm. Res.* **2017**, *34*, 257–268.
- 127. Senapathi, J.; Bommakanti, A.; Mallepalli, S.; Mukhopadhyay, S.; Kondapi, A.K. Sulfonate modified Lactoferrin nanoparticles as drug carriers with dual activity against HIV-1. *Colloids Surf. B* **2020**, *191*, 110979.
- 128. Hadidi, N.; Saffari, M.; Faizi, M. Optimized transferosomal bovine lactoferrin (BLF) as a promising novel non-invasive topical treatment for genital warts caused by human papiluma virus (HPV). *Iran. J. Pharm. Res.* **2018**, *17*, 12.
- 129. Anand, N.; Sehgal, R.; Kanwar, R.K.; Dubey, M.L.; Vasishta, R.K.; Kanwar, J.R. Oral administration of encapsulated bovine lactoferrin protein nanocapsules against intracellular parasite Toxoplasma gondii. *Int. J. Nanomed.* **2015**, *10*, 6355.
- 130. Anand, N.; Kanwar, R.K.; Sehgal, R.; Kanwar, J.R. Antiparasitic and immunomodulatory potential of oral nanocapsules encapsulated lactoferrin protein against Plasmodium berghei. *Nanomedicine* **2016**, *11*, 47–62.
- Samarasinghe, R.M.; Kanwar, R.K.; Kanwar, J.R. The effect of oral administration of iron saturated-bovine lactoferrin encapsulated chitosan-nanocarriers on osteoarthritis. *Biomaterials* 2014, 35, 7522–7534.
- Huang, R.; Han, L.; Li, J.; Ren, F.; Ke, W.; Jiang, C.; Pei, Y. Neuroprotection in a 6-hydroxydopamine-lesioned Parkinson model using lactoferrin-modified nanoparticles. J. Gene Med. 2009, 11, 754–763.
- Huang, R.; Ke, W.; Liu, Y.; Wu, D.; Feng, L.; Jiang, C.; Pei, Y. Gene therapy using lactoferrin-modified nanoparticles in a rotenone-induced chronic Parkinson model. *J. Neurol. Sci.* 2010, 290, 123–130.
- Hu, K.; Shi, Y.; Jiang, W.; Han, J.; Huang, S.; Jiang, X. Lactoferrin conjugated PEG-PLGA nanoparticles for brain delivery: Preparation, characterization and efficacy in Parkinson's disease. *Int. J. Pharm.* 2011, 415, 273–283.
- 135. Bi, C.; Wang, A.; Chu, Y.; Liu, S.; Mu, H.; Liu, W.; Wu, Z.; Sun, K.; Li, Y. Intranasal delivery of rotigotine to the brain with lactoferrin-modified PEG-PLGA nanoparticles for Parkinson's disease treatment. *Int. J. Nanomed.* **2016**, *11*, 6547.
- 136. Kuo, Y.C.; Rajesh, R. Current development of nanocarrier delivery systems for Parkinson's disease pharmacotherapy. J. Taiwan Inst. Chem. Eng. 2018, 87, 15–25.
- 137. Tang, S.; Wang, A.; Yan, X.; Chu, L.; Yang, X.; Song, Y.; Sun, K.; Yu, X.; Liu, R.; Wu, Z.; et al. Brain-targeted intranasal delivery of dopamine with borneol and lactoferrin co-modified nanoparticles for treating Parkinson's disease. *Drug Deliv.* **2019**, *26*, 700–707.
- 138. Xiong, S.; Li, Z.; Liu, Y.; Wang, Q.; Luo, J.; Chen, X.; Xie, Z.; Zhang, Y.; Zhang, H.; Chen, T. Brain-targeted delivery shuttled by black phosphorus nanostructure to treat Parkinson's disease. *Biomaterials* **2020**, *260*, 120339.
- Choi, H.J.; Choi, S.; Kim, J.G.; Song, M.H.; Shim, K.S.; Lim, Y.M.; Kim, H.J.; Park, K.; Kim, S.E. Enhanced tendon restoration effects of anti-inflammatory, lactoferrin-immobilized, heparin-polymeric nanoparticles in an Achilles tendinitis rat model. *Carbohydr. Polym.* 2020, 241, 116284.

- Coughlan, K.; Shaw, N.B.; Kerry, J.F.; Kerry, J.P. Combined effects of proteins and polysaccharides on physical properties of whey protein concentrate-based edible films. J. Food Sci. 2004, 69, E271–E275.
- 141. Dinika, I.; Verma, D.K.; Balia, R.; Utama, G.L.; Patel, A.R. Potential of cheese whey bioactive proteins and peptides in the development of antimicrobial edible film composite: A review of recent trends. *Trends Food Sci. Technol.* **2020**, *103*, 57–67.
- 142. Min, S.; Krochta, J.M. Inhibition of Penicillium commune by edible whey protein films incorporating lactoferrin, lacto-ferrin hydrolysate, and lactoperoxidase systems. *J. Food Sci.* 2005, *70*, M87–M94.
- 143. Barbiroli, A.; Farris, S.; Rollini, M. Combinational approaches for antimicrobial packaging: Lysozyme and lactoferrin. In *Antimicrobial Food Packaging*, 1st ed.; Barros-Velázquez, J., Ed.; Academic Press: London, UK, 2016; pp. 589–597.
- 144. Bourbon, A.I.; Pinheiro, A.C.; Cerqueira, M.A.; Rocha, C.M.; Avides, M.C.; Quintas, M.A.; Vicente, A.A. Physico-chemical characterization of chitosan-based edible films incorporating bioactive compounds of different molecular weight. *J. Food Eng.* **2011**, *106*, 111–118.
- 145. Brown, C.A.; Wang, B.; Oh, J.H. Antimicrobial activity of lactoferrin against foodborne pathogenic bacteria incorporated into edible chitosan film. *J. Food Prot.* 2008, *71*, 319–324.
- 146. Barbiroli, A.; Bonomi, F.; Capretti, G.; Iametti, S.; Manzoni, M.; Piergiovanni, L.; Rollini, M. Antimicrobial activity of lysozyme and lactoferrin incorporated in cellulose-based food packaging. *Food Control.* **2012**, *26*, 387–392.
- Padrao, J.; Gonçalves, S.; Silva, J.P.; Sencadas, V.; Lanceros-Méndez, S.; Pinheiro, A.C.; Vicente, A.A.; Rodrigues, L.R.; Dourado, F. Bacterial cellulose-lactoferrin as an antimicrobial edible packaging. *Food Hydrocoll.* 2016, *58*, 126–140.
- 148. Padrao, J.; Ribeiro, S.; Lanceros-Méndez, S.; Rodrigues, L.R.; Dourado, F. Effect of bacterial nanocellulose binding on the bactericidal activity of bovine lactoferrin. *Heliyon* 2020, *6*, e04372.
- 149. Moreno, O.; Atarés, L.; Chiralt, A. Effect of the incorporation of antimicrobial/antioxidant proteins on the properties of potato starch films. *Carbohydr. Polym.* **2015**, *133*, 353–364.
- 150. Tavassoli, M.; Sani, M.A.; Khezerlou, A.; Ehsani, A.; McClements, D.J. Multifunctional nanocomposite active packaging materials: Immobilization of quercetin, lactoferrin, and chitosan nanofiber particles in gelatin films. *Food Hydrocoll*. **2021**, *118*, 106747.
- 151. Quintieri, L.; Pistillo, B.R.; Caputo, L.; Favia, P.; Baruzzi, F. Bovine lactoferrin and lactoferricin on plasma-deposited coating against spoilage Pseudomonas spp. *Innov. Food Sci. Emerg. Technol.* **2013**, 20, 215–222.
- Yan, J.K.; Qiu, W.Y.; Wang, Y.Y.; Wu, J.Y. Biocompatible polyelectrolyte complex nanoparticles from lactoferrin and pectin as potential vehicles for antioxidative curcumin. J. Agric. Food Chem. 2017, 65, 5720–5730.
- 153. Martins, J.T.; Santos, S.F.; Bourbon, A.I.; Pinheiro, A.C.; González-Fernández, A.; Pastrana, L.M.; Cerqueira, M.A.; Vicente, A.A. Lactoferrin-based nanoparticles as a vehicle for iron in food applications–Development and release profile. *Food Res. Int.* 2016, 90, 16–24.