



Article

Nano-TiO₂ Phototoxicity in Fresh and Seawater: *Daphnia magna* and *Artemia* sp. as Proxies

Ana C. Soler de la Vega ¹, Alberto Cruz-Alcalde ², Carmen Sans Mazón ² , Carlos Barata Martí ¹ and M. Silvia Diaz-Cruz ^{1,*} 

¹ Department of Environmental Chemistry, Institute of Environmental Assessment and Water Research of the Spanish Council for Scientific Research (IDAEA-CSIC), Excellence Center Severo Ochoa, Jordi Girona 18-26, 08034 Barcelona, Spain; asvqam@cid.csic.es (A.C.S.d.l.V.); cbmqam@cid.csic.es (C.B.M.)

² Department of Chemical Engineering and Analytical Chemistry, Faculty of Chemistry, Universitat de Barcelona (UB), Martí i Franqués 1, 08028 Barcelona, Spain; alberto.cruz@ub.edu (A.C.-A.); carmesans@ub.edu (C.S.M.)

* Correspondence: silvia.diaz@idaea.csic.es

Abstract: Nowadays, the industry is quite commonly using nanoparticles of titanium dioxide (nTiO₂) especially in sunscreens, due to its higher reflective index in comparison to micron size TiO₂. Its high demand causes its widespread environmental occurrence, thus damaging the environment. The aquatic ecosystems are the most vulnerable to contamination by nTiO₂. Like other engineered nanoparticles, nTiO₂ has demonstrated generation of reactive oxygen species (ROS) and reactive halogen species (RHS) in the aquatic environment under UV radiation. This study investigated the toxicity of nTiO₂ towards two aquatic indicator organisms, one from freshwater (*Daphnia magna*) and the other from seawater (*Artemia* sp.), under simulated solar radiation (SSR). *Daphnia magna* and *Artemia* sp. were co-exposed in 16 h SSR and 8 h darkness cycles to different concentrations of nTiO₂. The estimated EC₅₀ at 48 h for *D. magna* was 3.16 mg nTiO₂/L, whereas for *A. sp.* no toxic effects were observed. When we exposed these two organisms simultaneously to 48 h of prolonged SSR using higher nTiO₂ concentrations, EC₅₀ values of 7.60 mg/L and 5.59 mg/L nTiO₂ for *D. magna* and *A. sp.*, respectively, were obtained. A complementary bioassay was carried out with *A. sp.*, by exposing this organism to a mixture of nTiO₂ and organic UV filters (benzophenone 3 (oxybenzone, BP3), octocrylene (OC), and ethyl 4-aminobenzoate (EtPABA)), and then exposed to SSR. The results suggested that nTiO₂ could potentially have negative impacts on these organisms, also this work outlines the different characteristics and interactions that may contribute to the mechanisms of environmental (in salted and freshwater) phototoxicity of nTiO₂ and UV radiation, besides their interaction with organic compounds.

Keywords: nanosized inorganic sunscreen; phototoxicity; aquatic organisms; environmental hazard; reactive oxygen species (ROS); reactive halogen species (RHS)



Citation: Soler de la Vega, A.C.; Cruz-Alcalde, A.; Sans Mazón, C.; Barata Martí, C.; Diaz-Cruz, M.S. Nano-TiO₂ Phototoxicity in Fresh and Seawater: *Daphnia magna* and *Artemia* sp. as Proxies. *Water* **2021**, *13*, 55. <https://doi.org/10.3390/w13010055>

Received: 11 November 2020

Accepted: 22 December 2020

Published: 30 December 2020

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2020 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

The use of nanoparticles of titanium dioxide (nTiO₂) has increased significantly in recent years. It has been predicted that the global market for nanotechnology products would achieve 3 trillion \$ by 2020 [1]. Piccinno documented the estimated worldwide production of titanium dioxide nanoparticles (nTiO₂) at approximately 5000 t/year in 2006–2010 and 10,000 t/year in 2011–2014 with an increase in the production of this nanomaterial by 2025 [2].

This impressive increase is mainly due to the demand for this metal oxide in the paper, paint, coating, cosmetics, food, and plastic industries. TiO₂ is a white substance commonly used as a whitening or brightening agent that is generally synthesized in different crystalline forms, mainly anatase and rutile. It is also used in water purification processes due to the high photocatalytic activity showed by specific nTiO₂ formulations

such as the well-known Degussa P-25, which contains anatase and rutile phases in a ratio of about 3:1 [3].

Nano-size TiO_2 is increasingly used as a mineral sunscreen to protect the skin from both ultraviolet light A and ultraviolet light B radiation, because of its broad UV spectrum-attenuation characteristics. When it is formulated in nano-size, the protection significantly improves as only a tiny proportion of UV rays can pass through the sunscreen film without hitting a particle [4–6]. It is expected that commercial sunscreens contain a mixture of physical and chemical UV filters to produce a broader spectrum of protection [7].

After use, nTiO_2 is discharged into the sewage system and subsequently released into surface waters, where it can interact with living organisms [8]. As both solar irradiance (i.e., the amount of sunlight received by Earth's surface) and nTiO_2 accumulation in the environment increase year after year, there is a high probability that UV radiation and nTiO_2 interact in the aquatic environment. This fact, in turn, increases the concerns about the environmental fate and ecotoxicity of this compound [9]. The process of nTiO_2 activation by UV light and subsequent formation of reactive oxygen species (ROS), such as superoxide radicals ($\text{O}_2^{\bullet-}$), hydroxyl radicals ($\bullet\text{OH}$), and singlet oxygen ($^1\text{O}_2$) in water is relatively well known [10–12]. However, in the presence of high concentrations of salts, as is the case in seawater, the mechanisms driving their interaction are still not fully understood although there is some evidence that reactive halogen species (RHS) may be produced [13,14]. ROS and RHS can cause oxidative stress to cells in the aquatic environment [15], hence damaging cell membranes and oxidizing proteins [16].

Previous studies have shown the phototoxic effects on *D. magna* and *Artemia* sp. simultaneously exposed to nTiO_2 and radiation [17,18].

In the present study, the combined effect of nTiO_2 and simulated solar radiation towards two aquatic organisms, i.e., *D. magna* and *A. sp.* as a proxy of freshwater and seawater organisms, respectively, was investigated and the EC_{50} were calculated. In addition, *Artemia* sp. was exposed to a mixture of organic UV filters, nTiO_2 , and UV solar radiation to identify the toxicity dynamics.

2. Materials and Methods

2.1. Instrumentation

A Microscope Leica EZ4 (Leica Microsistemas S.L.U., L'Hospitalet de Llobregat, Barcelona, Spain) was used to determine mortality in the bioassays with *Artemia* sp.

A solar simulator chamber XENOTERM-1500RF chamber (CCI, Mataró, Spain) was employed to simulate UV sunlight radiation. An ultrasounds bath (SELECTA, Barcelona, Spain) was used to shake the test solutions.

To determine the EC_{50} values, the mortality of the *D. magna* and *A. sp.*, during exposure to the tested compounds, was normalized to the control mean percentage using Abbot's formula (2004). Normalized percentage values were log-transformed and fitted to the logistic regression model using Quest Graph™ EC_{50} Calculator (<https://www.aatbio.com/tools/ec50-calculator/>).

2.2. nTiO_2 and Organic Sunscreens

The nTiO_2 standard compound used (Sigma-Aldrich, Munich, Germany) had a particle size of ≤ 21 nm, and $\geq 99.5\%$ trace metal basis. According to the manufacturer, the crystal phase of nTiO_2 was a mixture of anatase and rutile (80:20). Transmission electron microscopy (TEM) and dynamic light scattering (DLS) were applied to characterize the nTiO_2 and are presented elsewhere at Soler de la Vega [19].

The initial stock standard suspension of nTiO_2 in the organism medium was shaken in an ultrasound bath for 30 min and left for 24 h under agitation in darkness before the preparation of solutions. The test solutions were prepared from the stock suspension still under agitation and further dispersed in the ultrasound bath for 15 min before exposure. This procedure increases dispersion and provides the maximum distribution of the nanoparticles.

Immediately after the sonication, the appropriate aliquots were taken to prepare six suspensions at concentrations of 0.000018, 0.01, 0.1, 1, 10, and 100 mg/L under the same bioassay conditions (dilution in the *Daphnia* or *Artemia* culture media).

The UV filters benzophenone 3 (oxybenzone, BP3) 98% purity, octocrylene (OC) 97% purity, and ethyl 4-aminobenzoate (EtPABA) 98% purity were supplied by Sigma-Aldrich (Steinheim, Germany), and methanol (MeOH) was provided by Panreac Applichem (Castellar del Vallès, Barcelona, Spain).

At the time of the exposure, working mixture solutions containing BP3, OC, and EtPABA, at equal proportions (1 mg/L of each compound), were prepared in MeOH: water 20:80 (v:v). From this mixture solution and the nTiO₂ stock solution, volumetric measurements were made to get the desired analyte concentration in purified water obtained from an Elix 3 coupled to a Milli-Q system from Millipore (Bedford, MA, USA). All test solutions were kept at 20 ± 2 °C during the bioassays.

2.3. Aquatic Organisms

2.3.1. *Daphnia magna*

Parthenogenetic cultures of a single clone of *D. magna* (clone F) were used in the experiments. The photoperiod cycle was set to 16 h light: 8 h dark, at a controlled temperature of 20 ± 1 °C. Bulk cultures of 10 adult females were maintained in 2 L medium at ratio levels (5×10^5 cells/mL of *Chlorella vulgaris*) following the method of Barata [20]. Newborn individuals (<24 h old) obtained from bulk cultures were used in all the exposure experiments.

The *D. magna* culture and exposure media were prepared using Milli Q water. The characteristics of the water used for the *D. magna* were as follows: pH 7.9 ± 1 ; conductivity 135 ± 1 IS/cm; total hardness 2.1 dGH; temperature 250 ± 1 °C; and dissolved oxygen (DO) 6 ± 0.5 mg/L.

2.3.2. *Artemia* sp.

Artemia sp. were obtained from commercial dry encysted eggs from Inve Aquaculture NV. (Hovel 91-B-9200, Dendermonde, Belgium). One hundred mg of *Artemia* sp. cysts were incubated in 1 L of artificial seawater prepared in Milli Q water dissolving Instant Ocean sea salt (35 g/L NaCl) for 24 h at 25 °C. The *Artemia* sp. produced were transferred with Pasteur pipettes to two glass flasks containing 200 mL of the synthetic seawater and immediately used for the assay. The characteristics of this water were as follows: pH 8.3 ± 1 ; conductivity 41 ± 1 mS/cm; temperature 25 ± 1 °C; and DO 6 ± 0.5 mg/L.

The artificial sea salt used to prepare the organism medium was purchased from Instant Ocean Spectrum Brands 3001 Commerce St, Blacksburg, VA 24060, United States.

3. Phototoxicity Experiments

3.1. *Daphnia magna* Bioassays

The exposure procedure was adapted from the 48 h acute toxicity test using *D. magna* according to US Environmental Protection Agency (USEPA) standard operating procedure 2024.

The SSR experiments were conducted using a solar box equipped with a pulsed-light 1500 W Xenon lamp emulating the solar light spectrum, and an air-driven cooling system to adjust the temperature during irradiation. A glass filter located between the light and the irradiated plates served to cut off radiation with $\lambda < 290$ nm, thus filtering the ultraviolet light C radiation component emitted by the lamp, which is not characteristic of the sunlight arriving at the Earth. Petri dishes with 10 mL of the medium containing 10 *D. magna* individuals and nTiO₂ were placed inside the solar box. The UV light fluence rate was determined to be 10.67 W/m^2 in the range 290–400 nm, using *o*-nitrobenzaldehyde actinometry, according to Bustos [21].

Assays were conducted varying both the SSR time, 16 and 48 h, as well as the concentration of nTiO₂ i.e., 0 (control), 0.000018, 0.01, 0.1, 1, and 10. These concentration levels were selected considering the highest reported nTiO₂ concentrations in water in Europe, according to Gottschalk [22]. Besides, we considered a higher concentration of 100 mg/L,

to potentially observe enhanced toxic effects. Control samples in the absence of nTiO₂ and UV light exposure were also tested in all the experiments.

The bioassays were carried out in duplicate. The organisms were not fed during the experiments. All test solutions were kept at 20 ± 2 °C during the exposure period. *D. magna* immobilization was recorded after 48 h. At the end of the exposure, the number of individuals showed mobility in each recipient, and it was registered. The data obtained were used to determine the EC50 values.

UV exposure was conducted placing the organisms to a distance of 30 cm from the UV lamps, for a time interval of 16 and 48 h. The exposure was made in Petri dishes containing the organism and the respective culture media. A control group was kept in the same room but without exposure to the UV radiation.

A preliminary test was carried out to assess the behavior of *D. magna* exposed to SSR, and to check the feasibility of the following tests.

3.2. *Artemia* sp. Bioassays

Exposure tests for *Artemia* sp. were carried out according to the Organisation for Economic Co-operation and Development 2004 (OECD), using the same exposure protocol conducted for *D. magna*. A group of approx. 30 *A. sp.* individuals were placed in individual containers and exposed to various concentrations and SSR in 96 h period test (3 replicates). Mortality was the endpoint of the test. Control samples without nTiO₂ and UV light exposure were tested in all the experiments and was kept in the same room.

The simulated UV radiation experiments were conducted in the same solar box used for *D. magna* testing. Plates with salty media containing 30 *Artemia* sp. individuals and 2 mL of organism media and nTiO₂ were placed inside the equipment. Assays were conducted varying both the UV irradiation time, 16 and 48 h, as well as the concentration of nTiO₂ i.e., 0 (control), 0.000018, 0.01, 0.1, 1, 10, and 100 mg/L.

UV exposure was conducted placing the organisms to a distance of 30 cm from the UV lamp, for a time interval of 16 and 48 h. The exposure was made in Petri dishes containing the organism and the respective culture media. A control group was kept in the same room but without exposure to the UV radiation.

All test solutions were kept at 20 ± 2 °C during the exposure period. *A. sp.* immobilization was recorded after 96 h. In all *Artemia* sp. bioassays, the organisms were not fed during the exposure.

Since *Artemia* sp. in the first trial was resistant to the effects of nTiO₂ in conjunction with SSR, it was decided to experiment with mixtures of the most used and most toxic compounds in sunscreens [23,24], in addition to exposing this organism to SSR.

Then, a second experiment was carried out, exposing *Artemia* sp. to nTiO₂ in a mixture with the organic UV filters, BP3, EtPABA, and OC. These compounds were selected because they are commonly used in combination with nTiO₂ in personal care products with sunlight protection. Exposure experiments containing 2 mL of organism media and 30 *Artemia* sp. individuals were made in triplicate in Petri dishes.

Finally, a third bioassay was carried out where *Artemia* sp. was exposed to increasing concentrations of nTiO₂, i.e., 0 (control), 0.000018, 0.01, 0.1, 1, 5, 10, and 100 mg/L, for 48 h. The controls were (i) a solution not irradiated, (ii) a solution with the mixture of organic UV filters, and (iii) an organism's medium solution). Exposure experiments containing 2 mL of organism medium and 30 *Artemia* sp. individuals were made in triplicate.

4. Results

4.1. Phototoxicity of nTiO₂ towards *D. magna*

A preliminary test was conducted in Petri dishes in 10 mL of the medium containing 10 *D. magna* individuals (2 replicates) and was classified into two groups, the control group (A), and the group exposed to SSR (B). Both groups were exposed 24 h before the assay started with three concentrations of nTiO₂ (0 (control), 0.1, 1, and 10 mg/L).

Immediately after the 24 h doping, group A was incubated 6 h dark cycle, whereas group B was irradiated during the same time.

After UV light exposure of group B, the media in A and B were renewed, and acute toxicity tests (48 h exposure time) were conducted as described in Table 1.

Table 1. Total time of the preliminary bioassay, counting the first doping 24 h, plus 6 h of the dark cycle and radiation, plus the acute toxicity test time 24 and 48 h, resulting 78 h total.

Total Time Exposure Bioassay with <i>Daphnia magna</i>							
	Concentration (mg/L)	Pre-Exposed to nTiO ₂ (h)	Dark Cycle	SSR (h)	Acute Toxicity Test (h)		Total Time (h)
					24	48	
Group A	0.1, 1, 10	24	6	✗	✓	✓	78
Group B	0.1, 1, 10	24	✗	6	✓	✓	78

The results of the preliminary test showed, on the one hand, that the low acute toxicity of nTiO₂ towards *D. magna* suggested ingestion and accumulation, since only <23% of immobilization at the 10 mg/L concentration was observed. At lower concentrations, i.e., 0.1 mg/L < 15% of immobilization was observed.

In contrast, *D. magna* was exposed to the combined effect of nTiO₂ and UV radiation, the toxicity increased to 30% of immobilization with 10 mg/L nTiO₂, at 0.1 mg/L the immobile individuals raised to 24%.

It was clear that nTiO₂ concentrations were harmful to *D. magna*, as in previous works when *D. magna* was exposed to nTiO₂ [25–27]. Figure 1 shows that the immobilization ratio was 24% when *D. magna* was exposed to nTiO₂ (group A), still, when this organism was exposed to both nTiO₂ and SSR (group B) immobilization ratio was low, 30%, suggesting a joined effect.

Given that the immobilization percentage increased in group B compared to group A, this provided the information needed to design the following bioassays.

In the second bioassay, *D. magna* was co-exposed to nTiO₂ and SSR for 16 h and then kept in darkness for 8 h (mimicking a full solar day) before the acute toxicity test measurements. The exposure was made in Petri dishes containing 10 mL of the medium and 10 *D. magna* individuals. After 48 h exposure, the mobility in the control groups exceeded 90%, in both cases: in the absence of UV radiation and nTiO₂.




Figure 1. Groups A and B of *D. magna* exposed at three nTiO₂ concentrations and then incubated 6 h (Group A) or exposed to UV irradiation (Group B). Furthermore, the acute toxicity test was conducted in 78 h total time in both groups.

The results showed that the toxicity of nTiO₂ towards *D. magna* increased with increased nTiO₂ concentrations. As shown in Figure 2, at the lowest concentration (0.000018 mg/L), the mortality rate after 24 h was low, 20% a ratio of immobilization. At 10 mg/L nTiO₂, the mortality rate increased up to 60% with an EC₅₀ value of 6.4 mg/L. In the presence of SSR, the toxicity of nTiO₂ to *D. magna* increased, suggesting that higher phototoxicity is displayed when the concentration of nTiO₂ is high, which is in agreement with the results found when *D. magna* was only exposed to increasing nTiO₂ concentrations. The results evidenced a concentration-dependent immobilization process.




Figure 2. Percentage of immobilization for *D. magna* exposed to 24 and 48 h to SSR and nTiO₂. The bars show the span of immobilization of the organism at 0.1, 1, 10, and 100 mg/L nTiO₂.

In the third set of bioassays, *D. magna* was exposed in Petri dishes containing 10 mL of the medium and 10 *D. magna* individuals. The organisms were exposed to increasing concentrations of nTiO₂ (0 (control), 0.000018, 0.1, 1, 10, and 100 mg/L) and 48 h of UV radiation. In this bioassay, after the 24 h exposition, the irradiation was stopped for a few minutes to measure the immobilization. Then, the irradiation continued for an additional period of 24 h. Hence, the total exposure time was 48 h.

At the first 24 h of exposure, we observed that at 0.1 and 1 mg/L nTiO₂, the immobilization was <20%. Still, at 10 mg/L the immobilization increased to 42%, and at the highest concentration, 100 mg/L, 75% of the individuals were immobile. Under these experimental conditions, the estimated EC₅₀ was 12.98 mg/L.

After 48 h exposition to continuous UV radiation, the immobilization at the two lower concentrations of nTiO₂, 0.1, and 1 mg/L was 40%. At 10 mg/L the immobilization was 77%, and at the highest concentration, 100 mg/L, 100% of immobilization was observed. In this case, the estimated EC₅₀ was 5.50 mg/L, a relatively lower value than that calculated at the first 24 h UV irradiation, as shown in Figure 3. In all the acute toxicity tests with *D. magna*, survival in the control groups exceeded 90% after 48 h exposure.

4.2. nTiO₂ Phototoxicity towards *Artemia* sp.

Artemia sp. was exposed to different concentrations (0 (control), 0.000018, 0.1, 1, and 10 mg/L) of nTiO₂ and 16 h SSR and 8 h dark cycle. The toxicity under these conditions towards *Artemia* sp. was null.




Figure 3. Percentage of immobilization for *D. magna* exposed to 24 and 48 h to SSR and nTiO₂. The bars show the span of immobilization of the organism at 0.1, 1, 10, and 100 mg /L nTiO₂.

As *Artemia* sp. habits in salty and hypersaline environments, it can quickly adapt to variations in salinity, ranging from 70‰ to 300‰, as stated by Amat et al., in 1983, the above allows the specimen to successfully face environmental adversities under extreme conditions. Given this characteristic, it was decided to combine nTiO₂ with some organic UV filters (Table 2) because, in most sunscreens' formulations, a mixture of them is used. This mixture of UV filters, organic and inorganic substances, occurs in marine environments and could trigger different or similar toxicity mechanisms towards organisms as *Artemia* sp. [28].

Table 2. Combination of nTiO₂ and organic UV filters mix used in the joint exposure bioassay with *Artemia* sp.

Combinations Used with <i>Artemia</i> sp.		
	Component	Concentration (mg/L)
Concentrations of nTiO ₂ in combination with the concentration of the mixture of UV filters	TiO ₂	0.000018
	Mix 1	
	BP3	
	OC	0.01
	Mix 2	
	TiO ₂	0.1
	BP3	
	OC	0.1
	Mix 3	
	TiO ₂	1
	BP3	
	OC	1
	Mix 4	
	TiO ₂	10
	BP3	
	OC	3
	EtPABA	

The concentrations of nTiO₂ selected for this bioassay were 0.000018, 0.1, 1, and 10 mg/L. Then from the solution containing BP3, OC, and EtPABA, we prepared solutions of 0.01, 0.1, 1, and 3 mg/L, and mixed them with nTiO₂ (Table 2). The lowest concentrations of nTiO₂ and the UV filters were combined in Mix 1, while in Mix 2 and Mix 3 the

concentrations were equal for nTiO₂ and UV filters. Finally, the two highest concentrations were mixed in Mix 4.

At the first 24 h of exposure, *Artemia* sp. showed immobilization <20%, even when exposed to the Mix 4, corresponding to the highest concentrations of nTiO₂ and organic UV filters.

As shown in Figure 4, the lethal effects were recorded at 96 h, the time set in the OECD, 2004. *Artemia* sp. showed an immobilization ratio under 20% in Mix 1. Still, in Mix 2 and Mix 3, the immobilization remained from 16% to 23%. However, with Mix 4, the immobilization increased up to 35%. Under 16 h SSR, concentration-dependent immobilization in *Artemia* sp. was observed after 96 h exposure (Figure 4), and the EC50 value was 52 mg/L.




Figure 4. *Artemia* sp. exposed to a combination of nTiO₂ and mixtures of UV organic filters, BP3, OC, and EtPABA and 16 h of SSR. The chart shows the increment of the immobilization in the three replicates per mix.

In the second bioassays, the *Artemia* sp. was exposed to nTiO₂ and SSR, like as the third assay with *D. magna* (nTiO₂ concentrations of 0 (control), 0.000018, 0.1, 1, 10, 100 mg/L, and 48 h UV radiation exposure). The *Artemia* sp. immobilization was then calculated at both 24 h and 48 h of irradiation with the presence of nTiO₂ in the medium.

After the first 24 h and at concentrations of 0.1 and 1 mg/L nTiO₂, low immobilization was detected, <10%. Still, at 10 mg/L nTiO₂, immobile individuals were 20%, and for 100 mg/L immobilization of 30% was observed. The calculated EC50 was 62.33 mg/L.

Then, after 48 h of UV radiation, a notable increase of the immobilization was observed (Figure 5), at 0.1 mg/L was 55%. At 1 and 10 mg/L nTiO₂ concentrations, the immobilization remained <80%, but almost 98% immobility was registered at 100 mg/L, corresponding to a EC50 value of 7.60 mg/L.

In all the acute toxicity tests with *Artemia* sp., survival in the control groups exceeded 90% after 48 h exposure.




Figure 5. Percentage of immobilization for *Artemia* sp. exposed to 24 and 48 h of SSR and nTiO₂. The bars show the span of immobilization of the organism at 0.1, 1, 10, and 100 mg/L nTiO₂.

5. Discussion

Two aquatic organisms, *Daphnia magna* and *Artemia* sp. were exposed to the combined effect of nTiO₂ and SSR. The results showed that the toxicity of nTiO₂ increased with UV light to the tested aquatic organisms (freshwater or seawater). The process of nTiO₂ activation by UV light and subsequent formation of ROS in pure water is currently relatively well known [29].

Since nTiO₂ are metal oxide nanoparticles, they are not biodegradable so will not lose their toxic properties but will persist in the environment. The nTiO₂ form aggregates in aqueous environments; primary size aggregates can settle down and remain immobilized, while others are dispersed and become more mobile, bioavailable, and toxic. On the other hand, interaction with other particles and suspended organic matter is also supposed to modify their dynamic properties, and therefore, alter their toxicity.

So far, it has not been possible to predict the environmental or biological impacts of nTiO₂ due to the complexity of the marine aquatic ecosystem, since in freshwater the behavior is different than in saltwater in terms of the aggregates that may form. It is known that in conventional wastewater treatment plants, the removal of these nanoparticles is not carried out due to their small size, which allows them to escape from conventional filters and membranes. Furthermore, the removal of nTiO₂ through sedimentation is not viable. Nevertheless, the removal of the nTiO₂ can be accomplished through ultrafiltration/nanofiltration, achieving 95% removal efficiency.

Thus, the size and shape of the nTiO₂ may influence toxicity, being so small, aquatic organisms may take nTiO₂ as food and/or within the food. Besides this, interactions of substances at nanosize scale with other chemical/physical factors are greater than those usually established at the micron or higher scales, hence they can cause increased toxicity or other adverse effects in different marine species. Regarding the biological decomposition time, as already stated above, this cannot be due to decomposition because it is not biodegradable, and only can disperse or sediment.

Considering that the nTiO₂ are in contact with other particles in the medium that influence aggregation behavior, the concentration of nTiO₂ is also a key factor governing the behavior of this material in aqueous media. In particular, in our study, the sedimentation

in freshwater was achieved after 10 to 15 h, whereas, the sedimentation in saltwater ranged from 20 to 24 h at the concentration selected.

As TiO_2 is a semiconductor material, UV radiation excites its electrons from the valence band to the conduction band, resulting in the generation of an electron-hole (e^-/h^+) pair. In this situation, the reduction of aqueous dissolved oxygen by e^- and oxidation of water by h^+ typically leads to the formation of primary ROS such as superoxide and hydroxyl radical, respectively. Once formed, these may lead to the generation of other oxidant species such as singlet oxygen or hydrogen peroxide.

In seawater, mechanisms as mentioned above are likely different, highlighting that high concentrations of halide species (mainly chlorine and bromide anions) would trigger the photocatalytic process to the generation of reactive halogen species [3,13].

Previously, phototoxicity bioassays were conducted with *Artemia* sp. and demonstrated that this organism is resistant to diverse toxics. Still, in our study, when *Artemia* sp. was exposed to nTiO_2 in combination with organic UV filters and high concentrations of nTiO_2 , it showed an increased ratio of immobilization. In addition, with high concentrations of nTiO_2 and expanded UV light exposure time [30].

These outcomes are in agreement with previous studies; Hund-Rinke and Simon [17], conducted tests involving UV irradiation in a medium containing nTiO_2 , *D. magna*, and algae, and they concluded that the photocatalytic activity damaged the organism causing a complete immobilization.

According to Matsuo [31], UVA irradiation at 365 nm for 60 to 100 min to the planktonic species *Artemia salina* or *Chatonella Antigua*, and 1 mg/L of nTiO_2 caused immobilization in both organisms. Marcone [32] tested a combination of commercial nTiO_2 (30% rutile and 70% anatase) at 100 mg/L and UVA radiation on *D. magna*. The findings suggested that nTiO_2 phototoxicity under UV radiation was the principal cause of the acute toxic effect observed and that the corresponding EC50 value for *D. magna* was 5.50 mg/L, similar to the value estimated in the present study. Ma [33], reported that there was a linear correlation between ROS production and *D. magna* immobilization and that ROS formation might be a predictor of the phototoxicity caused by nTiO_2 . This ROS production has been probed to cause sublethal oxidative stress in different organisms, such as fish embryos [34].

Concerning saline organisms, *Artemia* sp. was subjected to SSR and nTiO_2 concentrations and showed an immobilization below 10% in the first bioassay with an EC50 value of 94 mg/L, opposite case with *D. magna* with the same exposition set up, 10 mg/L of nTiO_2 and 16 h UV radiation, and an EC50 value of 6.4 mg/L.

In the second bioassay performed at the same concentrations of nTiO_2 but joined with BP3, OC, and EtPABA, three of the most toxic UV organic filters, this organism showed higher immobilization. Our findings suggested that when the UV irradiation exposure and the concentration of nTiO_2 increase, even when nTiO_2 is combined with the mixture of organic UV filters, the 96 h EC50 was 52 mg/L, indicating low toxicity through the combined effects.

Despite that, concerns have been raised about the occurrence of mixtures of nTiO_2 and organic UV filters in seawater, because of the interaction among these substances, sunlight and halide anions, which may result in the photocatalytic generation of RHS and subsequent halogenation of the organic compounds [3]. Also, previous studies suggested that the organic UV filters are less photostable (except for oxybenzone), resulting in photolysis and harmful free-oxygen radicals [35].

In the third set of assays with *Artemia* sp., the organism exhibited low immobilization when exposed to 24 h continuous radiation. The immobilization ratio was less than 30%. Then, when *Artemia* sp. continued to be exposed to UV radiation up to 48 h, the immobilization started at low concentration, and 60% immobility was observed. At a higher concentration (100 mg/L), enhanced phototoxicity was registered. This exponential increase in mortality observed may be explained by the extended time at which the organisms were exposed to ROS and RHS.

Aquatic organisms like *D. magna* incorporate nTiO₂ via the gut [36]. *Artemia* sp. is a filter feeder, and then the nanoparticles may enter their guts through ingestion [37]. The mortality observed may be due to the uptake of the nTiO₂ in combination with SSR.

The above might be conducted to the organism's oxidative stress of the organisms besides the ROS and RHS originated during the exposure. According to Ma [38], the mode of action associated with phototoxicity is SSR, which activates ionic or respiratory stress caused by damage to respiratory and ion-exchanged surfaces by ROS produced when attached or adsorbed nTiO₂.

Therefore, the findings suggested that the increasing concentration of nTiO₂ and the long exposure time to solar radiation cause phototoxicity in *D. magna* and *Artemia* sp.

6. Conclusions

The present study investigated the phototoxicity of nTiO₂ toward two aquatic organisms. *D. magna* that served as a model organism for a conservative risk assessment of freshwater, and *Artemia* sp. for saltwater organisms.

D. magna showed as a sensitive organism, and *Artemia* sp. showed as a resistant organism. Still, the latest showed a different behavior when it was exposed to nTiO₂ joined with UV organic filters.

This work describes several bioassays with combinations of experimental conditions, it covers from the lowest concentration of 0.000018 mg/L to a higher concentration of 100 mg/L, and it was demonstrated that UV radiation exposure time of 24 and 48 h, might increase the phototoxicity of the nTiO₂.

Also, the results achieved in this study regarding the toxic effects produced by combined stressors exposing on *Artemia* sp. guarantees subsequent investigations on joint effects when physical and chemical UV filters are combined.

Our findings evidence the increased toxicity of nTiO₂ in aquatic environments under solar radiation, and especially when organic sunscreens are simultaneously present. This study also demonstrated the importance of considering not only the concentration of nTiO₂ to assess its toxicity but also to consider other factors, i.e., sunlight and co-existing substances to estimate its environmental hazard. Reactive oxygen and halogen species formation in the photoreaction process are involved in the phototoxicity of nTiO₂. Thus, significantly different phototoxic effects could be expected in natural waters with large differences in salts content, as is the case between freshwater and seawater.

From the results obtained in the present study, it can be concluded that:

On *D. magna*:

- (I) Toxicity on this organism was increased when nTiO₂ and irradiation were combined.
- (II) When the UV irradiation time is extended, the phototoxicity potential of the nTiO₂ increases at higher concentrations.
- (III) A concentration-dependent immobilization process was observed in the simultaneous exposure to 48 h of UV irradiation at 100 mg/L nTiO₂.

On *Artemia* sp.:

- (I) Exposure to short irradiation time and low nTiO₂ showed no phototoxicity.
- (II) Exposure to irradiation, nTiO₂, and a mixture of organic UV filters, a notorious increment of the immobilization rate was observed.
- (III) A concentration-dependent immobilization process was observed when this organism was exposed to 48 h of UV radiation and 100 mg/L of nTiO₂.

Author Contributions: A.C.S.d.l.V., A.C.-A., C.S.M., C.B.M., and M.S.D.-C. contributed to the study conception and design. Material preparation, data collection, and analysis were performed by A.C.S.d.l.V. and A.C.-A. The essential organism was provided by C.B.M. The first draft of the manuscript was written by A.C.S.d.l.V., C.S.M., C.B.M., and M.S.D.-C. supervised all the study and commented on previous versions of the manuscript. All authors have read and agreed to the published version of the manuscript.

Funding: This research received external funding from the Spanish Ministry of Science and Innovation, AGAUR-Gencat and CONACyT.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: Data sharing not applicable. No new data were created or analyzed in this study.

Acknowledgments: Authors acknowledge the financial support of the Spanish Ministry of Science and Innovation, for projects ROUSSEAU (CTM2017-89767-C3-1-R), CEX2018-000794-S, and CTQ2017-86466-R, and AGAUR-Gencat project 2017SGR131. A.C. Soler acknowledges Mexican CONACyT for her doctoral grant (Ref. 409154).

Conflicts of Interest: The authors declare no conflict of interest.

Abbreviations

<i>Artemia</i> sp.	<i>A. sp.</i>
Benzophenone 3	BP3
<i>Daphnia magna</i>	<i>D. magna</i>
Dynamic light scattering	DLS
Ethyl 4-aminobenzoate	EtPABA
Median Effective Concentration	EC50
Methanol	MeOH
Nano-particles of titanium dioxide	nTiO ₂
Octocrylene	OC
Reactive halogen species	RHS
Reactive oxygen species	ROS
Simulated solar radiation	SSR
Titanium Dioxide	TiO ₂
Transmission electron microscopy	TEM
Ultraviolet	UV
Ultraviolet A	UVA
Ultraviolet C	UVC

References

1. Roco, M.C. Erratum to: The long view of nanotechnology development: The National Nanotechnology Initiative at 10 years. *J. Nanopart. Res.* **2011**, *13*, 1335. [\[CrossRef\]](#)
2. Piccinno, F.; Gottschalk, F.; Seeger, S.; Nowack, B. Industrial production quantities and uses of ten engineered nanomaterials in Europe and the world. *J. Nanoparticle Res.* **2012**, *14*, 1109.
3. Ohno, T.; Sarukawa, K.; Tokieda, K.; Matsumura, M. Morphology of a TiO₂ Photocatalyst (Degussa, P-25) Consisting of Anatase and Rutile Crystalline Phases. *J. Catal.* **2001**, *203*, 82–86. [\[CrossRef\]](#)
4. Schulz, J.; Hohenberg, H.; Pflücker, F.; Gärtner, E.; Will, T.; Pfeiffer, S.; Wepf, R.A.; Wendel, V.; Gers-Barlag, H.; Wittern, K.-P. Distribution of sunscreens on skin. *Adv. Drug Deliv. Rev.* **2002**, *54*, S157–S163. [\[CrossRef\]](#)
5. Gamer, A.; Leibold, E.; Van Ravenzwaay, B. The in vitro absorption of microfine zinc oxide and titanium dioxide through porcine skin. *Toxicol. Vitro.* **2006**, *20*, 301–307. [\[CrossRef\]](#) [\[PubMed\]](#)
6. Cross, S.E.; Innes, B.; Roberts, M.S.; Tsuzuki, T.; Robertson, T.A.; McCormick, P. Human Skin Penetration of Sunscreen Nanoparticles: In-vitro Assessment of a Novel Micronized Zinc Oxide Formulation. *Skin Pharmacol. Physiol.* **2007**, *20*, 148–154. [\[CrossRef\]](#)
7. Sánchez-Quiles, D.; Tovar-Sánchez, A. Are sunscreens a new environmental risk associated with coastal tourism? *Environ. Int.* **2015**, *83*, 158–170. [\[CrossRef\]](#)
8. Boxall, A.B.A.; Rudd, M.A.; Brooks, B.W.; Caldwell, D.J.; Choi, K.; Hickmann, S.; Innes, E.; Ostapyk, K.; Staveley, J.P.; Verslycke, T.; et al. Pharmaceuticals and Personal Care Products in the Environment: What Are the Big Questions? *Environ. Heal. Perspect.* **2012**, *120*, 1221–1229. [\[CrossRef\]](#)
9. Whatmore, R.W. Nanotechnology—What is it? Should we be worried? *Occup. Med.* **2006**, *56*, 295–299. [\[CrossRef\]](#)
10. Brunet, L.; Lyon, D.Y.; Hotze, E.M.; Alvarez, P.J.J.; Wiesner, M.R. Comparative Photoactivity and Antibacterial Properties of C60Fullerenes and Titanium Dioxide Nanoparticles. *Environ. Sci. Technol.* **2009**, *43*, 4355–4360. [\[CrossRef\]](#)
11. Menard, A.; Drobne, D.; Jemec, A. Ecotoxicity of nanosized TiO₂. Review of in vivo data. *Environ. Pollut.* **2011**, *159*, 677–684. [\[CrossRef\]](#) [\[PubMed\]](#)
12. Schneider, R.J.; Roe, K.L.; Hansel, C.M.; Voelker, B.M. Species-Level Variability in Extracellular Production Rates of Reactive Oxygen Species by Diatoms. *Front. Chem.* **2016**, *4*, 5. [\[CrossRef\]](#) [\[PubMed\]](#)

13. Hao, Z.; Yin, Y.-G.; Wang, J.; Cao, D.; Liu, J. Formation of organobromine and organoiodine compounds by engineered TiO₂ nanoparticle-induced photohalogenation of dissolved organic matter in environmental waters. *Sci. Total Environ.* **2018**, 631–632, 158–168. [\[CrossRef\]](#) [\[PubMed\]](#)
14. Porcar-Santos, O.; Cruz-Alcalde, A.; López-Vinent, N.; Zanganas, D.; Sans, C. Photocatalytic degradation of sulfamethoxazole using TiO₂ in simulated seawater: Evidence for direct formation of reactive halogen species and halogenated by-products. *Sci. Total. Environ.* **2020**, 736, 139605. [\[CrossRef\]](#)
15. Okupnik, A.; Pflugmacher, S. Oxidative stress response of the aquatic macrophyte *Hydrilla verticillata* exposed to TiO₂ nanoparticles. *Environ. Toxicol. Chem.* **2016**, 35, 2859–2866. [\[CrossRef\]](#)
16. Cherchi, C.; Gu, A.Z. Impact of Titanium Dioxide Nanomaterials on Nitrogen Fixation Rate and Intracellular Nitrogen Storage in *Anabaena variabilis*. *Environ. Sci. Technol.* **2010**, 44, 8302–8307. [\[CrossRef\]](#)
17. Hund-Rinke, K.; Simon, M. Ecotoxic Effect of Photocatalytic Active Nanoparticles (TiO₂) on Algae and Daphnids (8 pp). *Environ. Sci. Pollut. Res.* **2006**, 13, 225–232. [\[CrossRef\]](#)
18. Wiench, K.; Wohlleben, W.; Hisgen, V.; Radke, K.; Salinas, E.; Zok, S.; Landsiedel, R. Acute and chronic effects of nano- and non-nano-scale TiO₂ and ZnO particles on mobility and reproduction of the freshwater invertebrate *Daphnia magna*. *Chemosphere* **2009**, 76, 1356–1365. [\[CrossRef\]](#)
19. De la Vega, A.C.S.; Molins-Delgado, D.; Barceló, D.; Díaz-Cruz, M.S. Nanosized titanium dioxide UV filter increases mixture toxicity when combined with parabens. *Ecotoxicol. Environ. Saf.* **2019**, 184, 109565. [\[CrossRef\]](#)
20. Barata, C.; Baird, D.J. Phenotypic plasticity and constancy of life-history traits in laboratory clones of *Daphnia magna* Straus: Effects of neonatal length. *Funct. Ecol.* **1998**, 12, 442–452. [\[CrossRef\]](#)
21. Bustos, N.; Cruz-Alcalde, A.; Iriel, A.; Cirelli, A.F.; Sans, C. Sunlight and UVC-254 irradiation-induced photodegradation of organophosphorus pesticide dichlorvos in aqueous matrices. *Sci. Total Environ.* **2019**, 649, 592–600. [\[CrossRef\]](#) [\[PubMed\]](#)
22. Gottschalk, F.; Sun, T.; Nowack, B. Environmental concentrations of engineered nanomaterials: Review of modeling and analytical studies. *Environ. Pollut.* **2013**, 181, 287–300. [\[CrossRef\]](#) [\[PubMed\]](#)
23. Gago-Ferrero, P.; Díaz-Cruz, M.S.; Barceló, D. An overview of UV-absorbing compounds (organic UV filters) in aquatic biota. *Anal. Bioanal. Chem.* **2012**, 404. [\[CrossRef\]](#) [\[PubMed\]](#)
24. Gadelha, J.R.; Rocha, A.C.; Camacho, C.; Eljarrat, E.; Peris, A.; Aminot, Y.; Readman, J.W.; Boti, V.I.; Nannou, C.; Kapsi, M.; et al. Persistent and emerging pollutants assessment on aquaculture oysters (*Crassostrea gigas*) from NW Portuguese coast (Ria De Aveiro). *Sci. Total Environ.* **2019**, 666, 731–742. [\[CrossRef\]](#) [\[PubMed\]](#)
25. Lovern, S.B.; Klaper, R. *Daphnia magna* mortality when exposed to titanium dioxide and fullerene (c60) nanoparticles. *Environ. Toxicol. Chem.* **2006**, 25, 1132–1137. [\[CrossRef\]](#) [\[PubMed\]](#)
26. Kim, K.-T.; Klaine, S.J.; Kim, S.D. Acute and Chronic Response of *Daphnia magna* Exposed to TiO₂ Nanoparticles in Agitation System. *Bull. Environ. Contam. Toxicol.* **2014**, 93, 456–460. [\[CrossRef\]](#) [\[PubMed\]](#)
27. Johari, S.; Asghari, S. Acute toxicity of titanium dioxide nanoparticles in *Daphnia magna* and *Pontogammarus maeoticus*. *J. Adv. Environ. Health Res.* **2015**, 3, 111–119. [\[CrossRef\]](#)
28. Amador-Castro, F.; Rodriguez-Martinez, V.; Carrillo-Nieves, D. Robust natural ultraviolet filters from marine ecosystems for the formulation of environmental friendlier bio-sunscreens. *Sci Total. Environ.* **2020**, 749, 141576. [\[CrossRef\]](#)
29. Ahamed, A.; Liang, L.; Lee, M.Y.; Bobacka, J.; Lisak, G. Too small to matter? Physicochemical transformation and toxicity of engineered nTiO₂, nSiO₂, nZnO, carbon nanotubes, and nAg. *J. Hazard. Mater.* **2021**, 404, 124107. [\[CrossRef\]](#)
30. Clemente, Z.; Castro, V.L.; Jonsson, C.M.; Fraceto, L.F. Minimal levels of ultraviolet light enhance the toxicity of TiO₂ nanoparticles to two representative organisms of aquatic systems. *J. Nanopart. Res.* **2014**, 16, 2559. [\[CrossRef\]](#)
31. Matsuo, S.; Anraku, Y.; Yamada, S.; Honjo, T.; Matsuo, T.; Wakita, H. Effects of photocatalytic reactions on marine plankton: Titanium dioxide powder as catalyst on the body surface. *J. Environ. Sci. Heal. Part. A* **2001**, 36, 1419–1425. [\[CrossRef\]](#) [\[PubMed\]](#)
32. Marccone, G.P.; Oliveira, A.C.; Almeida, G.; Umbuzeiro, G.D.A.; Jardim, W.F. Ecotoxicity of TiO₂ to *Daphnia similis* under irradiation. *J. Hazard. Mater.* **2012**, 211–212, 436–442. [\[CrossRef\]](#) [\[PubMed\]](#)
33. Ma, H.; Brennan, A.; Diamond, S.A. Photocatalytic reactive oxygen species production and phototoxicity of titanium dioxide nanoparticles are dependent on the solar ultraviolet radiation spectrum. *Environ. Toxicol. Chem.* **2012**, 31, 2099–2107. [\[CrossRef\]](#) [\[PubMed\]](#)
34. Faria, M.; Navas, J.M.; Soares, A.M.V.M.; Barata, C. Oxidative stress effects of titanium dioxide nanoparticle aggregates in zebrafish embryos. *Sci. Total Environ.* **2014**, 470, 379–389. [\[CrossRef\]](#)
35. Karlsson, H.L.; Gustafsson, J.; Cronholm, P.; Möller, L. Size-dependent toxicity of metal oxide particles—A comparison between nano- and micrometer size. *Toxicol. Lett.* **2009**, 188, 112–118. [\[CrossRef\]](#)
36. Zhu, X.; Chang, Y.; Chen, Y. Toxicity and bioaccumulation of TiO₂ nanoparticle aggregates in *Daphnia magna*. *Chemosphere* **2010**, 78, 209–215. [\[CrossRef\]](#)
37. Ates, M.; Daniels, J.; Arslan, Z.; Farah, I.O. Effects of aqueous suspensions of titanium dioxide nanoparticles on *Artemia salina*: Assessment of nanoparticle aggregation, accumulation, and toxicity. *Environ. Monit. Assess.* **2012**, 185, 3339–3348. [\[CrossRef\]](#)
38. Ma, H.; Brennan, A.; Diamond, S.A. Phototoxicity of TiO₂ nanoparticles under solar radiation to two aquatic species: *Daphnia magna* and Japanese medaka. *Environ. Toxicol. Chem.* **2012**, 31, 1621–1629. [\[CrossRef\]](#) [\[PubMed\]](#)