

Correction

Correction: Duso C.; et al. Colonization Patterns, Phenology and Seasonal Abundance of the Nearctic Leafhopper *Erasmoneura vulnerata* (Fitch), a New Pest in European Vineyards. *Insects* 2020, 11, 731

Carlo Duso *, Giulia Zanettin, Pamela Gherardo, Giulia Pasqualotto , Damiano Raniero, Filippo Rossetto, Paola Tirello and Alberto Pozzebon 

Department of Agronomy, Food, Natural Resources, Animals and Environment, University of Padova, Viale dell'Università 16, Agripolis, 35020 Legnaro, Padova, Italy; giuliazanettin22@gmail.com (G.Z.); pamela.gherardo@studenti.unipd.it (P.G.); giulia.pasqualotto.2@studenti.unipd.it (G.P.); damiano.raniero@studenti.unipd.it (D.R.); filippo.rossetto.1@studenti.unipd.it (F.R.); paola.tirello@unipd.it (P.T.); alberto.pozzebon@unipd.it (A.P.)

* Correspondence: carlo.duso@unipd.it; Tel.: +39-049-8272805



Citation: Duso, C.; Zanettin, G.; Gherardo, P.; Pasqualotto, G.; Raniero, D.; Rossetto, F.; Tirello, P.; Pozzebon, A. Correction: Duso C.; et al. Colonization Patterns, Phenology and Seasonal Abundance of the Nearctic Leafhopper *Erasmoneura vulnerata* (Fitch), a New Pest in European Vineyards. *Insects* 2020, 11, 731. *Insects* 2021, 12, 59. <https://doi.org/10.3390/insects12010059>

Received: 28 December 2020

Accepted: 4 January 2021

Published: 12 January 2021

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.

It has recently come to our attention that there were some mistakes in legends and figures reported in our study [1]. In Figures 5–10, “Istar” was reported instead of “Instar”. Moreover, the legend of Figure 9 was corrected as follows: “The phenology of *E. vulnerata* in LO1 vineyard in the growing season of 2019. Arrows indicate pyrethrins treatments.” and the legend of Figure 10 was corrected as follows: “The phenology of *E. vulnerata* in MO vineyard in the growing season of 2019”. The corrected figures and legends are reported below.




Figure 5. The phenology of *E. vulnerata* in AC vineyard in the growing season of 2017.



Copyright: © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).




Figure 6. The phenology of *E. vulnerata* in AO vineyard in the growing season of 2017. Arrow indicates pyrethrins treatment.




Figure 7. The phenology of *E. vulnerata* in MO vineyard in the growing season of 2018.




Figure 8. The phenology of *E. vulnerata* in LO2 vineyard in the growing season of 2018.




Figure 9. The phenology of *E. vulnerata* in LO1 vineyard in the growing season of 2019. Arrows indicate pyrethrins treatments.




Figure 10. The phenology of *E. vulnerata* in MO vineyard in the growing season of 2019.

In the text, on page 10, Section 3.2.3, “2019”, Figures 9 and 10 should be cited instead of Figures 8 and 9.

The authors apologize for any inconvenience caused and state that the scientific conclusions are unaffected. The original article has been updated.

Reference

- Duso, C.; Zanettin, G.; Gherardo, P.; Pasqualotto, G.; Raniero, D.; Rossetto, F.; Tirello, P.; Pozzebon, A. Colonization Patterns, Phenology and Seasonal Abundance of the Nearctic Leafhopper *Erasmoneura vulnerata* (Fitch), a New Pest in European Vineyards. *Insects* **2020**, *11*, 731. [CrossRef] [PubMed]