

Editorial

Special Issue on “Metasurfaces: Physics and Applications”

Fei Ding ^{1,*} , Patrice Genevet ² and Sergey I. Bozhevolnyi ^{1,*}

¹ SDU Nano Optics, University of Southern Denmark, Campusvej 55, DK-5230 Odense, Denmark

² Centre de Recherche sur l'Hétéro-Epitaxie et ses Application, CNRS, Rue Bernard Gregory, Sophia-Antipolis, 06560 Valbonne, France; patrice.genevet@crhea.cnrs.fr

* Correspondence: feid@mci.sdu.dk (F.D.); seib@mci.sdu.dk (S.I.B.)

Received: 18 September 2018; Accepted: 20 September 2018; Published: 24 September 2018



Metasurfaces, the two-dimensional analog of metamaterials, have been attracting progressively increasing attention in recent years due to their planar configurations and thus ease of fabrication while enabling unprecedented control in optical fields [1–4]. The phase, amplitude, polarization, helicity, and even angular momentum of the reflected or transmitted optical fields can be controlled at will by tailoring optically thin planar arrays of resonant subwavelength elements arranged in a periodic or aperiodic manner. As a result, numerous applications and fascinating devices have been realized by designed planar metasurfaces, including beam deflectors [5–9], wave plates [10–13], flat lenses [14–20], holograms [21–25], surface wave couplers [26–30], and freeform metasurfaces [31–33].

This special issue is launched to provide a possibility for researchers in the area of metasurfaces to highlight the most recent exciting developments and discuss different metasurface configurations in depth, so as to further promote practical applications of metasurfaces. There are 12 papers selected for this special issue, representing fascinating progress and potential applications in the area of metasurfaces. This collection includes three review papers in total, which focus on a few specific branches of metasurface-based applications [34–36]. Lei Zhou and co-workers present a concise review on the development of multifunctional metasurfaces based on merging concept and anisotropic single-structure meta-atoms [34]. This is a timely overview article, since integrating multiple diversified functionalities into a single and ultra-compact device has become an emerging research area in photonics. The second review paper authored by Wei E.I. Sha and co-workers comprehensively discusses the recent progress in geometric-phase-based metasurfaces for orbital angular momentum (OAM) generation and detection [35]. The last review paper from Bozhevolnyi's group focuses on the fundamentals and recent developments within metasurface-based polarimeters, which can detect the polarization state of an incident beam in one shot with a compact single device [36]. Regarding the other nine research papers, the following metasurface-based application areas are specifically addressed:

Metasurface-based microwave antennas: This special issue contains a series of works on metasurface-based antennas operating in the microwave range, which is an important application of metasurfaces. Long Li and co-workers have utilized well-designed metasurfaces to replace the conventional bulk antennas and demonstrated coherent computational imaging [37], high-order harmonic suppression [38], and electromagnetic power harvesting [39]. Additionally, novel metasurface-based antennas have been proposed with improved characteristics, such as the crossbar fractal microstrip [40] and elliptical patch with cross-shaped aperture [41].

Coding metasurface for beam-steering: This special issue includes two excellent examples of microwave coding metasurfaces, of which one is devoted to wide-angle beam-steering based on 1-bit digital reconfigurable reflective metasurfaces [42], and the other one reports the broadband radar cross-section reduction with linear polarization conversion metasurfaces [43].

Metasurface-based spectrometer: One paper presents a theoretical investigation of an off-axis metalens-based spectrometer by addressing the influences of structural parameters on the effective spectral range and spectral resolution [44]. This study outlines an important way to design and integrate planar metasurface-based spectrometers for various practical applications.

Metasurface-based waveguide: Vladimir P. Drachev and co-workers have demonstrated a metasurface-based waveguide composed of magnetic gratings with effective strips, where anisotropy in the effective parameters is introduced, providing thereby an additional flexibility to control the polarization- and angular-dependent optical response [45].

In summary, this special issue contains a series of excellent research work on metasurfaces, covering a wide area of application-oriented meta-devices. This collection of 12 papers is highly recommended and believed to benefit readers in various aspects.

Acknowledgments: We would like to thank all authors, the many dedicated referees, the editor team of *Applied Sciences*, and especially Ryan Pei (Assistant Managing Editor) for their valuable contributions, making this special issue a success.

Conflicts of Interest: The authors declare no conflicts of interest.

References

1. Yu, N.; Capasso, F. Flat optics with designer metasurfaces. *Nat. Mater.* **2014**, *13*, 139–150. [[CrossRef](#)] [[PubMed](#)]
2. Glybovski, S.B.; Tretyakov, S.A.; Belov, P.A.; Kivshar, Y.S.; Simovski, C.R. Metasurfaces: From microwaves to visible. *Phys. Rep.* **2016**, *634*, 1–72. [[CrossRef](#)]
3. Genevet, P.; Capasso, F.; Aieta, F.; Khorasaninejad, M.; Devlin, R. Recent advances in planar optics: From plasmonic to dielectric metasurfaces. *Optica* **2017**, *4*, 139–152. [[CrossRef](#)]
4. Ding, F.; Pors, A.; Bozhevolnyi, S.I. Gradient metasurfaces: A review of fundamentals and applications. *Rep. Prog. Phys.* **2018**, *81*, 026401. [[CrossRef](#)] [[PubMed](#)]
5. Yu, N.; Genevet, P.; Kats, M.A.; Aieta, F.; Tetienne, J.P.; Capasso, F.; Gaburro, Z. Light Propagation with Phase Discontinuities: Generalized Laws of Reflection and Refraction. *Science* **2011**, *334*, 333–337. [[CrossRef](#)] [[PubMed](#)]
6. Ni, X.; Emani, N.K.; Kildishev, A.V.; Boltasseva, A.; Shalaev, V.M. Broadband Light Bending with Plasmonic Nanoantennas. *Science* **2012**, *335*, 427. [[CrossRef](#)] [[PubMed](#)]
7. Sun, S.; Yang, K.Y.; Wang, C.M.; Juan, T.K.; Chen, W.T.; Liao, C.Y.; He, Q.; Xiao, S.; Kung, W.T.; Guo, G.Y.; et al. High-Efficiency Broadband Anomalous Reflection by Gradient Meta-Surfaces. *Nano Lett.* **2012**, *12*, 6223–6229. [[CrossRef](#)] [[PubMed](#)]
8. Pors, A.; Albrechtsen, O.; Radko, I.P.; Bozhevolnyi, S.I. Gap plasmon-based metasurfaces for total control of reflected light. *Sci. Rep.* **2013**, *3*, 2155. [[CrossRef](#)] [[PubMed](#)]
9. Pors, A.; Ding, F.; Chen, Y.; Radko, I.P.; Bozhevolnyi, S.I. Random-phase metasurfaces at optical wavelengths. *Sci. Rep.* **2016**, *6*, 28448. [[CrossRef](#)] [[PubMed](#)]
10. Yu, N.; Aieta, F.; Genevet, P.; Kats, M.A.; Gaburro, Z.; Capasso, F. A Broadband, Background-Free Quarter-Wave Plate Based on Plasmonic Metasurfaces. *Nano Lett.* **2012**, *12*, 6328–6333. [[CrossRef](#)] [[PubMed](#)]
11. Pors, A.; Nielsen, M.G.; Bozhevolnyi, S.I. Broadband plasmonic half-wave plates in reflection. *Opt. Lett.* **2013**, *38*, 513–515. [[CrossRef](#)] [[PubMed](#)]
12. Yang, Y.; Wang, W.; Moitra, P.; Kravchenko, I.I.; Briggs, D.P.; Valentine, J. Dielectric Meta-Reflectarray for Broadband Linear Polarization Conversion and Optical Vortex Generation. *Nano Lett.* **2014**, *14*, 1394–1399. [[CrossRef](#)] [[PubMed](#)]
13. Ding, F.; Wang, Z.; He, S.; Shalaev, V.M.; Kildishev, A.V. Broadband High-Efficiency Half-Wave Plate: A Supercell-Based Plasmonic Metasurface Approach. *ACS Nano* **2015**, *9*, 4111–4119. [[CrossRef](#)] [[PubMed](#)]
14. Aieta, F.; Genevet, P.; Kats, M.A.; Yu, N.; Blanchard, R.; Gaburro, Z.; Capasso, F. Aberration-Free Ultrathin Flat Lenses and Axicons at Telecom Wavelengths Based on Plasmonic Metasurfaces. *Nano Lett.* **2012**, *12*, 4932–4936. [[CrossRef](#)] [[PubMed](#)]
15. Ni, X.; Ishii, S.; Kildishev, A.V.; Shalaev, V.M. Ultra-thin, planar, Babinet-inverted plasmonic metalenses. *Light Sci. Appl.* **2013**, *2*, e72. [[CrossRef](#)]

16. Pors, A.; Nielsen, M.G.; Eriksen, R.L.; Bozhevolnyi, S.I. Broadband Focusing Flat Mirrors Based on Plasmonic Gradient Metasurfaces. *Nano Lett.* **2013**, *13*, 829–834. [[CrossRef](#)] [[PubMed](#)]
17. Arbabi, A.; Horie, Y.; Bagheri, M.; Faraon, A. Dielectric metasurfaces for complete control of phase and polarization with subwavelength spatial resolution and high transmission. *Nat. Nanotechnol.* **2015**, *10*, 937–943. [[CrossRef](#)] [[PubMed](#)]
18. Khorasaninejad, M.; Chen, W.T.; Devlin, R.C.; Oh, J.; Zhu, A.Y.; Capasso, F. Metalenses at visible wavelengths: Diffraction-limited focusing and subwavelength resolution imaging. *Science* **2016**, *352*, 1190–1194. [[CrossRef](#)] [[PubMed](#)]
19. Arbabi, A.; Arbabi, E.; Kamali, S.M.; Horie, Y.; Han, S.; Faraon, A. Miniature optical planar camera based on a wide-angle metasurface doublet corrected for monochromatic aberrations. *Nat. Commun.* **2016**, *7*, 13682. [[CrossRef](#)] [[PubMed](#)]
20. Wang, S.; Wu, P.C.; Su, V.C.; Lai, Y.C.; Chu, C.H.; Chen, J.W.; Lu, S.H.; Chen, J.; Xu, B.; Kuan, C.H.; et al. Broadband achromatic optical metasurface devices. *Nat. Commun.* **2017**, *8*, 187. [[CrossRef](#)] [[PubMed](#)]
21. Ni, X.; Kildishev, A.V.; Shalaev, V.M. Metasurface holograms for visible light. *Nat. Commun.* **2013**, *4*, 2807. [[CrossRef](#)]
22. Chen, W.T.; Yang, K.Y.; Wang, C.M.; Huang, Y.W.; Sun, G.; Chiang, I.D.; Liao, C.Y.; Hsu, W.L.; Lin, H.T.; Sun, S.; et al. High-efficiency broadband meta-hologram with polarization-controlled dual images. *Nano Lett.* **2013**, *14*, 225–230. [[CrossRef](#)] [[PubMed](#)]
23. Huang, L.; Chen, X.; Mühlenbernd, H.; Zhang, H.; Chen, S.; Bai, B.; Tan, Q.; Jin, G.; Cheah, K.W.; Qiu, C.W.; et al. Three-dimensional optical holography using a plasmonic metasurface. *Nat. Commun.* **2013**, *4*, 2808. [[CrossRef](#)]
24. Zheng, G.; Mühlenbernd, H.; Kenney, M.; Li, G.; Zentgraf, T.; Zhang, S. Metasurface holograms reaching 80% efficiency. *Nat. Nanotechnol.* **2015**, *10*, 308–312. [[CrossRef](#)] [[PubMed](#)]
25. Genevet, P.; Capasso, F. Holographic optical metasurfaces: A review of current progress. *Rep. Prog. Phys.* **2015**, *78*, 024401. [[CrossRef](#)] [[PubMed](#)]
26. Sun, S.; He, Q.; Xiao, S.; Xu, Q.; Li, X.; Zhou, L. Gradient-index meta-surfaces as a bridge linking propagating waves and surface waves. *Nat. Mater.* **2012**, *11*, 426–431. [[CrossRef](#)] [[PubMed](#)]
27. Lin, J.; Mueller, J.B.; Wang, Q.; Yuan, G.; Antoniou, N.; Yuan, X.C.; Capasso, F. Polarization-controlled tunable directional coupling of surface plasmon polaritons. *Science* **2013**, *340*, 331–334. [[CrossRef](#)] [[PubMed](#)]
28. Huang, L.; Chen, X.; Bai, B.; Tan, Q.; Jin, G.; Zentgraf, T.; Zhang, S. Helicity dependent directional surface plasmon polariton excitation using a metasurface with interfacial phase discontinuity. *Light Sci. Appl.* **2013**, *2*, e70. [[CrossRef](#)]
29. Pors, A.; Nielsen, M.G.; Bernardin, T.; Weeber, J.C.; Bozhevolnyi, S.I. Efficient unidirectional polarization-controlled excitation of surface plasmon polaritons. *Light Sci. Appl.* **2014**, *3*, e197. [[CrossRef](#)]
30. Ding, F.; Deshpande, R.; Bozhevolnyi, S.I. Bifunctional gap-plasmon metasurfaces for visible light: Polarization-controlled unidirectional surface plasmon excitation and beam steering at normal incidence. *Light Sci. Appl.* **2018**, *7*, 17178. [[CrossRef](#)]
31. Teo, J.T.H.; Wong, L.J.; Molardi, C.; Genevet, P. Controlling electromagnetic fields at boundaries of arbitrary geometries. *Phys. Rev. A* **2016**, *94*, 023820. [[CrossRef](#)]
32. Kamali, S.M.; Arbabi, A.; Arbabi, E.; Horie, Y.; Faraon, A. Decoupling optical function and geometrical form using conformal flexible dielectric metasurfaces. *Nat. Commun.* **2016**, *7*, 11618. [[CrossRef](#)] [[PubMed](#)]
33. Wu, K.; Coquet, P.; Wang, Q.J.; Genevet, P. Modelling of Free-form Conformal Metasurfaces. *Nat. Commun.* **2018**, *9*, 3494. [[CrossRef](#)] [[PubMed](#)]
34. Tang, S.; Cai, T.; Xu, H.; He, Q.; Sun, S.; Zhou, L. Multifunctional Metasurfaces Based on the “Merging” Concept and Anisotropic Single-Structure Meta-Atoms. *Appl. Sci.* **2018**, *8*, 555. [[CrossRef](#)]
35. Chen, M.; Jiang, L.; Sha, W. Orbital Angular Momentum Generation and Detection by Geometric-Phase Based Metasurfaces. *Appl. Sci.* **2018**, *8*, 362. [[CrossRef](#)]
36. Ding, F.; Chen, Y.; Bozhevolnyi, S.I. Metasurface-Based Polarimeters. *Appl. Sci.* **2018**, *8*, 594. [[CrossRef](#)]
37. Kou, N.; Li, L.; Tian, S.; Li, Y. Measurement Matrix Analysis and Radiation Improvement of a Metamaterial Aperture Antenna for Coherent Computational Imaging. *Appl. Sci.* **2017**, *7*, 933. [[CrossRef](#)]
38. Kou, N.; Liu, H.; Li, L. A Transplantable Frequency Selective Metasurface for High-Order Harmonic Suppression. *Appl. Sci.* **2017**, *7*, 1240. [[CrossRef](#)]

39. Zhang, X.; Liu, H.; Li, L. Electromagnetic Power Harvester Using Wide-Angle and Polarization-Insensitive Metasurfaces. *Appl. Sci.* **2018**, *8*, 497. [[CrossRef](#)]
40. Kubacki, R.; Czyżewski, M.; Laskowski, D. Minkowski Island and Crossbar Fractal Microstrip Antennas for Broadband Applications. *Appl. Sci.* **2018**, *8*, 334. [[CrossRef](#)]
41. Tellechea, A.; Ederra, I.; Gonzalo, R.; Iriarte, J.C. Dispersion Properties of an Elliptical Patch with Cross-Shaped Aperture for Synchronized Propagation of Transverse Magnetic and Electric Surface Waves. *Appl. Sci.* **2018**, *8*, 472. [[CrossRef](#)]
42. Tian, S.; Liu, H.; Li, L. Design of 1-Bit Digital Reconfigurable Reflective Metasurface for Beam-Scanning. *Appl. Sci.* **2017**, *8*, 882. [[CrossRef](#)]
43. Yang, J.; Cheng, Y.; Qi, D.; Gong, R. Study of Energy Scattering Relation and RCS Reduction Characteristic of Matrix-Type Coding Metasurface. *Appl. Sci.* **2018**, *8*, 1231. [[CrossRef](#)]
44. Zhou, Y.; Chen, R.; Ma, Y. Characteristic Analysis of Compact Spectrometer Based on Off-Axis Meta-Lens. *Appl. Sci.* **2018**, *8*, 321. [[CrossRef](#)]
45. Roccapriore, K.M.; Lyvers, D.P.; Brown, D.P.; Poutrina, E.; Urbas, A.M.; Germer, T.A.; Drachev, V.P. Waveguide Coupling via Magnetic Gratings with Effective Strips. *Appl. Sci.* **2018**, *8*, 6177. [[CrossRef](#)]



© 2018 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).